

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	94	SO <sub>2</sub> , PM <sub>10</sub>	2
2	Agra	Moderate	148	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub>	8
4	Aizawl	Good	39	PM <sub>10</sub>	1
5	Ajmer	Poor	230	PM <sub>10</sub>	1
6	Alwar	Moderate	168	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	102	PM <sub>10</sub>	1
8	Ambala	Moderate	154	PM <sub>10</sub>	1
9	Amritsar	Moderate	150	O <sub>3</sub>	1
10	Ankleshwar	Satisfactory	90	PM <sub>10</sub>	1
11	Araria	Satisfactory	70	0 <sub>3</sub>	1
12	Arrah	Moderate	106	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

 $^{\ast}$  AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	89	PM <sub>10</sub>	1
14	Aurangabad (Bihar)	Moderate	149	PM <sub>10</sub>	1
15	Baddi	Moderate	200	PM <sub>10</sub>	1
16	Bagalkot	Good	50	PM <sub>2.5</sub>	1
17	Bahadurgarh	Moderate	189	PM <sub>10</sub>	1
18	Bathinda	Moderate	112	PM <sub>10</sub>	1
19	Bengaluru	Satisfactory	77	PM <sub>10</sub>	7
20	Bettiah	Good	42	PM <sub>2.5</sub>	1
21	Bhagalpur	Moderate	112	PM <sub>10</sub>	2
22	Bhiwadi	Very Poor	322	PM <sub>2.5</sub>	1
23	Bhiwani	Poor	211	PM <sub>2.5</sub>	1
24	Bhopal	Moderate	178	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

 $^{\ast}$  AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	108	PM <sub>10</sub>	1
26	Buxar	Moderate	161	PM <sub>10</sub>	1
27	Chamarajanagar	Good	40	PM <sub>10</sub>	1
28	Chandigarh	Moderate	175	О <sub>3</sub> , РМ <sub>10</sub>	3
29	Chandrapur	Moderate	140	PM <sub>10</sub>	2
30	Charkhi Dadri	Moderate	166	PM <sub>10</sub>	1
31	Chennai	Satisfactory	85	PM <sub>10</sub> , PM <sub>2.5</sub>	8
32	Chikkaballapur	Satisfactory	56	PM <sub>10</sub>	1
33	Chikkamagaluru	Good	50	PM <sub>10</sub>	1
34	Coimbatore	Good	27	PM <sub>10</sub>	1
35	Damoh	Satisfactory	83	PM <sub>10</sub>	1
36	Darbhanga	Satisfactory	71	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Good	49	PM <sub>10</sub>	1
38	Dehradun	Moderate	150	0 <sub>3</sub>	1
39	Delhi	Poor	203	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	34
40	Dewas	Satisfactory	95	PM <sub>10</sub>	1
41	Dharuhera	Poor	223	PM <sub>10</sub>	1
42	Durgapur	Moderate	123	PM <sub>2.5</sub>	1
43	Ernakulam	Good	30	PM <sub>10</sub>	1
44	Faridabad	Poor	203	PM <sub>10</sub> , PM <sub>2.5</sub>	3
45	Firozabad	Moderate	162	О <sub>3</sub> , РМ <sub>10</sub>	2
46	Gandhinagar	Moderate	200	PM <sub>2.5</sub> , PM <sub>10</sub>	2
47	Ghaziabad	Poor	205	PM <sub>10</sub> , O <sub>3</sub>	4
48	Gorakhpur	Good	47	0 <sub>3</sub>	1

Notes:

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Poor	212	О <sub>3</sub> , РМ <sub>10</sub>	2
50	Gummidipoondi	Good	32	PM <sub>10</sub>	1
51	Gurugram	Moderate	163	PM <sub>10</sub>	1
52	Guwahati	Good	32	PM <sub>10</sub>	2
53	Gwalior	Poor	261	PM <sub>10</sub>	1
54	Hajipur	Satisfactory	87	PM <sub>10</sub>	1
55	Haldia	Good	45	PM <sub>10</sub>	1
56	Hapur	Moderate	151	PM <sub>10</sub>	1
57	Hassan	Satisfactory	89	PM <sub>10</sub>	1
58	Hisar	Moderate	161	PM <sub>10</sub>	1
59	Howrah	Satisfactory	65	PM <sub>10</sub> , O <sub>3</sub>	3
60	Hubballi	Satisfactory	72	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Moderate	108	PM <sub>10</sub> , PM <sub>2.5</sub>	6
62	Imphal	Satisfactory	57	SO <sub>2</sub>	2
63	Indore	Moderate	163	PM <sub>10</sub>	1
64	Jabalpur	Moderate	172	PM <sub>10</sub>	1
65	Jaipur	Very Poor	363	PM <sub>10</sub>	3
66	Jalandhar	Moderate	137	PM <sub>10</sub>	1
67	Jhansi	Poor	241	PM <sub>10</sub>	1
68	Jind	Moderate	103	PM <sub>10</sub>	1
69	Jodhpur	Very Poor	306	PM <sub>10</sub>	1
70	Kaithal	Moderate	113	PM <sub>10</sub>	1
71	Kalaburgi	Moderate	103	PM <sub>10</sub>	1
72	Kalyan	Moderate	109	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	53	PM <sub>10</sub>	1
74	Kanpur	Satisfactory	100	PM <sub>10</sub> , O <sub>3</sub>	3
75	Katihar	Moderate	111	PM <sub>10</sub>	1
76	Katni	Poor	230	PM <sub>10</sub>	1
77	Khanna	Moderate	126	PM <sub>10</sub>	1
78	Kochi	Satisfactory	62	PM <sub>2.5</sub>	1
79	Kohima	Satisfactory	71	PM <sub>10</sub>	1
80	Kolkata	Satisfactory	71	NO <sub>2</sub> , O <sub>3</sub> , PM <sub>10</sub>	7
81	Kollam	Satisfactory	79	PM <sub>10</sub>	1
82	Koppal	Satisfactory	55	PM <sub>10</sub>	1
83	Kota	Poor	235	PM <sub>10</sub>	1
84	Kozhikode	Satisfactory	56	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

 $^{\ast}$  AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Poor	207	PM <sub>2.5</sub>	1
86	Lucknow	Moderate	129	PM <sub>2.5</sub> , PM <sub>10</sub>	5
87	Ludhiana	Poor	227	PM <sub>2.5</sub>	1
88	Madikeri	Good	26	PM <sub>10</sub>	1
89	Maihar	Good	42	PM <sub>10</sub>	1
90	Mandi Gobindgarh	Moderate	189	PM <sub>2.5</sub>	1
91	Mandideep	Good	44	PM <sub>10</sub>	1
92	Mandikhera	Moderate	108	PM <sub>10</sub>	1
93	Manesar	Poor	205	PM <sub>2.5</sub>	1
94	Manglore	Satisfactory	63	со	1
95	Meerut	Moderate	151	PM <sub>10</sub>	3
96	Moradabad	Poor	249	0 <sub>3</sub>	1

Notes:

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mumbai	Moderate	106	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	18
98	Munger	Moderate	163	PM <sub>10</sub>	1
99	Muzaffarnagar	Poor	230	PM <sub>10</sub>	1
100	Muzaffarpur	Satisfactory	64	PM <sub>2.5</sub>	2
101	Mysuru	Good	50	0 <sub>3</sub>	1
102	Nagpur	Moderate	141	PM <sub>10</sub>	1
103	Nandesari	Satisfactory	75	PM <sub>2.5</sub>	1
104	Narnaul	Poor	254	PM <sub>2.5</sub>	1
105	Nashik	Satisfactory	78	PM <sub>10</sub>	1
106	Navi Mumbai	Satisfactory	97	РМ <sub>10</sub> , СО	3
107	Noida	Poor	209	PM <sub>10</sub>	4
108	Palwal	Moderate	125	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

 $^{\ast}$  AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Moderate	156	PM <sub>2.5</sub>	1
110	Patiala	Moderate	114	PM <sub>10</sub>	1
111	Patna	Moderate	127	PM <sub>10</sub> , O <sub>3</sub> , NO <sub>2</sub>	6
112	Pithampur	Satisfactory	92	PM <sub>10</sub>	1
113	Prayagraj	Moderate	110	PM <sub>10</sub> , PM <sub>2.5</sub>	2
114	Puducherry	Satisfactory	63	PM <sub>10</sub>	1
115	Pune	Moderate	105	PM <sub>2.5</sub>	3
116	Rajamahendravaram	Moderate	108	PM <sub>10</sub>	1
117	Ramanagara	Satisfactory	66	PM <sub>10</sub>	1
118	Ratlam	Moderate	140	PM <sub>10</sub>	1
119	Rohtak	Poor	262	PM <sub>2.5</sub>	1
120	Rupnagar	Satisfactory	95	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

 $^{\ast}$  AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sagar	Moderate	180	PM <sub>2.5</sub>	1
122	Saharsa	Satisfactory	84	NO <sub>2</sub>	1
123	Sasaram	Moderate	176	0 <sub>3</sub>	1
124	Shillong	Good	46	PM <sub>10</sub>	1
125	Shivamogga	Satisfactory	61	PM <sub>10</sub>	1
126	Siliguri	Satisfactory	71	NO <sub>2</sub>	1
127	Sirsa	Moderate	187	0 <sub>3</sub>	1
128	Solapur	Satisfactory	86	PM <sub>10</sub>	1
129	Sonipat	Poor	230	PM <sub>10</sub>	1
130	Srinagar	Satisfactory	66	PM <sub>10</sub>	1
131	Talcher	Moderate	102	со	1
132	Thane	Moderate	153	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thiruvananthapuram	Good	42	PM <sub>10</sub>	2
134	Thoothukudi	Good	43	PM <sub>10</sub>	1
135	Tirupati	Satisfactory	84	PM <sub>10</sub>	1
136	Udaipur	Moderate	149	PM <sub>10</sub>	1
137	Ujjain	Poor	223	PM <sub>10</sub>	1
138	Varanasi	Moderate	122	PM <sub>10</sub>	4
139	Vatva	Moderate	114	PM <sub>10</sub>	1
140	Vijayapura	Satisfactory	56	PM <sub>10</sub>	1
141	Visakhapatnam	Moderate	112	PM <sub>10</sub>	1
142	Vrindavan	Moderate	124	PM <sub>10</sub>	1
143	Yadgir	Satisfactory	96	PM <sub>10</sub>	1
144	Yamunanagar	Poor	237	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),

Baghpat, Ballabgarh, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Bulandshahr, Chhapra, Eloor, Fatehabad, Gadag, Gangtok, Gaya, Haveri, Jorapokhar, Karnal, Kishanganj, Kolar, Manguraha, Motihari, Naharlagun, Pali, Panipat, Purnia, Raichur, Rajgir, Samastipur, Satna, Singrauli, Siwan, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.