

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	50	PM ₁₀	2
2	Agra	Moderate	107	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	126	PM _{2.5} , PM ₁₀	8
4	Aizawl	Good	36	PM ₁₀	1
5	Ajmer	Moderate	150	PM ₁₀	1
6	Alwar	Satisfactory	76	PM ₁₀	1
7	Amaravati	Satisfactory	85	PM ₁₀	1
8	Ambala	Good	49	PM _{2.5}	1
9	Amritsar	Moderate	193	O ₃	1
10	Ankleshwar	Satisfactory	78	PM ₁₀	1
11	Asansol	Moderate	101	PM ₁₀	1
12	Aurangabad (Bihar)	Moderate	119	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	93	PM ₁₀	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Bathinda	Poor	287	PM ₁₀	1
16	Bengaluru	Satisfactory	70	PM _{2.5} , PM ₁₀	6
17	Bettiah	Moderate	187	PM ₁₀	1
18	Bhagalpur	Moderate	110	PM ₁₀	2
19	Bhiwadi	Moderate	198	PM _{2.5}	1
20	Bhopal	Moderate	138	PM ₁₀	1
21	Bulandshahr	Moderate	121	PM ₁₀	1
22	Chamarajanagar	Good	37	PM ₁₀	1
23	Chandigarh	Moderate	124	O ₃ , PM ₁₀	3
24	Chandrapur	Moderate	143	PM ₁₀	2


Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	138	PM ₁₀	1
26	Chennai	Satisfactory	56	PM ₁₀ , O ₃	8
27	Chikkaballapur	Good	30	со	1
28	Chikkamagaluru	Good	47	PM ₁₀	1
29	Coimbatore	Good	23	со	1
30	Damoh	Satisfactory	60	PM ₁₀	1
31	Darbhanga	Satisfactory	99	PM ₁₀	1
32	Davanagere	Good	38	PM ₁₀	1
33	Delhi	Moderate	136	PM _{2.5} , PM ₁₀	33
34	Dewas	Moderate	104	PM ₁₀	1
35	Durgapur	Moderate	173	PM _{2.5}	1
36	Ernakulam	Good	27	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Satisfactory	92	PM ₁₀	2
38	Gandhinagar	Moderate	160	PM _{2.5} , PM ₁₀	2
39	Gaya	Satisfactory	56	O ₃	1
40	Ghaziabad	Moderate	131	PM ₁₀	3
41	Gorakhpur	Satisfactory	61	03	1
42	Greater Noida	Moderate	134	PM ₁₀	2
43	Gummidipoondi	Good	18	PM ₁₀	1
44	Gurugram	Moderate	134	PM ₁₀	1
45	Guwahati	Satisfactory	72	PM ₁₀	2
46	Gwalior	Moderate	144	PM ₁₀	1
47	Hajipur	Satisfactory	79	PM ₁₀	1
48	Haldia	Satisfactory	73	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Satisfactory	92	PM ₁₀	1
50	Hassan	Satisfactory	58	PM ₁₀	1
51	Howrah	Moderate	106	PM _{2.5} , PM ₁₀	3
52	Hubballi	Satisfactory	65	PM ₁₀	1
53	Hyderabad	Satisfactory	83	PM ₁₀ , PM _{2.5}	5
54	Imphal	Satisfactory	72	SO ₂ , PM ₁₀	2
55	Indore	Moderate	128	PM ₁₀	1
56	Jabalpur	Moderate	155	PM ₁₀	1
57	Jaipur	Moderate	200	PM ₁₀	3
58	Jalandhar	Satisfactory	90	PM ₁₀	1
59	Jodhpur	Poor	240	PM _{2.5}	1
60	Kaithal	Moderate	119	PM ₁₀	1


Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	73	PM ₁₀	1
62	Kalyan	Satisfactory	76	PM ₁₀	1
63	Kanpur	Satisfactory	79	PM ₁₀	3
64	Katihar	Moderate	159	PM ₁₀	1
65	Katni	Moderate	140	PM ₁₀	1
66	Khanna	Moderate	102	PM ₁₀	1
67	Kishanganj	Moderate	110	PM _{2.5}	1
68	Kochi	Good	50	со	1
69	Kohima	Satisfactory	81	PM ₁₀	1
70	Kolkata	Satisfactory	96	PM _{2.5} , O ₃ , PM ₁₀	7
71	Kollam	Satisfactory	63	PM ₁₀	1
72	Koppal	Satisfactory	56	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Arcrip. Arrab. Aurangabar

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Moderate	148	PM ₁₀	1
74	Kozhikode	Satisfactory	53	PM ₁₀	1
75	Kurukshetra	Moderate	150	O ₃	1
76	Lucknow	Moderate	104	PM ₁₀	5
77	Ludhiana	Moderate	132	PM ₁₀	1
78	Madikeri	Good	16	03	1
79	Maihar	Good	45	PM ₁₀	1
80	Mandi Gobindgarh	Moderate	183	PM _{2.5}	1
81	Mandideep	Good	47	PM ₁₀	1
82	Mandikhera	Satisfactory	90	PM ₁₀	1
83	Manesar	Moderate	182	PM _{2.5}	1
84	Manglore	Satisfactory	58	СО	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Satisfactory	93	PM ₁₀	3
86	Moradabad	Satisfactory	100	PM ₁₀	1
87	Mumbai	Satisfactory	83	PM ₁₀ , O ₃ , CO	18
88	Munger	Moderate	143	PM ₁₀	1
89	Muzaffarnagar	Moderate	126	PM ₁₀	1
90	Muzaffarpur	Satisfactory	77	PM ₁₀ , PM _{2.5}	2
91	Mysuru	Good	40	PM ₁₀	1
92	Nagpur	Moderate	138	PM ₁₀	1
93	Nandesari	Satisfactory	75	PM _{2.5}	1
94	Narnaul	Moderate	140	PM _{2.5}	1
95	Nashik	Satisfactory	57	PM ₁₀	1
96	Navi Mumbai	Satisfactory	72	CO, PM ₁₀	3

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Moderate	146	PM ₁₀	4
98	Pali	Moderate	185	PM ₁₀	1
99	Palwal	Moderate	119	PM ₁₀	1
100	Panchkula	Satisfactory	68	PM _{2.5}	1
101	Patiala	Satisfactory	92	PM ₁₀	1
102	Patna	Moderate	127	PM ₁₀ , O ₃	6
103	Pithampur	Satisfactory	84	PM ₁₀	1
104	Prayagraj	Moderate	107	PM ₁₀	1
105	Puducherry	Satisfactory	53	PM ₁₀	1
106	Pune	Satisfactory	70	PM _{2.5} , CO	3
107	Raichur	Satisfactory	70	PM ₁₀	1
108	Rajamahendravaram	Moderate	104	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not coloulated for today's bulletin for Argria, Arrab, Aurangebod

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	27	SO ₂	1
110	Ratlam	Moderate	171	PM _{2.5}	1
111	Rohtak	Moderate	145	PM _{2.5}	1
112	Rupnagar	Satisfactory	74	PM ₁₀	1
113	Sagar	Moderate	119	PM _{2.5}	1
114	Saharsa	Moderate	131	PM ₁₀	1
115	Samastipur	Moderate	150	PM ₁₀	1
116	Sasaram	Moderate	170	O ₃	1
117	Shillong	Satisfactory	59	PM ₁₀	1
118	Shivamogga	Satisfactory	61	PM ₁₀	1
119	Siliguri	Satisfactory	79	NO ₂	1
120	Singrauli	Moderate	176	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sirsa	Moderate	133	PM ₁₀	1
122	Solapur	Satisfactory	90	PM ₁₀	1
123	Sonipat	Moderate	156	PM ₁₀	1
124	Srinagar	Good	48	PM ₁₀	1
125	Talcher	Satisfactory	75	PM _{2.5}	1
126	Thiruvananthapuram	Good	48	CO, PM ₁₀	2
127	Thoothukudi	Good	31	PM ₁₀	1
128	Tirupati	Satisfactory	61	PM ₁₀	1
129	Udaipur	Moderate	138	PM ₁₀	1
130	Varanasi	Satisfactory	78	O ₃ , PM ₁₀	4
131	Vatva	Satisfactory	83	PM _{2.5}	1
132	Vijayapura	Satisfactory	55	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Arcrip. Arrab. Aurangabar

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Moderate	122	PM ₁₀	1
134	Vrindavan	Moderate	109	PM ₁₀	1
135	Yamunanagar	Moderate	105	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabac

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.