

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	66	PM ₁₀ , O ₃	2
2	Agra	Good	48	О ₃ , РМ ₁₀	5
3	Ahmedabad	Moderate	158	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	47	PM ₁₀	1
5	Ajmer	Moderate	137	PM _{2.5}	1
6	Alwar	Satisfactory	64	PM ₁₀	1
7	Amaravati	Satisfactory	88	PM ₁₀	1
8	Amritsar	Moderate	117	0 ₃	1
9	Ankleshwar	Satisfactory	72	PM ₁₀	1
10	Arrah	Moderate	133	PM ₁₀	1
11	Aurangabad (Bihar)	Moderate	122	PM ₁₀	1
12	Baddi	Satisfactory	75	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Darmoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM _{2.5}	1
14	Ballabgarh	Satisfactory	63	SO ₂	1
15	Bengaluru	Satisfactory	73	РМ ₁₀ , СО	6
16	Bettiah	Poor	231	PM ₁₀	1
17	Bhagalpur	Moderate	111	NO ₂ , PM ₁₀	2
18	Bhiwadi	Satisfactory	65	PM ₁₀	1
19	Bhiwani	Satisfactory	51	PM _{2.5}	1
20	Bidar	Satisfactory	70	PM ₁₀	1
21	Bihar Sharif	Moderate	190	PM ₁₀	1
22	Bilaspur	Satisfactory	68	PM ₁₀	1
23	Bulandshahr	Satisfactory	83	0 ₃	1
24	Buxar	Moderate	150	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Good	44	PM ₁₀	1
26	Chandigarh	Satisfactory	65	О ₃ , РМ ₁₀	3
27	Chandrapur	Moderate	130	PM ₁₀	2
28	Charkhi Dadri	Satisfactory	70	PM ₁₀	1
29	Chennai	Satisfactory	73	О ₃ , РМ ₁₀ , СО	7
30	Chhapra	Moderate	101	PM ₁₀	1
31	Chikkaballapur	Good	32	PM ₁₀	1
32	Chikkamagaluru	Good	47	PM ₁₀	1
33	Davanagere	Good	42	PM ₁₀	1
34	Dehradun	Good	34	PM ₁₀	1
35	Delhi	Satisfactory	89	О ₃ , РМ _{2.5} , СО	30
36	Dewas	Moderate	144	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	24	СО	1
38	Faridabad	Satisfactory	77	SO ₂	1
39	Fatehabad	Satisfactory	57	PM ₁₀	1
40	Firozabad	Satisfactory	65	NO ₂	1
41	Gadag	Good	26	SO ₂	1
42	Gandhinagar	Poor	220	PM _{2.5} , PM ₁₀	2
43	Gangtok	Good	40	0 ₃	1
44	Gaya	Satisfactory	58	PM _{2.5} , PM ₁₀	2
45	Ghaziabad	Satisfactory	88	CO, O ₃	3
46	Gorakhpur	Good	44	0 ₃	1
47	Greater Noida	Satisfactory	70	О ₃ , РМ ₁₀	2
48	Gummidipoondi	Good	32	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gurugram	Satisfactory	66	PM ₁₀	2
50	Guwahati	Satisfactory	88	PM _{2.5} , PM ₁₀	2
51	Gwalior	Satisfactory	88	0 ₃	1
52	Hajipur	Satisfactory	100	PM ₁₀	1
53	Haldia	Satisfactory	63	PM ₁₀	1
54	Hapur	Satisfactory	66	NO ₂	1
55	Hassan	Satisfactory	82	PM ₁₀	1
56	Howrah	Satisfactory	62	PM ₁₀ , PM _{2.5}	3
57	Hyderabad	Satisfactory	83	PM ₁₀ , PM _{2.5}	5
58	Imphal	Satisfactory	76	SO ₂ , PM ₁₀	2
59	Jaipur	Moderate	125	PM ₁₀	3
60	Jalandhar	Satisfactory	60	CO	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Poor	267	PM ₁₀	1
62	Kaithal	Good	42	PM ₁₀	1
63	Kalaburgi	Satisfactory	67	PM ₁₀	1
64	Kalyan	Satisfactory	72	PM ₁₀	1
65	Kannur	Good	50	PM _{2.5}	1
66	Kanpur	Satisfactory	65	О ₃ , РМ ₁₀	2
67	Karnal	Good	34	PM ₁₀	1
68	Katihar	Moderate	115	PM ₁₀	1
69	Kochi	Satisfactory	82	PM _{2.5}	1
70	Kohima	Satisfactory	99	PM ₁₀	1
71	Kolkata	Satisfactory	75	0 ₃ , NO ₂ , PM ₁₀	7
72	Kollam	Satisfactory	55	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	61	PM ₁₀	1
74	Kozhikode	Satisfactory	54	PM ₁₀	1
75	Kurukshetra	Moderate	114	O ₃	1
76	Lucknow	Satisfactory	60	PM ₁₀ , CO, O ₃	6
77	Ludhiana	Good	48	PM ₁₀	1
78	Madikeri	Good	23	со	1
79	Maihar	Good	34	со	1
80	Mandi Gobindgarh	Good	49	PM _{2.5}	1
81	Mandideep	Satisfactory	63	PM ₁₀	1
82	Mandikhera	Good	38	PM ₁₀	1
83	Manglore	Satisfactory	58	со	1
84	Meerut	Good	48	CO, PM ₁₀ , O ₃	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Darmoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Satisfactory	94	O ₃ , CO	3
86	Motihari	Moderate	164	O ₃	1
87	Mumbai	Satisfactory	88	О ₃ , СО, РМ ₁₀	19
88	Munger	Moderate	162	PM ₁₀	1
89	Muzaffarnagar	Moderate	157	со	1
90	Muzaffarpur	Moderate	109	O ₃ , PM ₁₀ , PM _{2.5}	3
91	Mysuru	Good	50	0 ₃	1
92	Nagpur	Moderate	157	0 ₃	1
93	Naharlagun	Satisfactory	66	SO ₂	1
94	Nandesari	Satisfactory	75	PM _{2.5}	1
95	Narnaul	Satisfactory	57	PM ₁₀	1
96	Nashik	Satisfactory	63	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Navi Mumbai	Satisfactory	75	CO, PM ₁₀	3
98	Noida	Satisfactory	60	О ₃ , РМ ₁₀	3
99	Pali	Poor	251	PM ₁₀	1
100	Panchkula	Good	42	PM _{2.5}	1
101	Patiala	Good	49	PM ₁₀	1
102	Patna	Moderate	137	PM ₁₀ , NO ₂	6
103	Pithampur	Satisfactory	95	PM ₁₀	1
104	Prayagraj	Poor	244	PM ₁₀	1
105	Puducherry	Good	50	PM ₁₀	1
106	Pune	Satisfactory	65	PM _{2.5}	2
107	Raichur	Satisfactory	68	PM ₁₀	1
108	Rajamahendravaram	Moderate	107	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	38	PM ₁₀	1
110	Ratlam	Moderate	142	PM ₁₀	1
111	Rohtak	Satisfactory	54	PM _{2.5}	1
112	Rupnagar	Good	35	СО	1
113	Sagar	Satisfactory	70	со	1
114	Saharsa	Moderate	101	PM ₁₀	1
115	Samastipur	Moderate	157	PM ₁₀	1
116	Sasaram	Poor	249	0 ₃	1
117	Shillong	Good	44	PM ₁₀	2
118	Shivamogga	Satisfactory	61	PM ₁₀	1
119	Siliguri	Satisfactory	70	NO ₂	1
120	Singrauli	Moderate	110	NO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sirsa	Satisfactory	84	0 ₃	1
122	Solapur	Moderate	126	PM _{2.5}	1
123	Sonipat	Satisfactory	75	PM ₁₀	1
124	Srinagar	Good	39	PM ₁₀	1
125	Thiruvananthapuram	Good	48	РМ ₁₀ , СО	2
126	Thoothukudi	Good	28	0 ₃	1
127	Thrissur	Good	36	PM _{2.5}	1
128	Tirupati	Satisfactory	64	PM ₁₀	1
129	Ujjain	Moderate	193	PM ₁₀	1
130	Varanasi	Satisfactory	88	0 ₃	2
131	Vatva	Satisfactory	75	PM ₁₀	1
132	Vijayapura	Satisfactory	56	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala, Araria, Asansol,

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Moderate	113	PM ₁₀	1
134	Vrindavan	Good	33	PM ₁₀	1
135	Yamunanagar	Satisfactory	64	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Ambala. Araria. Asansol.

Aurangabad (Maharashtra), Baghpat, Bahadurgarh, Bathinda, Begusarai, Bhilai, Bhopal, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Haveri, Hisar, Hubballi, Indore, Jabalpur, Jhansi, Jind, Jorapokhar, Katni, Khanna, Kishanganj, Kolar, Kota, Manesar, Manguraha, Palwal, Panipat, Purnia, Rajgir, Satna, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.