

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	46	PM ₁₀	2
2	Agra	Moderate	119	O ₃ , PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	115	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	43	PM ₁₀	1
5	Ajmer	Poor	270	PM _{2.5}	1
6	Alwar	Satisfactory	74	PM ₁₀	1
7	Amaravati	Satisfactory	81	O ₃	1
8	Ambala	Moderate	105	PM ₁₀	1
9	Amritsar	Satisfactory	94	O ₃	1
10	Ankleshwar	Satisfactory	93	PM ₁₀	1
11	Araria	Satisfactory	97	PM ₁₀	1
12	Arrah	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	88	O ₃	1
14	Aurangabad (Bihar)	Moderate	119	PM ₁₀	1
15	Baddi	Satisfactory	95	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Bahadurgarh	Moderate	179	PM _{2.5}	1
18	Bathinda	Good	38	со	1
19	Begusarai	Moderate	106	PM _{2.5}	1
20	Bengaluru	Satisfactory	84	PM ₁₀ , PM _{2.5}	6
21	Bettiah	Poor	220	PM ₁₀	1
22	Bhagalpur	Moderate	110	NO ₂ , PM ₁₀	2
23	Bhiwadi	Poor	240	PM _{2.5}	1
24	Bhiwani	Satisfactory	78	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	180	PM ₁₀	1
26	Bihar Sharif	Moderate	188	PM ₁₀	1
27	Bilaspur	Satisfactory	57	PM ₁₀	1
28	Brajrajnagar	Moderate	105	PM ₁₀	1
29	Bulandshahr	Moderate	159	PM ₁₀	1
30	Chamarajanagar	Good	44	PM ₁₀	1
31	Chandigarh	Moderate	193	O ₃ , PM ₁₀	2
32	Chandrapur	Moderate	136	O ₃ , PM ₁₀	2
33	Charkhi Dadri	Moderate	145	PM _{2.5}	1
34	Chennai	Satisfactory	67	PM ₁₀ , PM _{2.5}	7
35	Chhapra	Moderate	110	PM ₁₀	1
36	Chikkaballapur	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	46	PM ₁₀	1
38	Coimbatore	Good	30	PM _{2.5}	1
39	Damoh	Good	42	PM ₁₀	1
40	Darbhanga	Moderate	128	PM ₁₀	1
41	Davanagere	Satisfactory	78	PM ₁₀	1
42	Dehradun	Satisfactory	70	PM ₁₀	1
43	Delhi	Moderate	199	PM ₁₀ , PM _{2.5} , O ₃	34
44	Dewas	Moderate	149	PM ₁₀	1
45	Dharuhera	Moderate	176	PM ₁₀	1
46	Durgapur	Satisfactory	95	PM ₁₀	1
47	Ernakulam	Good	47	со	1
48	Faridabad	Moderate	190	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Satisfactory	68	PM ₁₀	1
50	Firozabad	Moderate	160	O ₃ , PM ₁₀	2
51	Gadag	Good	37	PM _{2.5}	1
52	Gandhinagar	Moderate	161	PM _{2.5} , PM ₁₀	3
53	Gangtok	Good	24	03	1
54	Gaya	Satisfactory	68	PM _{2.5} , O ₃	2
55	Ghaziabad	Poor	225	PM _{2.5} , O ₃ , PM ₁₀	4
56	Gorakhpur	Satisfactory	52	03	1
57	Greater Noida	Moderate	200	PM ₁₀ , O ₃	2
58	Gummidipoondi	Good	30	PM ₁₀	1
59	Gurugram	Moderate	180	PM _{2.5} , O ₃ , PM ₁₀	4
60	Guwahati	Satisfactory	56	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Moderate	135	PM ₁₀	1
62	Hajipur	Satisfactory	96	PM ₁₀	1
63	Haldia	Satisfactory	77	PM ₁₀	1
64	Hapur	Poor	220	PM _{2.5}	1
65	Hassan	Satisfactory	82	PM ₁₀	1
66	Howrah	Satisfactory	93	PM ₁₀	3
67	Hubballi	Satisfactory	51	со	1
68	Hyderabad	Moderate	111	PM ₁₀ , PM _{2.5}	5
69	Imphal	Satisfactory	65	SO ₂ , PM ₁₀	2
70	Jabalpur	Moderate	116	PM ₁₀	1
71	Jaipur	Moderate	149	PM ₁₀ , PM _{2.5}	3
72	Jalandhar	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	143	PM ₁₀	1
74	Jind	Satisfactory	77	PM ₁₀	1
75	Kaithal	Satisfactory	84	PM ₁₀	1
76	Kalaburgi	Moderate	107	PM ₁₀	1
77	Kalyan	Satisfactory	98	PM ₁₀	1
78	Kannur	Satisfactory	84	PM ₁₀	1
79	Kanpur	Moderate	135	PM ₁₀ , PM _{2.5}	3
80	Karnal	Satisfactory	97	PM ₁₀	1
81	Katihar	Moderate	118	PM ₁₀	1
82	Katni	Moderate	138	PM ₁₀	1
83	Khanna	Satisfactory	92	PM ₁₀	1
84	Kochi	Satisfactory	88	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Good	49	PM ₁₀	1
86	Kolar	Satisfactory	95	PM ₁₀	1
87	Kolkata	Satisfactory	87	PM _{2.5} , O ₃ , NO ₂	7
88	Kollam	Satisfactory	57	PM ₁₀	1
89	Koppal	Satisfactory	58	PM ₁₀	1
90	Kota	Moderate	170	PM _{2.5}	1
91	Kozhikode	Satisfactory	53	PM ₁₀	1
92	Kurukshetra	Poor	204	O ₃	1
93	Lucknow	Moderate	124	PM _{2.5} , PM ₁₀	5
94	Ludhiana	Moderate	154	O ₃	1
95	Madikeri	Good	42	PM ₁₀	1
96	Maihar	Good	33	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Poor	272	PM _{2.5}	1
98	Mandideep	Moderate	151	PM ₁₀	1
99	Mandikhera	Satisfactory	72	PM ₁₀	1
100	Manglore	Satisfactory	58	со	1
101	Manguraha	Satisfactory	65	03	1
102	Meerut	Moderate	131	PM _{2.5} , PM ₁₀	3
103	Moradabad	Moderate	139	O ₃ , PM ₁₀	4
104	Motihari	Moderate	193	O ₃	1
105	Mumbai	Satisfactory	95	O ₃ , PM _{2.5} , PM ₁₀	17
106	Munger	Moderate	111	PM ₁₀	1
107	Muzaffarnagar	Moderate	193	PM _{2.5}	1
108	Muzaffarpur	Moderate	114	PM _{2.5} , O ₃	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Satisfactory	66	03	1
110	Nagpur	Moderate	134	PM ₁₀	1
111	Nandesari	Moderate	138	PM _{2.5}	1
112	Narnaul	Satisfactory	60	PM ₁₀	1
113	Nashik	Satisfactory	70	PM ₁₀	1
114	Navi Mumbai	Satisfactory	97	PM ₁₀ , CO	3
115	Noida	Moderate	185	PM _{2.5} , PM ₁₀	4
116	Pali	Moderate	145	PM ₁₀	1
117	Palwal	Moderate	134	PM ₁₀	1
118	Panchkula	Satisfactory	74	PM _{2.5}	1
119	Panipat	Moderate	112	PM ₁₀	1
120	Patiala	Satisfactory	78	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patna	Moderate	144	PM _{2.5} , PM ₁₀ , NO ₂	6
122	Pithampur	Satisfactory	98	PM ₁₀	1
123	Prayagraj	Satisfactory	100	O ₃ , PM ₁₀	2
124	Puducherry	Satisfactory	53	PM ₁₀	1
125	Pune	Moderate	131	PM _{2.5}	2
126	Purnia	Moderate	125	PM ₁₀	1
127	Raichur	Satisfactory	98	PM ₁₀	1
128	Rajamahendravaram	Satisfactory	53	PM ₁₀	1
129	Ramanagara	Satisfactory	52	PM ₁₀	1
130	Ratlam	Moderate	153	PM _{2.5}	1
131	Rohtak	Moderate	112	PM _{2.5}	1
132	Rupnagar	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sagar	Satisfactory	75	СО	1
134	Saharsa	Moderate	135	PM ₁₀	1
135	Samastipur	Satisfactory	96	PM _{2.5}	1
136	Sasaram	Moderate	142	03	1
137	Satna	Satisfactory	85	PM ₁₀	1
138	Shillong	Good	36	PM ₁₀	2
139	Shivamogga	Satisfactory	59	PM ₁₀	1
140	Siliguri	Good	45	PM ₁₀	1
141	Singrauli	Poor	258	PM ₁₀	1
142	Sirsa	Moderate	194	03	1
143	Solapur	Satisfactory	97	PM ₁₀	1
144	Sonipat	Moderate	159	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Srinagar	Moderate	119	PM ₁₀	1
146	Talcher	Satisfactory	88	PM ₁₀	1
147	Thane	Moderate	152	PM ₁₀	1
148	Thiruvananthapuram	Good	40	со	1
149	Thoothukudi	Good	41	PM ₁₀	1
150	Thrissur	Good	50	PM _{2.5}	1
151	Tirupati	Satisfactory	75	PM ₁₀	1
152	Udaipur	Moderate	108	PM ₁₀	1
153	Ujjain	Moderate	178	PM ₁₀	1
154	Varanasi	Satisfactory	90	O ₃ , PM ₁₀	4
155	Vatva	Moderate	107	PM ₁₀	1
156	Vijayapura	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Visakhapatnam	Moderate	102	PM ₁₀	1
158	Vrindavan	Moderate	101	PM ₁₀	1
159	Yadgir	Satisfactory	88	PM ₁₀	1
160	Yamunanagar	Poor	206	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Ballabgarh, Bhilai, Bidar, Buxar, Eloor, Haveri, Hisar, Indore, Jodhpur, Jorapokhar, Kishanganj, Manesar, Naharlagun, Rajgir, Siwan, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.