

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	41	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	26	PM <sub>10</sub> , SO <sub>2</sub> , CO	6
3	Ahmedabad	Satisfactory	83	SO <sub>2</sub>	1
4	Aizawl	Good	20	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	67	PM <sub>10</sub>	1
6	Alwar	Satisfactory	79	PM <sub>10</sub>	1
7	Amaravati	Good	27	03	1
8	Ambala	Moderate	121	PM <sub>10</sub>	1
9	Anantapur	Satisfactory	58	PM <sub>10</sub>	1
10	Asansol	Satisfactory	56	PM <sub>10</sub>	1
11	Aurangabad (Bihar)	Satisfactory	80	PM <sub>2.5</sub>	1
12	Aurangabad (Maharashtra)	Satisfactory	78	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	76	PM <sub>10</sub>	1
14	Bagalkot	Good	37	со	1
15	Bahadurgarh	Good	48	03	1
16	Ballabgarh	Satisfactory	56	PM <sub>10</sub>	1
17	Bareilly	Good	34	CO, PM <sub>10</sub>	2
18	Bathinda	Satisfactory	57	PM <sub>10</sub>	1
19	Belgaum	Good	46	со	1
20	Bengaluru	Satisfactory	85	PM <sub>10</sub> , PM <sub>2.5</sub> , NO <sub>2</sub>	5
21	Bhagalpur	Satisfactory	66	NO <sub>2</sub> , CO	2
22	Bhiwadi	Moderate	158	NO <sub>2</sub>	1
23	Bhiwani	Satisfactory	55	03	1
24	Bhopal	Good	50	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Good	45	PM <sub>10</sub>	1
26	Bilaspur	Satisfactory	61	со	1
27	Brajrajnagar	Good	49	со	1
28	Bulandshahr	Good	24	03	1
29	Buxar	Satisfactory	86	со	1
30	Chamarajanagar	Good	36	PM <sub>10</sub>	1
31	Chandigarh	Satisfactory	55	O <sub>3</sub> , CO, PM <sub>10</sub>	3
32	Chandrapur	Satisfactory	54	PM <sub>10</sub> , NO <sub>2</sub>	2
33	Charkhi Dadri	Good	26	PM <sub>2.5</sub>	1
34	Chengalpattu	Satisfactory	72	SO <sub>2</sub>	1
35	Chennai	Satisfactory	83	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	8
36	Chhapra	Satisfactory	54	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	29	со	1
38	Chikkamagaluru	Good	35	O <sub>3</sub>	1
39	Coimbatore	Good	43	PM <sub>2.5</sub>	1
40	Darbhanga	Good	29	03	1
41	Davanagere	Good	24	PM <sub>10</sub>	1
42	Dehradun	Satisfactory	83	03	1
43	Delhi	Good	47	CO, PM <sub>10</sub>	30
44	Dewas	Good	45	PM <sub>10</sub>	1
45	Dharuhera	Good	45	PM <sub>10</sub>	1
46	Durgapur	Moderate	109	PM <sub>10</sub>	1
47	Eloor	Good	47	PM <sub>10</sub>	1
48	Ernakulam	Satisfactory	76	со	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Satisfactory	69	SO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	3
50	Fatehabad	Good	43	PM <sub>10</sub>	1
51	Gadag	Satisfactory	51	NO <sub>2</sub>	1
52	Gandhinagar	Good	36	PM <sub>2.5</sub>	1
53	Gaya	Satisfactory	67	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	3
54	Ghaziabad	Good	48	CO, NO <sub>2</sub>	3
55	Gorakhpur	Good	48	SO <sub>2</sub>	1
56	Greater Noida	Good	46	со	2
57	Gummidipoondi	Good	26	PM <sub>2.5</sub>	1
58	Gurugram	Good	48	PM <sub>2.5</sub> , PM <sub>10</sub>	2
59	Guwahati	Satisfactory	66	PM <sub>10</sub>	2
60	Gwalior	Good	45	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Good	50	PM <sub>10</sub>	1
62	Hapur	Good	21	03	1
63	Hassan	Good	33	PM <sub>2.5</sub>	1
64	Haveri	Satisfactory	60	со	1
65	Hisar	Good	45	03	1
66	Howrah	Satisfactory	59	PM <sub>10</sub> , PM <sub>2.5</sub>	3
67	Hubballi	Satisfactory	54	со	1
68	Hyderabad	Good	47	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	14
69	Imphal	Satisfactory	87	O <sub>3</sub> , SO <sub>2</sub>	2
70	Indore	Satisfactory	51	со	1
71	Jabalpur	Good	46	со	1
72	Jaipur	Satisfactory	58	PM <sub>10</sub> , O <sub>3</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	64	PM <sub>10</sub>	1
74	Jind	Good	38	со	1
75	Jodhpur	Satisfactory	66	PM <sub>10</sub>	1
76	Kaithal	Good	50	03	1
77	Kalaburgi	Good	29	SO <sub>2</sub>	1
78	Kalyan	Satisfactory	60	со	1
79	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
80	Kanpur	Good	27	PM <sub>2.5</sub> , O <sub>3</sub>	3
81	Karnal	Moderate	110	SO <sub>2</sub>	1
82	Katihar	Moderate	104	со	1
83	Katni	Good	44	PM <sub>10</sub>	1
84	Khanna	Good	39	СО	1

Good	Minimal Impact	
Satisfactory	y Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Satisfactory	54	PM <sub>2.5</sub>	1
86	Kishanganj	Satisfactory	54	03	1
87	Kochi	Poor	214	PM <sub>2.5</sub>	1
88	Kolkata	Satisfactory	53	PM <sub>10</sub>	7
89	Kollam	Good	49	PM <sub>2.5</sub>	1
90	Koppal	Satisfactory	67	PM <sub>10</sub>	1
91	Kota	Good	47	PM <sub>10</sub>	1
92	Lucknow	Good	50	CO, PM <sub>10</sub> , NO <sub>2</sub>	4
93	Ludhiana	Good	47	PM <sub>10</sub>	1
94	Maihar	Good	23	со	1
95	Mandi Gobindgarh	Satisfactory	90	PM <sub>10</sub>	1
96	Mandideep	Good	45	O <sub>3</sub>	1

Good	Minimal Impact	
Satisfactory	y Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Good	30	PM <sub>10</sub>	1
98	Manesar	Good	45	PM <sub>2.5</sub>	1
99	Manglore	Satisfactory	51	со	1
100	Meerut	Good	32	O <sub>3</sub> , NO <sub>2</sub>	2
101	Moradabad	Good	48	O <sub>3</sub> , CO, SO <sub>2</sub>	6
102	Motihari	Good	45	O <sub>3</sub>	1
103	Mumbai	Good	50	CO, NO <sub>2</sub>	17
104	Munger	Satisfactory	52	PM <sub>10</sub>	1
105	Muzaffarnagar	Good	34	со	1
106	Muzaffarpur	Satisfactory	63	O <sub>3</sub> , PM <sub>10</sub>	2
107	Mysuru	Good	35	PM <sub>10</sub>	1
108	Nagpur	Good	41	со	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Moderate	107	со	1
110	Narnaul	Good	28	NO <sub>2</sub>	1
111	Nashik	Good	45	O <sub>3</sub>	1
112	Navi Mumbai	Satisfactory	62	CO, NO <sub>2</sub>	3
113	Noida	Good	47	CO, PM <sub>10</sub>	4
114	Pali	Satisfactory	65	PM <sub>10</sub>	1
115	Palwal	Good	49	PM <sub>10</sub>	1
116	Panchkula	Good	36	PM <sub>2.5</sub>	1
117	Panipat	Satisfactory	59	PM <sub>10</sub>	1
118	Patiala	Good	30	O <sub>3</sub>	1
119	Patna	Satisfactory	61	PM <sub>10</sub> , NO <sub>2</sub>	6
120	Pithampur	Satisfactory	63	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Good	36	PM <sub>2.5</sub> , SO <sub>2</sub> , O <sub>3</sub>	3
122	Puducherry	Good	50	PM <sub>10</sub>	1
123	Purnia	Satisfactory	75	со	1
124	Raichur	Satisfactory	68	со	1
125	Rajamahendravaram	Good	34	PM <sub>10</sub>	1
126	Ramanagara	Good	37	03	1
127	Ramanathapuram	Good	46	PM <sub>10</sub>	1
128	Ratlam	Good	30	PM <sub>2.5</sub>	1
129	Rupnagar	Satisfactory	55	PM <sub>10</sub>	1
130	Salem	Good	34	PM <sub>10</sub>	1
131	Samastipur	Satisfactory	55	PM <sub>10</sub>	1
132	Satna	Good	22	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	25	PM <sub>10</sub> , SO <sub>2</sub>	2
134	Shivamogga	Satisfactory	53	NO <sub>2</sub>	1
135	Siliguri	Good	39	PM <sub>10</sub>	1
136	Singrauli	Satisfactory	89	NO <sub>2</sub>	1
137	Sirsa	Moderate	104	PM <sub>10</sub>	1
138	Solapur	Satisfactory	63	PM <sub>10</sub>	1
139	Srinagar	Satisfactory	54	PM <sub>2.5</sub>	1
140	Talcher	Satisfactory	71	SO <sub>2</sub>	1
141	Thiruvananthapuram	Good	43	CO, NO <sub>2</sub>	2
142	Thoothukudi	Satisfactory	65	03	1
143	Tirupati	Good	47	PM <sub>10</sub>	1
144	Tiruppur	Moderate	161	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Satisfactory	55	PM <sub>10</sub>	1
146	Ujjain	Satisfactory	57	PM <sub>10</sub>	1
147	Varanasi	Good	41	PM <sub>10</sub>	4
148	Vatva	Satisfactory	82	PM <sub>10</sub>	1
149	Vijayapura	Good	40	PM <sub>10</sub>	1
150	Visakhapatnam	Satisfactory	99	PM <sub>10</sub>	1
151	Vrindavan	Good	47	SO <sub>2</sub>	1
152	Yadgir	Good	30	со	1
153	vellore	Satisfactory	61	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Damoh, Dindigul, Firozabad, Gangtok, Haldia, Hosur, Jhansi, Jorapokhar, Kohima, Kolar, Kozhikode, Kurukshetra, Madikeri, Manguraha, Naharlagun, Ooty, Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.