

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	47	PM _{2.5} , PM ₁₀	2
2	Agra	Good	29	PM ₁₀ , SO ₂ , CO	6
3	Ahmedabad	Satisfactory	79	PM ₁₀	1
4	Aizawl	Good	24	PM ₁₀	1
5	Ajmer	Satisfactory	93	PM ₁₀	1
6	Alwar	Satisfactory	96	PM ₁₀	1
7	Amaravati	Good	36	0 ₃	1
8	Ambala	Moderate	119	PM ₁₀	1
9	Amritsar	Satisfactory	69	PM ₁₀	1
10	Anantapur	Good	49	PM ₁₀	1
11	Ankleshwar	Moderate	103	со	1
12	Araria	Satisfactory	68	СО	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	73	0 ₃	1
14	Asansol	Satisfactory	77	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	86	PM ₁₀	1
16	Baddi	Moderate	131	PM ₁₀	1
17	Bagalkot	Good	38	со	1
18	Baghpat	Good	49	0 ₃	1
19	Bahadurgarh	Satisfactory	52	0 ₃	1
20	Ballabgarh	Satisfactory	70	со	1
21	Bathinda	Satisfactory	63	PM ₁₀	1
22	Belgaum	Good	47	со	1
23	Bengaluru	Satisfactory	66	PM ₁₀ , CO, PM _{2.5}	5
24	Bhagalpur	Satisfactory	79	NO ₂ , O ₃	2

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	161	NO ₂	1
26	Bhiwani	Satisfactory	75	O ₃	1
27	Bhopal	Satisfactory	74	PM ₁₀	1
28	Bilaspur	Satisfactory	57	со	1
29	Brajrajnagar	Good	50	СО	1
30	Bulandshahr	Satisfactory	54	0 ₃	1
31	Buxar	Satisfactory	80	со	1
32	Chamarajanagar	Good	34	PM ₁₀	1
33	Chandigarh	Satisfactory	93	О ₃ , РМ ₁₀	3
34	Chandrapur	Satisfactory	54	PM ₁₀ , NO ₂	2
35	Charkhi Dadri	Satisfactory	55	PM ₁₀	1
36	Chennai	Satisfactory	69	PM _{2.5} , CO, PM ₁₀	9

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	28	со	1
38	Chikkamagaluru	Good	34	O ₃	1
39	Coimbatore	Satisfactory	69	PM _{2.5}	1
40	Damoh	Good	26	PM _{2.5}	1
41	Davanagere	Good	26	PM ₁₀	1
42	Dehradun	Satisfactory	87	0 ₃	1
43	Delhi	Satisfactory	70	PM ₁₀ , CO, O ₃	32
44	Dewas	Satisfactory	72	PM ₁₀	1
45	Dharuhera	Satisfactory	70	PM ₁₀	1
46	Dindigul	Good	45	SO ₂	1
47	Durgapur	Satisfactory	94	PM ₁₀	1
48	Eloor	Good	48	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Satisfactory	71	СО	1
50	Faridabad	Moderate	106	О ₃ , РМ ₁₀	3
51	Fatehabad	Satisfactory	58	PM ₁₀	1
52	Firozabad	Satisfactory	59	PM _{2.5}	1
53	Gadag	Satisfactory	52	NO ₂	1
54	Gandhinagar	Satisfactory	55	PM ₁₀	1
55	Gaya	Satisfactory	100	PM ₁₀ , CO, O ₃	3
56	Ghaziabad	Satisfactory	97	О ₃ , СО, РМ ₁₀	4
57	Gorakhpur	Good	50	SO ₂	1
58	Greater Noida	Satisfactory	63	PM ₁₀ , O ₃	2
59	Gummidipoondi	Good	15	NO ₂	1
60	Gurugram	Satisfactory	86	PM ₁₀ , PM _{2.5}	2

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
62	Hajipur	Satisfactory	67	PM ₁₀	1
63	Haldia	Good	48	PM ₁₀	1
64	Hapur	Good	35	PM _{2.5}	1
65	Hassan	Good	30	PM _{2.5}	1
66	Haveri	Satisfactory	61	со	1
67	Howrah	Satisfactory	69	PM ₁₀	3
68	Hubballi	Satisfactory	55	со	1
69	Hyderabad	Good	42	PM ₁₀	12
70	Imphal	Satisfactory	82	O ₃ , SO ₂	2
71	Indore	Satisfactory	89	PM ₁₀	1
72	Jabalpur	Good	50	СО	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Satisfactory	67	PM ₁₀	3
74	Jalandhar	Satisfactory	53	PM ₁₀	1
75	Jind	Satisfactory	57	СО	1
76	Jodhpur	Satisfactory	88	PM ₁₀	1
77	Kaithal	Good	47	PM ₁₀	1
78	Kalaburgi	Good	27	SO ₂	1
79	Kannur	Satisfactory	86	PM ₁₀	1
80	Kanpur	Good	41	PM _{2.5} , PM ₁₀	4
81	Karnal	Moderate	111	SO ₂	1
82	Katni	Satisfactory	60	PM ₁₀	1
83	Khanna	Good	49	PM ₁₀	1
84	Khurja	Satisfactory	54	PM _{2.5}	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Satisfactory	61	O ₃	1
86	Kochi	Moderate	146	PM _{2.5}	1
87	Kohima	Satisfactory	58	PM ₁₀	1
88	Kolkata	Satisfactory	56	PM ₁₀ , PM _{2.5}	5
89	Kollam	Satisfactory	59	PM ₁₀	1
90	Koppal	Satisfactory	73	PM ₁₀	1
91	Kota	Satisfactory	65	PM ₁₀	1
92	Kozhikode	Satisfactory	61	PM ₁₀	1
93	Kurukshetra	Satisfactory	63	O ₃	1
94	Lucknow	Good	46	CO, NO ₂ , PM ₁₀	6
95	Ludhiana	Satisfactory	79	PM ₁₀	1
96	Madikeri	Good	20	SO ₂	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	23	со	1
98	Mandi Gobindgarh	Satisfactory	80	PM ₁₀	1
99	Mandideep	Good	42	PM ₁₀	1
100	Mandikhera	Good	30	PM ₁₀	1
101	Manesar	Satisfactory	70	PM _{2.5}	1
102	Manglore	Satisfactory	57	со	1
103	Manguraha	Good	44	со	1
104	Meerut	Good	46	О ₃ , РМ ₁₀	3
105	Moradabad	Good	36	CO, SO ₂ , PM ₁₀	5
106	Motihari	Satisfactory	92	со	1
107	Mumbai	Good	46	NO ₂ , CO, PM ₁₀	12
108	Muzaffarnagar	Satisfactory	58	PM _{2.5}	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Satisfactory	64	PM _{2.5} , PM ₁₀ , O ₃	3
110	Mysuru	Good	45	PM ₁₀	1
111	Nagpur	Good	43	СО	1
112	Nandesari	Moderate	111	со	1
113	Narnaul	Good	29	NO ₂	1
114	Navi Mumbai	Satisfactory	72	со	1
115	Noida	Satisfactory	67	CO, PM ₁₀	4
116	Pali	Satisfactory	69	PM ₁₀	1
117	Palwal	Good	39	PM ₁₀	1
118	Panchkula	Good	46	PM _{2.5}	1
119	Panipat	Satisfactory	59	PM ₁₀	1
120	Patiala	Satisfactory	52	0 ₃	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patna	Satisfactory	62	PM ₁₀ , NO ₂ , PM _{2.5}	6
122	Pithampur	Moderate	106	PM ₁₀	1
123	Prayagraj	Good	44	PM _{2.5} , PM ₁₀	3
124	Puducherry	Satisfactory	51	PM ₁₀	1
125	Raichur	Satisfactory	66	со	1
126	Rajamahendravaram	Good	37	PM ₁₀	1
127	Ramanagara	Good	40	0 ₃	1
128	Ramanathapuram	Good	50	PM ₁₀	1
129	Ratlam	Satisfactory	65	PM ₁₀	1
130	Rupnagar	Satisfactory	79	PM ₁₀	1
131	Sasaram	Satisfactory	59	СО	1
132	Satna	Good	37	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	32	PM _{2.5}	2
134	Shivamogga	Good	44	PM ₁₀	1
135	Siliguri	Good	27	PM ₁₀	1
136	Singrauli	Satisfactory	92	NO ₂	1
137	Sirsa	Satisfactory	76	0 ₃	1
138	Solapur	Satisfactory	68	PM ₁₀	1
139	Srinagar	Good	50	PM ₁₀	1
140	Talcher	Satisfactory	87	со	1
141	Thiruvananthapuram	Good	44	CO, NO ₂	2
142	Thoothukudi	Satisfactory	64	0 ₃	1
143	Tirupati	Good	38	со	1
144	Tiruppur	Moderate	166	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Satisfactory	94	PM ₁₀	1
146	Ujjain	Satisfactory	98	PM ₁₀	1
147	Varanasi	Satisfactory	54	PM ₁₀ , SO ₂	4
148	Vatva	Moderate	115	PM ₁₀	1
149	Vijayapura	Good	40	PM ₁₀	1
150	Visakhapatnam	Moderate	114	PM ₁₀	1
151	Vrindavan	Good	48	SO ₂	1
152	Yadgir	Good	31	СО	1
153	Yamunanagar	Satisfactory	64	PM ₁₀	1
154	vellore	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Chhapra, Darbhanga, Gangtok, Gwalior, Hisar, Hosur, Jhansi, Jorapokhar, Kalyan, Katihar, Kolar, Munger, Naharlagun, Nashik, Ooty, Pune, Purnia, Rajgir, Rohtak, Sagar, Saharsa, Salem, Samastipur, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.