

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	63	PM _{2.5} , PM ₁₀	2
2	Agra	Good	34	PM ₁₀ , CO	5
3	Ahmedabad	Satisfactory	79	PM ₁₀	1
4	Aizawl	Good	23	PM ₁₀	1
5	Ajmer	Moderate	102	PM ₁₀	1
6	Alwar	Moderate	107	PM ₁₀	1
7	Amaravati	Good	44	O ₃	1
8	Ambala	Moderate	143	PM _{2.5}	1
9	Anantapur	Satisfactory	59	PM ₁₀	1
10	Ankleshwar	Moderate	110	со	1
11	Araria	Satisfactory	89	PM ₁₀	1
12	Arrah	Satisfactory	80	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	94	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	86	PM ₁₀	1
15	Bagalkot	Good	37	co	1
16	Bahadurgarh	Satisfactory	85	PM ₁₀	1
17	Ballabgarh	Satisfactory	79	PM ₁₀	1
18	Bareilly	Good	50	PM ₁₀ , PM _{2.5}	2
19	Bathinda	Satisfactory	68	PM ₁₀	1
20	Begusarai	Good	35	O ₃	1
21	Belgaum	Good	48	со	1
22	Bengaluru	Satisfactory	58	PM ₁₀ , NO ₂	6
23	Bhagalpur	Satisfactory	86	NO ₂	1
24	Bhiwadi	Moderate	182	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Satisfactory	99	PM ₁₀	1
26	Bihar Sharif	Satisfactory	65	PM ₁₀	1
27	Bilaspur	Satisfactory	52	PM ₁₀	1
28	Brajrajnagar	Good	50	со	1
29	Bulandshahr	Good	44	03	1
30	Buxar	Satisfactory	61	со	1
31	Chamarajanagar	Good	39	PM ₁₀	1
32	Chandigarh	Satisfactory	85	O ₃ , PM ₁₀	3
33	Chandrapur	Satisfactory	55	PM ₁₀ , NO ₂	2
34	Charkhi Dadri	Moderate	107	PM ₁₀	1
35	Chennai	Satisfactory	65	CO, PM ₁₀	9
36	Chhapra	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	32	PM ₁₀	1
38	Chikkamagaluru	Good	42	PM ₁₀	1
39	Coimbatore	Good	43	PM _{2.5}	1
40	Damoh	Good	40	PM _{2.5}	1
41	Davanagere	Good	26	PM ₁₀	1
42	Delhi	Moderate	119	PM ₁₀ , O ₃	29
43	Dewas	Satisfactory	67	PM ₁₀	1
44	Dindigul	Good	42	SO ₂	1
45	Durgapur	Satisfactory	79	PM ₁₀	1
46	Eloor	Satisfactory	52	PM ₁₀	1
47	Ernakulam	Satisfactory	62	со	1
48	Faridabad	Moderate	145	O ₃ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Satisfactory	91	PM ₁₀	1
50	Firozabad	Satisfactory	96	O ₃	1
51	Gadag	Good	27	PM ₁₀	1
52	Gandhinagar	Satisfactory	63	PM ₁₀	1
53	Gaya	Moderate	104	PM _{2.5} , CO	2
54	Ghaziabad	Satisfactory	92	PM ₁₀	4
55	Gorakhpur	Good	50	SO ₂	1
56	Greater Noida	Satisfactory	76	PM ₁₀ , O ₃	2
57	Gurugram	Satisfactory	99	PM ₁₀	3
58	Guwahati	Satisfactory	70	PM ₁₀ , PM _{2.5}	2
59	Gwalior	Satisfactory	59	PM ₁₀	1
60	Hajipur	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	32	СО	1
62	Hapur	Good	41	PM ₁₀	1
63	Hassan	Good	32	PM _{2.5}	1
64	Haveri	Satisfactory	61	со	1
65	Hisar	Moderate	105	PM ₁₀	1
66	Hosur	Satisfactory	97	со	1
67	Howrah	Satisfactory	52	PM _{2.5} , PM ₁₀	3
68	Hubballi	Satisfactory	54	со	1
69	Hyderabad	Good	49	CO, PM ₁₀ , PM _{2.5}	13
70	Imphal	Satisfactory	90	O ₃ , PM ₁₀	2
71	Indore	Satisfactory	96	PM ₁₀	1
72	Jabalpur	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Satisfactory	80	PM ₁₀	3
74	Jalandhar	Satisfactory	94	PM ₁₀	1
75	Jhansi	Satisfactory	64	PM ₁₀	1
76	Jodhpur	Satisfactory	100	PM ₁₀	1
77	Kaithal	Satisfactory	95	PM ₁₀	1
78	Kalaburgi	Good	29	SO ₂	1
79	Kannur	Satisfactory	64	PM _{2.5}	1
80	Kanpur	Satisfactory	75	PM _{2.5} , PM ₁₀	3
81	Karnal	Moderate	130	SO ₂	1
82	Katihar	Moderate	101	со	1
83	Katni	Satisfactory	71	PM ₁₀	1
84	Khanna	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Satisfactory	74	PM _{2.5}	1
86	Kishanganj	Satisfactory	62	PM _{2.5}	1
87	Kochi	Moderate	128	PM _{2.5}	1
88	Kolkata	Good	48	O ₃ , PM ₁₀ , PM _{2.5}	6
89	Kollam	Satisfactory	60	PM ₁₀	1
90	Koppal	Satisfactory	69	03	1
91	Kota	Satisfactory	74	PM ₁₀	1
92	Kozhikode	Satisfactory	61	PM ₁₀	1
93	Kurukshetra	Satisfactory	76	PM _{2.5}	1
94	Lucknow	Satisfactory	54	NO ₂ , PM ₁₀ , CO	6
95	Ludhiana	Satisfactory	92	PM ₁₀	1
96	Madikeri	Good	19	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	23	СО	1
98	Mandi Gobindgarh	Moderate	114	PM ₁₀	1
99	Mandideep	Satisfactory	54	PM ₁₀	1
100	Mandikhera	Good	29	PM ₁₀	1
101	Manesar	Satisfactory	89	PM _{2.5}	1
102	Manglore	Satisfactory	55	со	1
103	Manguraha	Good	45	со	1
104	Meerut	Good	44	O ₃ , PM ₁₀	2
105	Moradabad	Good	33	PM _{2.5} , SO ₂ , CO	6
106	Mumbai	Good	39	CO, NO ₂	14
107	Muzaffarnagar	Moderate	106	PM _{2.5}	1
108	Muzaffarpur	Satisfactory	62	O ₃ , PM ₁₀ , CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Good	41	PM ₁₀	1
110	Nagpur	Satisfactory	61	PM ₁₀	1
111	Nandesari	Moderate	112	СО	1
112	Narnaul	Satisfactory	62	PM ₁₀	1
113	Navi Mumbai	Satisfactory	78	со	1
114	Noida	Satisfactory	81	PM ₁₀ , CO	4
115	Ooty	Satisfactory	64	PM ₁₀	1
116	Pali	Satisfactory	74	PM ₁₀	1
117	Palwal	Satisfactory	66	PM ₁₀	1
118	Panchkula	Satisfactory	55	PM _{2.5}	1
119	Panipat	Satisfactory	60	PM ₁₀	1
120	Patiala	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patna	Satisfactory	52	PM ₁₀ , NO ₂	6
122	Pithampur	Moderate	101	PM ₁₀	1
123	Prayagraj	Satisfactory	58	PM _{2.5} , PM ₁₀	3
124	Puducherry	Satisfactory	55	PM ₁₀	1
125	Purnia	Satisfactory	87	PM _{2.5}	1
126	Raichur	Satisfactory	56	со	1
127	Rajamahendravaram	Good	28	PM ₁₀	1
128	Rajgir	Satisfactory	63	со	1
129	Ramanagara	Good	42	03	1
130	Ramanathapuram	Good	47	PM ₁₀	1
131	Ratlam	Satisfactory	64	PM ₁₀	1
132	Rupnagar	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sagar	Satisfactory	57	со	1
134	Saharsa	Satisfactory	65	PM ₁₀	1
135	Samastipur	Satisfactory	86	PM ₁₀	1
136	Sasaram	Satisfactory	54	со	1
137	Satna	Satisfactory	56	PM ₁₀	1
138	Shillong	Good	39	PM ₁₀ , PM _{2.5}	2
139	Shivamogga	Good	48	NO ₂	1
140	Siliguri	Satisfactory	52	PM ₁₀	1
141	Singrauli	Satisfactory	95	NO ₂	1
142	Sirsa	Satisfactory	65	PM ₁₀	1
143	Solapur	Satisfactory	82	PM ₁₀	1
144	Srinagar	Good	46	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Talcher	Moderate	103	СО	1
146	Thane	Satisfactory	78	O ₃	1
147	Thiruvananthapuram	Good	30	CO, NO ₂	2
148	Thoothukudi	Satisfactory	54	PM ₁₀	1
149	Thrissur	Good	48	PM ₁₀	1
150	Tirupati	Good	42	со	1
151	Tiruppur	Moderate	137	PM ₁₀	1
152	Udaipur	Satisfactory	97	PM ₁₀	1
153	Udupi	Satisfactory	61	со	1
154	Ujjain	Moderate	101	PM ₁₀	1
155	Varanasi	Good	38	PM ₁₀ , CO	4
156	Vatva	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vijayapura	Good	40	PM ₁₀	1
158	Visakhapatnam	Satisfactory	91	PM ₁₀	1
159	Vrindavan	Good	47	SO ₂	1
160	Yadgir	Good	29	СО	1
161	Yamunanagar	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Bihar), Baddi, Baghpat, Bettiah, Bhilai, Bhiwani, Bidar, Chengalpattu, Darbhanga, Dehradun, Dharuhera, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Motihari, Munger, Naharlagun, Nashik, Pune, Rohtak, Salem, Siwan, Sonipat, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
 * In case of a city with multiple monitoring loc-
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.