



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	31	PM <sub>10</sub>	2
2	Agra	Good	49	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	70	PM <sub>10</sub>	2
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	96	PM <sub>10</sub>	1
6	Alwar	Moderate	105	PM <sub>10</sub>	1
7	Amaravati	Good	42	O <sub>3</sub>	1
8	Amritsar	Moderate	102	PM <sub>10</sub>	1
9	Anantapur	Satisfactory	76	PM <sub>10</sub>	1
10	Ankleshwar	Satisfactory	92	PM <sub>10</sub>	1
11	Araria	Satisfactory	78	PM <sub>10</sub>	1
12	Arrah	Satisfactory	69	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Good	42	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	92	PM <sub>10</sub>	1
15	Baddi	Satisfactory	71	O <sub>3</sub>	1
16	Bagalkot	Good	38	CO	1
17	Baghpat	Satisfactory	74	PM <sub>10</sub>	1
18	Bahadurgarh	Moderate	135	PM <sub>2.5</sub>	1
19	Ballabgarh	Moderate	122	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	66	PM <sub>10</sub>	2
21	Bathinda	Moderate	110	PM <sub>10</sub>	1
22	Belgaum	Satisfactory	56	PM <sub>2.5</sub>	1
23	Bengaluru	Satisfactory	80	PM <sub>10</sub> , PM <sub>2.5</sub> , NO <sub>2</sub>	5
24	Bhagalpur	Satisfactory	75	NO <sub>2</sub> , CO	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	196	NO <sub>2</sub>	1
26	Bhiwani	Satisfactory	100	PM <sub>2.5</sub>	1
27	Bhopal	Moderate	128	PM <sub>10</sub>	2
28	Bilaspur	Satisfactory	53	PM <sub>10</sub>	1
29	Bulandshahr	Satisfactory	71	PM <sub>10</sub>	1
30	Buxar	Good	50	CO	1
31	Chamarajanagar	Good	36	PM <sub>10</sub>	1
32	Chandigarh	Satisfactory	73	PM <sub>10</sub> , O <sub>3</sub>	3
33	Chandrapur	Satisfactory	52	NO <sub>2</sub>	1
34	Charkhi Dadri	Moderate	144	PM <sub>2.5</sub>	1
35	Chennai	Satisfactory	65	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	7
36	Chhapra	Satisfactory	90	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	37	PM <sub>10</sub>	1
38	Chikkamagaluru	Good	38	O <sub>3</sub>	1
39	Coimbatore	Good	36	PM <sub>2.5</sub>	1
40	Damoh	Good	50	PM <sub>2.5</sub>	1
41	Darbhanga	Good	42	PM <sub>10</sub>	1
42	Davanagere	Good	38	PM <sub>10</sub>	1
43	Dehradun	Moderate	125	O <sub>3</sub>	1
44	Delhi	Moderate	130	PM <sub>10</sub> , PM <sub>2.5</sub>	31
45	Dewas	Satisfactory	77	PM <sub>10</sub>	1
46	Dindigul	Good	45	SO <sub>2</sub>	1
47	Durgapur	Good	30	PM <sub>10</sub>	1
48	Ernakulam	Satisfactory	70	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	121	PM <sub>10</sub> , PM <sub>2.5</sub>	4
50	Fatehabad	Moderate	117	PM <sub>10</sub>	1
51	Firozabad	Moderate	104	O <sub>3</sub> , PM <sub>2.5</sub>	2
52	Gadag	Good	31	PM <sub>10</sub>	1
53	Gandhinagar	Satisfactory	65	PM <sub>10</sub>	1
54	Gaya	Satisfactory	73	PM <sub>2.5</sub> , CO, O <sub>3</sub>	3
55	Ghaziabad	Moderate	105	PM <sub>10</sub> , PM <sub>2.5</sub>	4
56	Gorakhpur	Satisfactory	51	SO <sub>2</sub>	1
57	Greater Noida	Moderate	121	PM <sub>10</sub>	2
58	Gurugram	Moderate	141	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	3
59	Guwahati	Good	42	PM <sub>10</sub> , O <sub>3</sub>	3
60	Gwalior	Satisfactory	81	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Good	40	NO <sub>2</sub>	1
62	Haldia	Good	36	CO	1
63	Hapur	Satisfactory	77	PM <sub>10</sub>	1
64	Hassan	Good	28	NO <sub>2</sub>	1
65	Haveri	Satisfactory	62	CO	1
66	Hisar	Moderate	114	PM <sub>2.5</sub>	1
67	Howrah	Good	33	PM <sub>10</sub> , CO, O <sub>3</sub>	3
68	Hubballi	Satisfactory	71	PM <sub>10</sub>	1
69	Hyderabad	Satisfactory	51	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	13
70	Imphal	Satisfactory	77	O <sub>3</sub> , PM <sub>10</sub>	2
71	Indore	Satisfactory	71	PM <sub>10</sub>	1
72	Jabalpur	Satisfactory	79	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Jalandhar	Satisfactory	69	O <sub>3</sub>	1
75	Jhansi	Satisfactory	79	PM <sub>10</sub>	1
76	Jodhpur	Satisfactory	85	PM <sub>10</sub>	1
77	Kaithal	Moderate	108	PM <sub>10</sub>	1
78	Kalaburgi	Good	30	SO <sub>2</sub>	1
79	Kannur	Satisfactory	64	PM <sub>2.5</sub>	1
80	Kanpur	Good	38	PM <sub>10</sub>	4
81	Karnal	Moderate	115	PM <sub>10</sub>	1
82	Katihar	Satisfactory	99	CO	1
83	Katni	Satisfactory	57	PM <sub>10</sub>	1
84	Khanna	Satisfactory	80	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Moderate	115	PM <sub>2.5</sub>	1
86	Kishanganj	Satisfactory	65	O <sub>3</sub>	1
87	Kochi	Moderate	169	PM <sub>2.5</sub>	1
88	Kolkata	Good	33	O <sub>3</sub> , NO <sub>2</sub> , PM <sub>10</sub>	7
89	Kollam	Satisfactory	75	PM <sub>10</sub>	1
90	Koppal	Satisfactory	71	O <sub>3</sub>	1
91	Kota	Satisfactory	69	PM <sub>10</sub>	1
92	Kozhikode	Satisfactory	71	PM <sub>10</sub>	1
93	Kurukshetra	Moderate	164	PM <sub>2.5</sub>	1
94	Lucknow	Satisfactory	68	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	6
95	Ludhiana	Moderate	106	PM <sub>10</sub>	1
96	Madikeri	Good	28	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	27	CO	1
98	Mandi Gobindgarh	Moderate	115	PM <sub>10</sub>	1
99	Mandideep	Satisfactory	77	PM <sub>10</sub>	1
100	Mandikhera	Good	30	PM <sub>10</sub>	1
101	Manglore	Satisfactory	65	PM <sub>10</sub>	1
102	Meerut	Good	47	PM <sub>10</sub>	3
103	Moradabad	Satisfactory	60	PM <sub>2.5</sub> , PM <sub>10</sub>	6
104	Motihari	Good	46	O <sub>3</sub>	1
105	Mumbai	Satisfactory	60	NO <sub>2</sub> , PM <sub>10</sub> , CO	13
106	Munger	Satisfactory	70	CO	1
107	Muzaffarnagar	Moderate	103	PM <sub>2.5</sub>	1
108	Muzaffarpur	Satisfactory	64	O <sub>3</sub> , CO	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Satisfactory	53	O <sub>3</sub>	1
110	Nagpur	Satisfactory	66	CO	1
111	Narnaul	Satisfactory	83	PM <sub>10</sub>	1
112	Navi Mumbai	Satisfactory	90	CO	1
113	Noida	Moderate	111	PM <sub>10</sub> , PM <sub>2.5</sub>	4
114	Ooty	Good	47	SO <sub>2</sub>	1
115	Pali	Satisfactory	75	PM <sub>10</sub>	1
116	Palwal	Moderate	105	PM <sub>10</sub>	1
117	Panchkula	Satisfactory	59	PM <sub>2.5</sub>	1
118	Patiala	Satisfactory	83	PM <sub>10</sub>	1
119	Patna	Satisfactory	59	PM <sub>10</sub>	6
120	Pithampur	Moderate	111	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Satisfactory	61	PM <sub>2.5</sub> , PM <sub>10</sub>	3
122	Puducherry	Satisfactory	59	PM <sub>10</sub>	1
123	Purnia	Satisfactory	94	PM <sub>10</sub>	1
124	Raichur	Satisfactory	58	CO	1
125	Rajamahendravaram	Good	22	CO	1
126	Rajgir	Satisfactory	56	CO	1
127	Ramanagara	Good	43	O <sub>3</sub>	1
128	Ramanathapuram	Good	37	PM <sub>10</sub>	1
129	Ratlam	Satisfactory	74	PM <sub>10</sub>	1
130	Rupnagar	Moderate	129	PM <sub>10</sub>	1
131	Sagar	Satisfactory	59	CO	1
132	Saharsa	Satisfactory	73	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Samastipur	Satisfactory	84	PM <sub>10</sub>	1
134	Satna	Good	31	PM <sub>2.5</sub>	1
135	Shillong	Good	22	PM <sub>10</sub> , SO <sub>2</sub>	2
136	Shivamogga	Satisfactory	70	PM <sub>10</sub>	1
137	Siliguri	Satisfactory	68	PM <sub>10</sub>	1
138	Singrauli	Satisfactory	94	NO <sub>2</sub>	1
139	Sirsa	Satisfactory	82	O <sub>3</sub>	1
140	Solapur	Satisfactory	54	PM <sub>10</sub>	1
141	Srinagar	Good	49	PM <sub>10</sub>	1
142	Talcher	Satisfactory	60	SO <sub>2</sub>	1
143	Thane	Satisfactory	69	O <sub>3</sub>	1
144	Thiruvananthapuram	Good	32	CO, NO <sub>2</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Good	43	PM <sub>10</sub>	1
146	Thrissur	Good	47	PM <sub>10</sub>	1
147	Tirupati	Good	44	CO	1
148	Tiruppur	Moderate	121	PM <sub>10</sub>	1
149	Udaipur	Satisfactory	91	PM <sub>10</sub>	1
150	Varanasi	Good	44	PM <sub>10</sub> , O <sub>3</sub>	4
151	Vatva	Moderate	122	PM <sub>10</sub>	1
152	Vijayapura	Good	40	PM <sub>10</sub>	1
153	Visakhapatnam	Satisfactory	64	PM <sub>10</sub>	1
154	Vrindavan	Satisfactory	89	PM <sub>2.5</sub>	1
155	Yadgir	Good	37	PM <sub>10</sub>	1
156	Yamunanagar	Moderate	106	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Dharuhera, Eloor, Gangtok, Gummidipoondi, Hosur, Jind, Jorapokhar, Kalyan, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Salem, Sasaram, Siwan, Sonapat, Udupi, Ujjain, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.