

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	38	PM ₁₀	2
2	Agra	Good	30	CO, PM ₁₀	6
3	Ahmedabad	Satisfactory	66	PM ₁₀	2
4	Aizawl	Good	21	SO ₂	1
5	Ajmer	Satisfactory	89	PM ₁₀	1
6	Alwar	Satisfactory	70	PM ₁₀	1
7	Amaravati	Satisfactory	54	0 ₃	1
8	Ambala	Satisfactory	90	PM _{2.5}	1
9	Amritsar	Satisfactory	55	PM ₁₀	1
10	Anantapur	Satisfactory	68	PM ₁₀	1
11	Ankleshwar	Satisfactory	90	PM ₁₀	1
12	Arrah	Satisfactory	73	NO ₂	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai,
Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera,
Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima,
Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem,
Siwan, Sonipat, Udupi, Vapi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Good	49	PM ₁₀	1
14	Aurangabad (Bihar)	Satisfactory	94	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	91	PM ₁₀	1
16	Baddi	Moderate	119	PM ₁₀	1
17	Bagalkot	Good	37	со	1
18	Baghpat	Satisfactory	58	PM ₁₀	1
19	Bahadurgarh	Satisfactory	78	PM _{2.5}	1
20	Ballabgarh	Satisfactory	90	PM ₁₀	1
21	Bareilly	Satisfactory	66	PM ₁₀	1
22	Bathinda	Satisfactory	80	PM ₁₀	1
23	Begusarai	Good	33	со	1
24	Belgaum	Satisfactory	59	PM _{2.5}	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai,
Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera,
Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima,
Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem,
Siwan, Sonipat, Udupi, Vapi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	60	PM ₁₀ , NO ₂	5
26	Bhagalpur	Satisfactory	73	NO ₂	1
27	Bhiwadi	Moderate	176	NO ₂	1
28	Bhiwani	Satisfactory	65	PM _{2.5}	1
29	Bhopal	Satisfactory	94	PM ₁₀	2
30	Bilaspur	Satisfactory	57	PM ₁₀	1
31	Bulandshahr	Satisfactory	56	PM ₁₀	1
32	Chamarajanagar	Good	40	PM ₁₀	1
33	Chandigarh	Satisfactory	66	PM ₁₀ , O ₃	3
34	Chandrapur	Satisfactory	55	PM ₁₀ , NO ₂	2
35	Charkhi Dadri	Satisfactory	76	PM _{2.5}	1
36	Chennai	Satisfactory	85	PM _{2.5} , PM ₁₀	8

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai,
Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera,
Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima,
Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem,
Siwan, Sonipat, Udupi, Vapi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Satisfactory	95	PM ₁₀	1
38	Chikkaballapur	Good	38	PM ₁₀	1
39	Chikkamagaluru	Good	47	O ₃	1
40	Coimbatore	Good	42	PM _{2.5} , SO ₂	2
41	Darbhanga	Good	50	PM ₁₀	1
42	Davanagere	Good	27	PM ₁₀	1
43	Dehradun	Moderate	136	0 ₃	1
44	Delhi	Moderate	109	PM ₁₀ , NO ₂ , PM _{2.5}	32
45	Dewas	Satisfactory	73	PM ₁₀	1
46	Dindigul	Good	45	SO ₂	1
47	Durgapur	Good	49	PM ₁₀	1
48	Eloor	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima, Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem, Siwan, Sonipat, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Satisfactory	68	со	1
50	Faridabad	Satisfactory	90	PM _{2.5} , PM ₁₀	4
51	Fatehabad	Satisfactory	95	PM ₁₀	1
52	Gadag	Good	30	PM ₁₀	1
53	Gandhinagar	Satisfactory	61	PM ₁₀	1
54	Gaya	Satisfactory	72	PM _{2.5} , CO, O ₃	3
55	Ghaziabad	Moderate	106	PM ₁₀ , PM _{2.5}	4
56	Gorakhpur	Satisfactory	51	SO ₂	1
57	Greater Noida	Satisfactory	95	PM ₁₀	2
58	Gurugram	Moderate	136	О ₃ , РМ ₁₀	3
59	Guwahati	Good	46	PM ₁₀	3
60	Gwalior	Good	47	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai,
Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera,
Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima,
Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem,
Siwan, Sonipat, Udupi, Vapi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Good	49	PM ₁₀	1
62	Haldia	Good	28	O ₃	1
63	Hapur	Satisfactory	60	PM ₁₀	1
64	Hassan	Good	32	PM _{2.5}	1
65	Haveri	Satisfactory	61	со	1
66	Hisar	Satisfactory	87	PM _{2.5}	1
67	Hosur	Satisfactory	82	со	1
68	Howrah	Good	34	PM ₁₀ , NO ₂	3
69	Hubballi	Satisfactory	66	PM ₁₀	1
70	Hyderabad	Satisfactory	65	PM _{2.5} , CO, PM ₁₀	11
71	Imphal	Satisfactory	83	0 ₃ , SO ₂	2
72	Indore	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima, Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem, Siwan, Sonipat, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jabalpur	Satisfactory	54	со	1
74	Jaipur	Satisfactory	78	PM ₁₀	3
75	Jalandhar	Satisfactory	58	O ₃	1
76	Jind	Satisfactory	70	СО	1
77	Jodhpur	Satisfactory	74	PM ₁₀	1
78	Kalaburgi	Good	29	SO ₂	1
79	Kalyan	Good	49	PM ₁₀	1
80	Kannur	Satisfactory	64	PM _{2.5}	1
81	Kanpur	Good	35	CO, PM _{2.5} , PM ₁₀	4
82	Karnal	Good	42	PM ₁₀	1
83	Katihar	Moderate	129	PM ₁₀	1
84	Katni	Good	50	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai,
Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera,
Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima,
Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem,
Siwan, Sonipat, Udupi, Vapi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Satisfactory	72	PM ₁₀	1
86	Khurja	Satisfactory	84	PM _{2.5}	1
87	Kishanganj	Satisfactory	78	O ₃	1
88	Kochi	Moderate	159	PM _{2.5}	1
89	Kolkata	Good	37	О ₃ , РМ ₁₀	6
90	Kollam	Satisfactory	58	PM ₁₀	1
91	Koppal	Satisfactory	73	0 ₃	1
92	Kota	Satisfactory	74	PM ₁₀	1
93	Kozhikode	Satisfactory	65	PM ₁₀	1
94	Kurukshetra	Satisfactory	55	PM _{2.5}	1
95	Lucknow	Satisfactory	52	CO, PM ₁₀ , NO ₂	6
96	Ludhiana	Moderate	105	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima, Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem, Siwan, Sonipat, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Good	28	0 ₃	1
98	Maihar	Good	27	со	1
99	Mandi Gobindgarh	Moderate	113	PM ₁₀	1
100	Mandideep	Satisfactory	56	PM ₁₀	1
101	Mandikhera	Good	30	PM ₁₀	1
102	Manesar	Satisfactory	91	PM ₁₀	1
103	Manglore	Satisfactory	53	со	1
104	Meerut	Satisfactory	54	PM ₁₀	3
105	Moradabad	Satisfactory	60	PM _{2.5} , PM ₁₀	6
106	Motihari	Good	49	0 ₃	1
107	Mumbai	Satisfactory	53	NO ₂ , PM ₁₀ , PM _{2.5}	14
108	Munger	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima, Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem, Siwan, Sonipat, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarnagar	Satisfactory	76	PM _{2.5}	1
110	Muzaffarpur	Satisfactory	63	O ₃ , CO	3
111	Mysuru	Good	45	PM ₁₀	1
112	Nagpur	Satisfactory	52	PM ₁₀	1
113	Narnaul	Satisfactory	57	PM _{2.5}	1
114	Nashik	Good	45	O ₃	1
115	Navi Mumbai	Satisfactory	85	со	1
116	Noida	Satisfactory	96	PM ₁₀	4
117	Ooty	Good	47	SO ₂	1
118	Pali	Satisfactory	64	PM ₁₀	1
119	Palwal	Good	48	PM ₁₀	1
120	Panchkula	Satisfactory	58	СО	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai,
Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera,
Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima,
Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem,
Siwan, Sonipat, Udupi, Vapi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panipat	Moderate	123	PM ₁₀	1
122	Patiala	Satisfactory	53	O ₃	1
123	Patna	Satisfactory	68	PM ₁₀ , NO ₂	6
124	Pithampur	Satisfactory	95	PM ₁₀	1
125	Prayagraj	Good	41	PM _{2.5} , O ₃ , SO ₂	3
126	Pune	Moderate	105	PM _{2.5}	1
127	Raichur	Satisfactory	59	СО	1
128	Rajamahendravaram	Good	36	PM ₁₀	1
129	Rajgir	Satisfactory	61	СО	1
130	Ramanagara	Good	39	0 ₃	1
131	Ramanathapuram	Good	43	PM ₁₀	1
132	Ratlam	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima, Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem, Siwan, Sonipat, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Moderate	117	PM ₁₀	1
134	Sagar	Satisfactory	54	со	1
135	Saharsa	Good	39	0 ₃	1
136	Samastipur	Moderate	132	PM ₁₀	1
137	Sasaram	Satisfactory	75	со	1
138	Satna	Good	31	PM _{2.5}	1
139	Shillong	Good	36	PM ₁₀ , SO ₂	2
140	Shivamogga	Good	43	PM ₁₀	1
141	Siliguri	Satisfactory	54	PM ₁₀	1
142	Singrauli	Satisfactory	89	NO ₂	1
143	Sirsa	Satisfactory	65	PM ₁₀	1
144	Solapur	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima, Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem, Siwan, Sonipat, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Srinagar	Good	50	PM ₁₀	1
146	Talcher	Satisfactory	57	со	1
147	Thane	Satisfactory	72	O ₃	1
148	Thiruvananthapuram	Good	44	CO, NO ₂	2
149	Thoothukudi	Good	48	PM ₁₀	1
150	Thrissur	Good	48	PM ₁₀	1
151	Tirupati	Good	41	PM ₁₀	1
152	Tiruppur	Moderate	138	PM ₁₀	1
153	Udaipur	Satisfactory	65	PM ₁₀	1
154	Ujjain	Satisfactory	85	PM ₁₀	1
155	Varanasi	Good	33	PM ₁₀ , SO ₂	4
156	Vatva	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima, Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem, Siwan, Sonipat, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vijayapura	Good	40	PM ₁₀	1
158	Visakhapatnam	Moderate	105	PM ₁₀	1
159	Vrindavan	Good	47	SO ₂	1
160	Yadgir	Good	39	PM ₁₀	1
161	Yamunanagar	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Firozabad, Gangtok, Gummidipoondi, Jhansi, Jorapokhar, Kaithal, Kohima, Kolar, Manguraha, Naharlagun, Nandesari, Puducherry, Purnia, Rohtak, Salem, Siwan, Sonipat, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.