

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	45	PM _{2.5} , PM ₁₀	2
2	Agra	Good	29	O ₃ , CO, SO ₂	5
3	Ahmedabad	Satisfactory	68	PM ₁₀ , O ₃	2
4	Alwar	Satisfactory	57	PM ₁₀	1
5	Amaravati	Satisfactory	58	03	1
6	Anantapur	Satisfactory	66	PM ₁₀	1
7	Araria	Satisfactory	76	со	1
8	Arrah	Satisfactory	78	PM ₁₀	1
9	Asansol	Satisfactory	71	PM ₁₀	1
10	Aurangabad (Bihar)	Moderate	109	PM _{2.5}	1
11	Aurangabad (Maharashtra)	Satisfactory	96	PM ₁₀	1
12	Baddi	Satisfactory	96	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Ambala,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	37	со	1
14	Baghpat	Good	27	O ₃	1
15	Bahadurgarh	Good	48	O ₃	1
16	Ballabgarh	Good	39	PM ₁₀	1
17	Bareilly	Satisfactory	52	PM ₁₀ , PM _{2.5}	2
18	Bathinda	Satisfactory	53	NO ₂	1
19	Begusarai	Satisfactory	68	PM ₁₀	1
20	Bengaluru	Satisfactory	65	PM ₁₀ , NO ₂	5
21	Bhagalpur	Satisfactory	64	PM ₁₀	1
22	Bhiwadi	Satisfactory	70	PM _{2.5}	1
23	Bhopal	Satisfactory	70	PM ₁₀	2
24	Bilaspur	Satisfactory	51	PM ₁₀	1


Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Ambala,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Good	30	03	1
26	Buxar	Satisfactory	95	со	1
27	Chamarajanagar	Good	41	PM ₁₀	1
28	Chandigarh	Satisfactory	52	со	3
29	Chandrapur	Satisfactory	54	PM ₁₀	2
30	Charkhi Dadri	Good	46	PM _{2.5}	1
31	Chennai	Satisfactory	71	CO, PM _{2.5} , PM ₁₀	9
32	Chhapra	Moderate	181	PM ₁₀	1
33	Chikkaballapur	Good	34	PM ₁₀	1
34	Coimbatore	Good	34	CO, SO ₂	2
35	Darbhanga	Satisfactory	88	PM ₁₀	1
36	Dehradun	Good	44	03	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Ambala,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Delhi	Satisfactory	54	NO ₂ , CO	29
38	Dewas	Satisfactory	55	PM ₁₀	1
39	Dharuhera	Satisfactory	93	PM ₁₀	1
40	Durgapur	Satisfactory	84	PM ₁₀	1
41	Eloor	Satisfactory	51	PM ₁₀	1
42	Ernakulam	Satisfactory	73	со	1
43	Faridabad	Good	50	SO ₂ , PM ₁₀	2
44	Firozabad	Moderate	121	O ₃ , CO	2
45	Gadag	Good	30	PM ₁₀	1
46	Gandhinagar	Satisfactory	54	PM ₁₀	1
47	Gaya	Satisfactory	100	PM ₁₀	2
48	Ghaziabad	Satisfactory	64	CO, PM _{2.5}	3

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Ambala,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Satisfactory	52	PM _{2.5}	1
50	Greater Noida	Good	41	СО	2
51	Gummidipoondi	Good	43	PM _{2.5}	1
52	Gurugram	Satisfactory	74	PM _{2.5} , PM ₁₀	2
53	Guwahati	Satisfactory	61	PM ₁₀ , PM _{2.5}	3
54	Hajipur	Moderate	124	PM ₁₀	1
55	Haldia	Satisfactory	65	PM ₁₀	1
56	Hapur	Good	28	PM ₁₀	1
57	Hassan	Good	31	NO ₂	1
58	Haveri	Good	29	со	1
59	Hisar	Satisfactory	57	O ₃	1
60	Hosur	Satisfactory	100	СО	1


Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Ambala

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Satisfactory	55	PM ₁₀	2
62	Hubballi	Satisfactory	53	со	1
63	Hyderabad	Satisfactory	59	PM _{2.5} , CO, PM ₁₀	13
64	Imphal	Satisfactory	86	O ₃ , SO ₂	2
65	Indore	Satisfactory	64	PM ₁₀	1
66	Jabalpur	Satisfactory	69	PM ₁₀	1
67	Jaipur	Good	43	CO, O ₃	2
68	Jalandhar	Satisfactory	55	PM ₁₀	1
69	Jhansi	Good	45	PM ₁₀	1
70	Jodhpur	Satisfactory	72	PM ₁₀	1
71	Kaithal	Good	26	PM ₁₀	1
72	Kalaburgi	Good	29	SO ₂	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Aizawl, Aimer, Ambala

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Moderate	104	PM ₁₀	1
74	Kanpur	Good	39	PM ₁₀ , CO	3
75	Karnal	Good	31	со	1
76	Katihar	Moderate	136	PM ₁₀	1
77	Katni	Satisfactory	54	PM ₁₀	1
78	Khanna	Satisfactory	52	со	1
79	Khurja	Satisfactory	67	PM _{2.5}	1
80	Kishanganj	Satisfactory	74	PM ₁₀	1
81	Kochi	Good	45	PM ₁₀	1
82	Kolkata	Good	50	PM ₁₀ , O ₃	7
83	Kollam	Satisfactory	60	PM ₁₀	1
84	Koppal	Satisfactory	77	03	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Aizawl, Aimer, Ambala

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Good	50	PM ₁₀	1
86	Kozhikode	Satisfactory	75	PM ₁₀	1
87	Kurukshetra	Good	38	O ₃	1
88	Lucknow	Satisfactory	52	CO, PM ₁₀ , PM _{2.5}	6
89	Ludhiana	Good	41	PM ₁₀	1
90	Madikeri	Good	24	SO ₂	1
91	Maihar	Good	28	СО	1
92	Mandi Gobindgarh	Good	41	O ₃	1
93	Mandideep	Good	39	PM ₁₀	1
94	Mandikhera	Good	30	PM ₁₀	1
95	Manglore	Good	50	со	1
96	Manguraha	Satisfactory	56	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Ambala,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Good	34	O ₃ , NO ₂	3
98	Moradabad	Good	42	PM ₁₀ , CO	2
99	Motihari	Satisfactory	74	PM ₁₀	1
100	Mumbai	Good	47	NO ₂ , PM _{2.5} , CO	16
101	Muzaffarnagar	Good	40	03	1
102	Muzaffarpur	Satisfactory	80	PM ₁₀ , PM _{2.5}	2
103	Mysuru	Good	40	PM ₁₀	1
104	Nagpur	Good	45	PM ₁₀	1
105	Nandesari	Moderate	112	СО	1
106	Nashik	Good	45	O ₃	1
107	Navi Mumbai	Satisfactory	54	CO, NO ₂	2
108	Noida	Satisfactory	54	CO, SO ₂ , PM _{2.5}	4


Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Ambala

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ooty	Good	49	PM ₁₀	1
110	Pali	Satisfactory	62	PM ₁₀	1
111	Panchkula	Satisfactory	58	со	1
112	Panipat	Good	50	PM ₁₀	1
113	Patiala	Satisfactory	53	03	1
114	Patna	Moderate	101	PM ₁₀ , PM _{2.5}	6
115	Pithampur	Satisfactory	88	PM ₁₀	1
116	Prayagraj	Good	42	PM ₁₀	2
117	Puducherry	Satisfactory	62	PM ₁₀	1
118	Pune	Satisfactory	59	PM _{2.5}	1
119	Purnia	Moderate	122	PM ₁₀	1
120	Raichur	Satisfactory	57	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Ambala,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	42	PM ₁₀	1
122	Rajgir	Satisfactory	66	СО	1
123	Ramanagara	Good	42	03	1
124	Ramanathapuram	Satisfactory	51	PM ₁₀	1
125	Ratlam	Good	49	PM ₁₀	1
126	Rupnagar	Satisfactory	86	PM ₁₀	1
127	Sagar	Good	50	со	1
128	Saharsa	Poor	235	PM _{2.5}	1
129	Samastipur	Moderate	148	PM ₁₀	1
130	Sasaram	Good	42	NO ₂	1
131	Satna	Satisfactory	54	PM ₁₀	1
132	Shillong	Good	30	PM _{2.5} , PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Aizawl, Aimer, Ambala

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Good	42	PM ₁₀	1
134	Siliguri	Good	39	PM ₁₀	1
135	Sirsa	Satisfactory	69	03	1
136	Solapur	Satisfactory	71	PM ₁₀	1
137	Sonipat	Good	31	PM ₁₀	1
138	Thane	Satisfactory	63	03	1
139	Thiruvananthapuram	Good	36	CO, NO ₂	2
140	Thoothukudi	Satisfactory	58	PM ₁₀	1
141	Thrissur	Good	47	PM ₁₀	1
142	Tirupati	Good	44	со	1
143	Tiruppur	Moderate	165	PM ₁₀	1
144	Udaipur	Satisfactory	68	PM ₁₀	1


Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Ambala,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udupi	Satisfactory	72	со	1
146	Ujjain	Satisfactory	86	PM ₁₀	1
147	Vapi	Satisfactory	54	PM ₁₀	1
148	Varanasi	Satisfactory	58	PM ₁₀	3
149	Vatva	Satisfactory	92	PM ₁₀	1
150	Vijayapura	Good	39	PM ₁₀	1
151	Visakhapatnam	Moderate	121	PM ₁₀	1
152	Vrindavan	Good	41	SO ₂	1
153	Yamunanagar	Good	48	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Aizawl, Aimer, Ambala

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.