

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	51	PM _{2.5} , PM ₁₀	2
2	Agra	Good	42	O ₃ , SO ₂ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	68	PM ₁₀ , O ₃	2
4	Ajmer	Satisfactory	76	PM ₁₀	1
5	Alwar	Satisfactory	78	PM ₁₀	1
6	Amaravati	Satisfactory	64	O ₃	1
7	Ambala	Satisfactory	74	PM ₁₀	1
8	Amritsar	Satisfactory	52	со	1
9	Anantapur	Satisfactory	86	PM ₁₀	1
10	Araria	Moderate	101	СО	1
11	Arrah	Satisfactory	73	PM ₁₀	1
12	Asansol	Satisfactory	99	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	108	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	97	PM ₁₀	1
15	Baddi	Satisfactory	57	O ₃	1
16	Baghpat	Good	33	0 ₃	1
17	Bahadurgarh	Good	49	O ₃	1
18	Ballabgarh	Good	40	СО	1
19	Bareilly	Satisfactory	54	PM _{2.5} , PM ₁₀	2
20	Bathinda	Good	45	NO ₂	1
21	Belgaum	Good	48	со	1
22	Bengaluru	Satisfactory	58	PM ₁₀ , NO ₂	5
23	Bhagalpur	Satisfactory	64	NO ₂ , PM _{2.5}	2
24	Bhiwadi	Moderate	132	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Good	27	0 ₃	1
26	Bhopal	Satisfactory	72	PM ₁₀	2
27	Bihar Sharif	Satisfactory	83	PM ₁₀	1
28	Bilaspur	Satisfactory	70	со	1
29	Bulandshahr	Good	42	0 ₃	1
30	Buxar	Moderate	113	со	1
31	Chamarajanagar	Good	39	PM ₁₀	1
32	Chandigarh	Good	34	CO, O ₃	2
33	Chandrapur	Satisfactory	60	PM ₁₀	2
34	Charkhi Dadri	Good	28	PM ₁₀	1
35	Chennai	Satisfactory	65	CO, PM ₁₀	7
36	Chhapra	Moderate	158	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	46	со	1
38	Coimbatore	Good	34	CO, SO ₂	2
39	Damoh	Good	32	PM _{2.5}	1
40	Darbhanga	Satisfactory	55	PM ₁₀	1
41	Delhi	Satisfactory	52	CO, NO ₂	34
42	Dewas	Satisfactory	70	PM ₁₀	1
43	Dindigul	Good	45	SO ₂	1
44	Durgapur	Satisfactory	91	PM ₁₀	1
45	Eloor	Satisfactory	58	PM ₁₀	1
46	Ernakulam	Satisfactory	60	со	1
47	Faridabad	Satisfactory	68	SO ₂ , PM ₁₀	2
48	Firozabad	Satisfactory	55	PM _{2.5} , PM ₁₀	2

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	25	SO ₂	1
50	Gandhinagar	Satisfactory	55	PM ₁₀	1
51	Gaya	Moderate	106	РМ _{2.5} , СО	3
52	Ghaziabad	Good	43	O ₃ , PM _{2.5} , PM ₁₀	4
53	Gorakhpur	Satisfactory	51	SO ₂	1
54	Greater Noida	Good	50	CO, O ₃	2
55	Gummidipoondi	Good	27	PM _{2.5}	1
56	Gurugram	Moderate	114	0 ₃	2
57	Guwahati	Satisfactory	56	PM ₁₀ , PM _{2.5}	3
58	Gwalior	Satisfactory	62	PM ₁₀	1
59	Hajipur	Satisfactory	96	PM ₁₀	1
60	Haldia	Satisfactory	66	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Good	31	O ₃	1
62	Hassan	Good	24	PM _{2.5}	1
63	Haveri	Good	29	СО	1
64	Hisar	Satisfactory	57	O ₃	1
65	Hosur	Satisfactory	93	со	1
66	Howrah	Satisfactory	55	PM ₁₀ , PM _{2.5}	3
67	Hubballi	Satisfactory	51	со	1
68	Hyderabad	Satisfactory	64	РМ _{2.5} , СО	12
69	Imphal	Satisfactory	84	O ₃ , SO ₂	2
70	Indore	Satisfactory	83	PM ₁₀	1
71	Jabalpur	Satisfactory	77	PM ₁₀	1
72	Jaipur	Satisfactory	63	PM ₁₀	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Good	31	NO ₂	1
74	Jhansi	Satisfactory	76	PM ₁₀	1
75	Jodhpur	Satisfactory	67	PM ₁₀	1
76	Kaithal	Good	18	PM ₁₀	1
77	Kalaburgi	Good	12	со	1
78	Kalyan	Satisfactory	65	PM ₁₀	1
79	Kannur	Satisfactory	65	PM _{2.5}	1
80	Kanpur	Satisfactory	53	PM ₁₀ , PM _{2.5}	4
81	Karnal	Good	28	PM ₁₀	1
82	Katni	Satisfactory	80	PM ₁₀	1
83	Khanna	Good	44	СО	1
84	Khurja	Satisfactory	62	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Good	27	СО	1
86	Kolkata	Good	43	О ₃ , РМ ₁₀	6
87	Kollam	Satisfactory	54	PM ₁₀	1
88	Koppal	Satisfactory	75	O ₃	1
89	Kota	Satisfactory	57	PM _{2.5}	1
90	Kozhikode	Satisfactory	77	PM ₁₀	1
91	Kurukshetra	Good	39	0 ₃	1
92	Lucknow	Satisfactory	58	PM ₁₀ , PM _{2.5}	6
93	Ludhiana	Good	19	со	1
94	Madikeri	Good	26	SO ₂	1
95	Maihar	Good	31	СО	1
96	Mandideep	Good	41	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Good	38	PM ₁₀	1
98	Manglore	Good	49	со	1
99	Meerut	Good	30	0 ₃ , NO ₂	3
100	Moradabad	Good	38	PM _{2.5} , CO, SO ₂	3
101	Motihari	Satisfactory	57	0 ₃	1
102	Mumbai	Satisfactory	54	NO ₂ , PM ₁₀ , CO	13
103	Muzaffarnagar	Satisfactory	76	со	1
104	Muzaffarpur	Satisfactory	68	PM ₁₀ , O ₃ , CO	3
105	Mysuru	Satisfactory	59	O ₃	1
106	Nagpur	Satisfactory	73	PM ₁₀	1
107	Narnaul	Good	30	PM _{2.5}	1
108	Nashik	Good	45	0 ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Satisfactory	62	PM ₁₀	2
110	Noida	Satisfactory	72	CO, SO ₂	4
111	Ooty	Satisfactory	62	PM ₁₀	1
112	Pali	Satisfactory	57	PM ₁₀	1
113	Panchkula	Satisfactory	51	со	1
114	Panipat	Good	48	PM ₁₀	1
115	Patiala	Satisfactory	53	0 ₃	1
116	Patna	Satisfactory	96	PM ₁₀ , PM _{2.5}	5
117	Pithampur	Satisfactory	93	PM ₁₀	1
118	Prayagraj	Satisfactory	68	PM ₁₀	2
119	Puducherry	Good	49	0 ₃	1
120	Purnia	Satisfactory	90	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Satisfactory	56	со	1
122	Rajamahendravaram	Satisfactory	58	PM ₁₀	1
123	Ramanagara	Good	40	O ₃	1
124	Ramanathapuram	Satisfactory	51	PM ₁₀	1
125	Ratlam	Satisfactory	57	PM ₁₀	1
126	Rupnagar	Good	49	со	1
127	Sagar	Satisfactory	57	со	1
128	Samastipur	Satisfactory	83	PM ₁₀	1
129	Sasaram	Good	46	0 ₃	1
130	Satna	Good	45	PM ₁₀	1
131	Shillong	Good	22	PM _{2.5}	1
132	Shivamogga	Good	42	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Good	34	0 ₃	1
134	Singrauli	Satisfactory	83	NO ₂	1
135	Solapur	Satisfactory	99	PM ₁₀	1
136	Sonipat	Satisfactory	80	PM ₁₀	1
137	Srinagar	Satisfactory	52	PM ₁₀	1
138	Thane	Satisfactory	87	0 ₃	1
139	Thiruvananthapuram	Good	30	PM ₁₀ , NO ₂	2
140	Thoothukudi	Satisfactory	54	PM ₁₀	1
141	Thrissur	Good	48	PM ₁₀	1
142	Tirupati	Good	41	со	1
143	Tiruppur	Moderate	138	PM ₁₀	1
144	Udupi	Satisfactory	69	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

calculated for today's bulletin for

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Notes:



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Satisfactory	90	PM ₁₀	1
146	Vapi	Satisfactory	85	PM ₁₀	1
147	Varanasi	Satisfactory	62	PM ₁₀	4
148	Vatva	Satisfactory	71	PM ₁₀	1
149	Vijayapura	Good	40	PM ₁₀	1
150	Visakhapatnam	Moderate	131	PM ₁₀	1
151	Vrindavan	Good	38	SO ₂	1
152	Yadgir	Good	29	СО	1
153	Yamunanagar	Good	26	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Aizawl. Ankleshwai

Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Chikkaballapur, Davanagere, Dehradun, Dharuhera, Fatehabad, Gangtok, Jind, Jorapokhar, Katihar, Kishanganj, Kohima, Kolar, Mandi Gobindgarh, Mandikhera, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Rajgir, Rohtak, Saharsa, Salem, Sirsa, Siwan, Talcher, Udaipur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.