


(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	144	PM _{2.5}	2
2	Agra	Moderate	180	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	161	PM ₁₀	1
4	Aizawl	Good	24	PM ₁₀	1
5	Ajmer	Moderate	187	PM _{2.5}	1
6	Alwar	Poor	240	PM _{2.5}	1
7	Amaravati	Satisfactory	88	PM ₁₀	1
8	Ambala	Poor	267	PM _{2.5}	1
9	Amritsar	Poor	226	PM _{2.5}	1
10	Anantapur	Satisfactory	59	PM _{2.5}	1
11	Ankleshwar	Poor	243	PM _{2.5}	1
12	Araria	Poor	216	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	169	PM ₁₀	1
14	Aurangabad	Moderate	169	PM ₁₀	1
15	Aurangabad	Moderate	128	PM _{2.5}	1
16	Baddi	Poor	223	PM _{2.5}	1
17	Bagalkot	Good	39	PM ₁₀	1
18	Baghpat	Very Poor	352	PM _{2.5}	1
19	Bahadurgarh	Severe	429	PM _{2.5}	1
20	Ballabgarh	Very Poor	377	PM ₁₀	1
21	Bareilly	Poor	219	PM ₁₀	2
22	Bathinda	Poor	248	PM _{2.5}	1
23	Begusarai	Moderate	166	PM _{2.5}	1
24	Belgaum	Moderate	146	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	54	PM ₁₀ , CO, PM _{2.5}	7
26	Bettiah	Very Poor	337	PM _{2.5}	1
27	Bhagalpur	Moderate	150	PM _{2.5}	2
28	Bhiwadi	Severe	402	PM ₁₀	1
29	Bhiwani	Severe	437	PM _{2.5}	1
30	Bhopal	Moderate	182	PM _{2.5} , PM ₁₀	2
31	Bidar	Satisfactory	77	СО	1
32	Bihar Sharif	Moderate	144	PM _{2.5}	1
33	Bilaspur	Satisfactory	67	СО	1
34	Bulandshahr	Poor	248	PM _{2.5}	1
35	Chamarajanagar	Good	44	PM ₁₀	1
36	Chandigarh	Poor	205	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	185	PM _{2.5}	1
38	Charkhi Dadri	Severe	460	PM _{2.5}	1
39	Chengalpattu	Satisfactory	70	SO ₂	1
40	Chennai	Satisfactory	59	CO, PM ₁₀	7
41	Chhapra	Moderate	176	PM _{2.5}	1
42	Chikkaballapur	Good	30	PM ₁₀	1
43	Damoh	Satisfactory	96	PM _{2.5}	1
44	Darbhanga	Poor	263	PM _{2.5}	1
45	Davanagere	Good	44	PM ₁₀	1
46	Dehradun	Moderate	103	PM ₁₀	1
47	Delhi	Severe	450	PM _{2.5} , PM ₁₀	37
48	Dewas	Moderate	176	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Very Poor	393	PM _{2.5}	1
50	Durgapur	Poor	207	PM _{2.5}	1
51	Eloor	Satisfactory	59	PM ₁₀	1
52	Faridabad	Very Poor	373	PM ₁₀ , PM _{2.5}	3
53	Fatehabad	Very Poor	313	PM _{2.5}	1
54	Firozabad	Moderate	156	PM _{2.5}	2
55	Gandhinagar	Moderate	122	PM ₁₀	1
56	Gangtok	Good	27	O ₃	1
57	Gaya	Moderate	148	PM ₁₀ , PM _{2.5}	3
58	Ghaziabad	Severe	416	PM _{2.5}	3
59	Gorakhpur	Moderate	175	PM _{2.5}	1
60	Greater Noida	Severe	418	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gummidipoondi	Good	43	PM ₁₀	1
62	Gurugram	Severe	430	PM _{2.5}	3
63	Guwahati	Satisfactory	68	PM ₁₀ , PM _{2.5}	3
64	Gwalior	Moderate	146	PM _{2.5}	1
65	Hajipur	Moderate	157	PM ₁₀	1
66	Haldia	Satisfactory	95	PM ₁₀	1
67	Hapur	Poor	288	PM _{2.5}	1
68	Hassan	Good	36	PM _{2.5}	1
69	Haveri	Satisfactory	53	PM ₁₀	1
70	Hisar	Very Poor	329	PM _{2.5}	1
71	Howrah	Moderate	129	PM _{2.5} , PM ₁₀	3
72	Hubballi	Satisfactory	71	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Satisfactory	94	PM _{2.5} , PM ₁₀	11
74	Imphal	Moderate	147	O ₃ , PM ₁₀	2
75	Indore	Moderate	180	PM ₁₀	1
76	Jabalpur	Moderate	132	PM _{2.5}	1
77	Jaipur	Poor	271	PM _{2.5}	3
78	Jalandhar	Poor	216	PM ₁₀	1
79	Jhansi	Moderate	163	PM _{2.5}	1
80	Jind	Severe	421	PM _{2.5}	1
81	Jodhpur	Moderate	169	PM _{2.5}	1
82	Kaithal	Very Poor	392	PM _{2.5}	1
83	Kalaburgi	Moderate	181	PM _{2.5}	1
84	Kalyan	Moderate	176	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanchipuram	Satisfactory	55	SO ₂	1
86	Kannur	Satisfactory	72	PM _{2.5}	1
87	Kanpur	Very Poor	311	PM _{2.5}	3
88	Karnal	Poor	299	PM _{2.5}	1
89	Katihar	Very Poor	331	PM _{2.5}	1
90	Katni	Moderate	190	PM ₁₀	1
91	Khanna	Moderate	196	PM _{2.5}	1
92	Khurja	Moderate	167	PM _{2.5}	1
93	Kishanganj	Moderate	121	PM ₁₀	1
94	Kochi	Moderate	157	PM _{2.5}	1
95	Kohima	Moderate	117	SO ₂	1
96	Kolar	Satisfactory	54	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * A

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Moderate	104	PM ₁₀	6
98	Kollam	Satisfactory	100	PM ₁₀	1
99	Koppal	Satisfactory	57	O ₃	1
100	Kota	Moderate	169	PM _{2.5}	1
101	Kozhikode	Satisfactory	79	PM ₁₀	1
102	Kurukshetra	Very Poor	329	PM _{2.5}	1
103	Lucknow	Poor	215	PM _{2.5} , PM ₁₀	6
104	Ludhiana	Very Poor	319	PM _{2.5}	1
105	Madikeri	Good	30	O ₃	1
106	Maihar	Good	49	PM ₁₀	1
107	Mandi Gobindgarh	Very Poor	391	PM ₁₀	1
108	Mandideep	Poor	227	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandikhera	Moderate	186	PM ₁₀	1
110	Manesar	Severe	412	PM _{2.5}	1
111	Manguraha	Moderate	101	PM _{2.5}	1
112	Meerut	Very Poor	346	PM _{2.5}	3
113	Moradabad	Moderate	181	PM _{2.5} , PM ₁₀	6
114	Motihari	Very Poor	372	PM _{2.5}	1
115	Mumbai	Moderate	141	PM _{2.5} , NO ₂	16
116	Muzaffarpur	Moderate	173	PM _{2.5} , PM ₁₀	3
117	Mysuru	Good	44	PM ₁₀	1
118	Nagpur	Moderate	148	PM _{2.5}	1
119	Narnaul	Very Poor	343	PM _{2.5}	1
120	Nashik	Moderate	104	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Navi Mumbai	Poor	236	PM _{2.5} , PM ₁₀	3
122	Noida	Severe	423	PM _{2.5} , PM ₁₀	4
123	Ooty	Good	49	SO ₂	1
124	Pali	Moderate	135	PM _{2.5}	1
125	Palwal	Moderate	124	PM ₁₀	1
126	Panchkula	Moderate	160	PM _{2.5}	1
127	Panipat	Very Poor	373	PM ₁₀	1
128	Patiala	Poor	276	PM _{2.5}	1
129	Patna	Moderate	171	PM _{2.5} , PM ₁₀	6
130	Pithampur	Moderate	180	PM ₁₀	1
131	Prayagraj	Moderate	128	PM _{2.5} , PM ₁₀	3
132	Puducherry	Good	50	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Purnia	Poor	254	PM _{2.5}	1
134	Rajamahendravaram	Satisfactory	83	PM ₁₀	1
135	Rajgir	Moderate	113	PM ₁₀	1
136	Ramanagara	Good	36	PM ₁₀	1
137	Ratlam	Moderate	165	PM ₁₀	1
138	Rohtak	Severe	437	PM _{2.5}	1
139	Rupnagar	Moderate	106	PM ₁₀	1
140	Sagar	Satisfactory	92	PM ₁₀ , CO	2
141	Salem	Satisfactory	56	SO ₂	1
142	Samastipur	Poor	211	PM _{2.5}	1
143	Sasaram	Moderate	117	PM _{2.5}	1
144	Satna	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Shillong	Good	23	PM ₁₀	1
146	Shivamogga	Good	44	PM ₁₀	1
147	Siliguri	Satisfactory	94	PM ₁₀	1
148	Singrauli	Poor	252	PM _{2.5}	1
149	Sirsa	Poor	240	PM _{2.5}	1
150	Sivasagar	Good	27	PM ₁₀	1
151	Siwan	Poor	290	PM _{2.5}	1
152	Solapur	Satisfactory	90	PM ₁₀	1
153	Sonipat	Very Poor	358	PM _{2.5}	1
154	Srinagar	Moderate	145	PM _{2.5}	1
155	Talcher	Moderate	126	PM _{2.5}	1
156	Thane	Moderate	146	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thiruvananthapuram	Satisfactory	64	PM _{2.5} , CO	2
158	Thoothukudi	Good	30	PM ₁₀	1
159	Thrissur	Satisfactory	61	PM ₁₀	1
160	Tirupati	Good	49	со	1
161	Tirupur	Good	47	PM ₁₀	1
162	Udaipur	Moderate	102	PM ₁₀	1
163	Ujjain	Moderate	128	PM ₁₀	1
164	Varanasi	Moderate	103	PM ₁₀	4
165	Vatva	Moderate	112	PM _{2.5}	1
166	Vijayapura	Good	46	PM ₁₀	1
167	Visakhapatnam	Satisfactory	91	PM ₁₀	1
168	Vrindavan	Moderate	141	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Yadgir	Moderate	107	PM _{2.5}	1
170	Yamunanagar	Poor	278	PM _{2.5}	1
171	vellore	Good	36	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai,
 Brajrajnagar, Buxar, Chikkamagaluru, Coimbatore, Dindigul, Ernakulam,
 Gadag, Hosur, Jorapokhar, Korba, Manglore, Munger, Muzaffarnagar,
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Ramanathapuram, Saharsa,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.