



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	92	PM _{2.5} , PM ₁₀	2
2	Agra	Moderate	107	PM ₁₀	6
3	Ahmedabad	Poor	201	PM ₁₀	1
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Moderate	116	PM ₁₀	1
6	Alwar	Moderate	181	PM _{2.5}	1
7	Amritsar	Poor	207	PM _{2.5}	1
8	Anantapur	Satisfactory	59	PM _{2.5}	1
9	Ankleshwar	Moderate	178	PM _{2.5}	1
10	Araria	Moderate	185	PM _{2.5}	1
11	Arrah	Poor	254	PM ₁₀	1
12	Asansol	Moderate	175	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Poor	214	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Moderate	136	PM _{2.5}	1
15	Baddi	Moderate	193	O ₃	1
16	Bagalkot	Good	39	PM ₁₀	1
17	Baghpat	Poor	247	PM _{2.5}	1
18	Bahadurgarh	Poor	234	PM _{2.5}	1
19	Ballabgarh	Very Poor	330	PM _{2.5}	1
20	Bareilly	Moderate	140	PM _{2.5}	2
21	Bathinda	Poor	220	PM ₁₀	1
22	Begusarai	Poor	296	PM _{2.5}	1
23	Belgaum	Moderate	108	PM ₁₀	1
24	Bengaluru	Satisfactory	58	PM ₁₀	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Poor	206	PM _{2.5}	2
26	Bhiwadi	Very Poor	304	PM _{2.5}	1
27	Bhiwani	Poor	234	PM _{2.5}	1
28	Bhopal	Moderate	186	PM _{2.5} , PM ₁₀	2
29	Bidar	Moderate	145	CO	1
30	Bihar Sharif	Poor	211	PM ₁₀	1
31	Bilaspur	Satisfactory	63	CO	1
32	Bulandshahr	Moderate	183	PM _{2.5}	1
33	Chamarajanagar	Good	45	PM ₁₀	1
34	Chandigarh	Moderate	194	PM _{2.5} , O ₃	3
35	Chandrapur	Moderate	158	PM ₁₀	1
36	Charkhi Dadri	Poor	242	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	58	PM ₁₀ , PM _{2.5}	6
38	Chhapra	Very Poor	330	PM ₁₀	1
39	Chikkaballapur	Satisfactory	57	PM ₁₀	1
40	Coimbatore	Satisfactory	76	CO	1
41	Damoh	Satisfactory	86	PM _{2.5}	1
42	Darbhanga	Poor	253	PM _{2.5}	1
43	Davanagere	Good	46	PM ₁₀	1
44	Delhi	Very Poor	339	PM _{2.5}	36
45	Dewas	Moderate	182	PM ₁₀	1
46	Dharuhera	Very Poor	345	PM _{2.5}	1
47	Durgapur	Moderate	115	PM ₁₀	1
48	Eloor	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Very Poor	311	PM _{2.5}	4
50	Fatehabad	Moderate	165	PM _{2.5}	1
51	Firozabad	Moderate	139	PM _{2.5}	2
52	Gandhinagar	Moderate	108	PM ₁₀	1
53	Gangtok	Good	30	O ₃	1
54	Gaya	Moderate	167	PM ₁₀ , PM _{2.5}	3
55	Ghaziabad	Poor	288	PM _{2.5}	4
56	Gorakhpur	Satisfactory	99	PM _{2.5}	1
57	Greater Noida	Poor	299	PM _{2.5}	2
58	Gurugram	Very Poor	308	PM _{2.5}	4
59	Guwahati	Satisfactory	81	PM _{2.5}	3
60	Gwalior	Very Poor	316	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Poor	220	PM _{2.5}	1
62	Haldia	Satisfactory	100	PM ₁₀	1
63	Hassan	Good	33	PM _{2.5}	1
64	Haveri	Satisfactory	59	PM ₁₀	1
65	Hisar	Poor	234	PM _{2.5}	1
66	Howrah	Moderate	174	PM _{2.5}	3
67	Hubballi	Satisfactory	66	CO	1
68	Hyderabad	Satisfactory	91	PM _{2.5} , PM ₁₀	14
69	Imphal	Satisfactory	92	PM _{2.5} , SO ₂	2
70	Indore	Moderate	161	PM ₁₀	1
71	Jabalpur	Moderate	151	PM ₁₀	1
72	Jaipur	Moderate	153	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	150	PM ₁₀	1
74	Jhansi	Poor	258	PM ₁₀	1
75	Jind	Poor	289	PM _{2.5}	1
76	Jodhpur	Moderate	128	PM ₁₀	1
77	Kaithal	Poor	259	PM _{2.5}	1
78	Kalaburgi	Satisfactory	100	PM _{2.5}	1
79	Kalyan	Moderate	162	PM ₁₀	1
80	Kanchipuram	Satisfactory	56	SO ₂	1
81	Kannur	Satisfactory	76	PM ₁₀	1
82	Kanpur	Poor	215	PM _{2.5}	3
83	Karnal	Moderate	189	PM _{2.5}	1
84	Katihar	Very Poor	324	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katni	Poor	283	PM ₁₀	1
86	Khanna	Moderate	166	PM ₁₀	1
87	Khurja	Poor	217	PM _{2.5}	1
88	Kishanganj	Moderate	167	PM ₁₀	1
89	Kochi	Moderate	176	PM _{2.5}	1
90	Kohima	Moderate	117	SO ₂	1
91	Kolar	Satisfactory	80	PM ₁₀	1
92	Kolkata	Moderate	152	PM _{2.5}	6
93	Kollam	Good	49	PM _{2.5}	1
94	Koppal	Satisfactory	56	CO	1
95	Kota	Moderate	167	PM _{2.5}	1
96	Kurukshetra	Moderate	196	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Lucknow	Poor	229	PM _{2.5}	6
98	Ludhiana	Poor	207	PM _{2.5}	1
99	Madikeri	Good	34	O ₃	1
100	Maihar	Moderate	103	PM ₁₀	1
101	Mandi Gobindgarh	Moderate	146	PM _{2.5}	1
102	Mandideep	Poor	203	PM ₁₀	1
103	Mandikhera	Moderate	126	PM _{2.5}	1
104	Manesar	Poor	219	PM _{2.5}	1
105	Manguraha	Satisfactory	73	PM ₁₀	1
106	Meerut	Poor	271	PM _{2.5}	3
107	Moradabad	Moderate	157	PM _{2.5}	6
108	Motihari	Poor	271	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Moderate	158	PM _{2.5} , PM ₁₀	19
110	Munger	Moderate	197	PM _{2.5}	1
111	Muzaffarnagar	Poor	228	PM _{2.5}	1
112	Muzaffarpur	Poor	244	PM _{2.5}	3
113	Mysuru	Good	41	PM ₁₀	1
114	Nagpur	Poor	256	PM _{2.5}	1
115	Nandesari	Good	50	CO	1
116	Narnaul	Moderate	139	PM ₁₀	1
117	Nashik	Moderate	162	PM _{2.5}	1
118	Navi Mumbai	Poor	233	PM _{2.5}	3
119	Noida	Very Poor	330	PM _{2.5}	4
120	Ooty	Good	48	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pali	Satisfactory	99	PM _{2.5}	1
122	Palwal	Moderate	114	PM ₁₀	1
123	Panipat	Moderate	195	PM ₁₀	1
124	Patiala	Moderate	130	PM ₁₀	1
125	Patna	Poor	274	PM _{2.5}	6
126	Pithampur	Moderate	143	PM ₁₀	1
127	Prayagraj	Moderate	126	PM _{2.5} , PM ₁₀	3
128	Puducherry	Good	37	PM ₁₀	1
129	Purnia	Moderate	177	PM _{2.5}	1
130	Rajamahendravaram	Moderate	102	PM ₁₀	1
131	Rajgir	Moderate	133	PM _{2.5}	1
132	Ramanagara	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ramanathapuram	Good	21	PM ₁₀	1
134	Ratlam	Moderate	124	PM ₁₀	1
135	Rohtak	Satisfactory	98	PM _{2.5}	1
136	Rupnagar	Moderate	128	PM _{2.5}	1
137	Sagar	Satisfactory	88	O ₃ , CO	2
138	Saharsa	Moderate	198	PM _{2.5}	1
139	Salem	Good	38	PM ₁₀	1
140	Samastipur	Poor	272	PM ₁₀	1
141	Sasaram	Moderate	177	PM _{2.5}	1
142	Satna	Satisfactory	74	PM ₁₀	1
143	Shillong	Good	22	SO ₂	2
144	Shivamogga	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Siliguri	Moderate	102	PM ₁₀	1
146	Singrauli	Very Poor	323	PM _{2.5}	1
147	Sirsa	Moderate	196	PM _{2.5}	1
148	Sivasagar	Good	36	PM ₁₀	1
149	Siwan	Very Poor	322	PM _{2.5}	1
150	Solapur	Satisfactory	87	PM ₁₀	1
151	Sonipat	Poor	260	PM ₁₀	1
152	Surat	Poor	247	PM _{2.5}	1
153	Talcher	Moderate	184	PM _{2.5}	1
154	Thane	Moderate	189	PM ₁₀	1
155	Thiruvananthapuram	Good	29	PM _{2.5} , CO	2
156	Thoothukudi	Good	25	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thrissur	Satisfactory	61	PM ₁₀	1
158	Tirupati	Satisfactory	74	PM _{2.5}	1
159	Tirupur	Moderate	153	PM ₁₀	1
160	Udaipur	Moderate	113	PM _{2.5}	1
161	Ujjain	Moderate	148	PM ₁₀	1
162	Varanasi	Moderate	137	PM _{2.5} , PM ₁₀	4
163	Vijayapura	Good	46	PM ₁₀	1
164	Visakhapatnam	Moderate	176	PM ₁₀	1
165	Vrindavan	Moderate	157	PM ₁₀	1
166	Yadgir	Satisfactory	60	PM ₁₀	1
167	Yamunanagar	Moderate	166	PM _{2.5}	1
168	vellore	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Dehradun, Dindigul, Ernakulam, Gadag, Gummidipoondi, Hapur, Hosur, Jorapokhar, Korba, Kozhikode, Mangalore, Naharlagun, Panchkula, Pune, Raichur, Raipur, Srinagar, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.