

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	73	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	75	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	115	NO ₂	1
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Moderate	115	PM ₁₀	1
6	Alwar	Satisfactory	79	PM ₁₀	1
7	Amaravati	Moderate	117	PM _{2.5}	1
8	Ambala	Very Poor	336	PM _{2.5}	1
9	Amritsar	Moderate	170	PM _{2.5}	1
10	Anantapur	Satisfactory	94	PM _{2.5}	1
11	Ankleshwar	Moderate	160	PM _{2.5}	1
12	Araria	Poor	237	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	167	PM ₁₀	1
14	Asansol	Moderate	189	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	176	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	116	PM ₁₀	1
17	Baddi	Moderate	193	PM _{2.5}	1
18	Bagalkot	Good	39	PM ₁₀	1
19	Baghpat	Poor	296	PM _{2.5}	1
20	Bahadurgarh	Poor	221	PM _{2.5}	1
21	Ballabgarh	Moderate	185	PM ₁₀	1
22	Bareilly	Moderate	199	PM _{2.5}	2
23	Bathinda	Moderate	109	PM ₁₀	1
24	Begusarai	Very Poor	385	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	157	PM ₁₀	1
26	Bengaluru	Moderate	112	PM _{2.5} , PM ₁₀	6
27	Bettiah	Very Poor	337	PM _{2.5}	1
28	Bhagalpur	Poor	228	PM _{2.5}	2
29	Bhiwadi	Poor	248	PM ₁₀	1
30	Bhiwani	Poor	209	PM _{2.5}	1
31	Bhopal	Poor	224	PM _{2.5}	2
32	Bidar	Satisfactory	75	со	1
33	Bihar Sharif	Poor	234	PM _{2.5}	1
34	Bilaspur	Satisfactory	51	PM ₁₀	1
35	Bulandshahr	Poor	247	PM _{2.5}	1
36	Chamarajanagar	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Very Poor	322	PM _{2.5}	3
38	Chandrapur	Moderate	149	PM _{2.5}	1
39	Charkhi Dadri	Moderate	115	PM ₁₀	1
40	Chennai	Satisfactory	58	СО	7
41	Chhapra	Poor	278	PM _{2.5}	1
42	Chikkaballapur	Moderate	114	PM ₁₀	1
43	Chikkamagaluru	Satisfactory	74	PM ₁₀	1
44	Coimbatore	Satisfactory	98	PM _{2.5}	1
45	Damoh	Moderate	105	PM _{2.5}	1
46	Darbhanga	Very Poor	348	PM _{2.5}	1
47	Davanagere	Moderate	106	PM ₁₀	1
48	Delhi	Poor	295	PM ₁₀ , PM _{2.5}	37

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	136	PM ₁₀	1
50	Dharuhera	Poor	243	PM _{2.5}	1
51	Dindigul	Good	42	SO ₂	1
52	Durgapur	Moderate	110	PM ₁₀	1
53	Ernakulam	Good	50	со	1
54	Faridabad	Poor	292	PM ₁₀ , PM _{2.5}	4
55	Fatehabad	Poor	299	PM _{2.5}	1
56	Firozabad	Moderate	113	PM _{2.5}	2
57	Gandhinagar	Moderate	120	PM ₁₀	1
58	Gangtok	Good	35	PM ₁₀	1
59	Gaya	Satisfactory	88	PM ₁₀	3
60	Ghaziabad	Very Poor	334	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	188	PM _{2.5}	1
62	Greater Noida	Very Poor	348	PM ₁₀ , PM _{2.5}	2
63	Gurugram	Poor	237	PM _{2.5}	4
64	Guwahati	Satisfactory	87	PM _{2.5}	3
65	Gwalior	Very Poor	336	PM _{2.5}	2
66	Hajipur	Poor	236	PM ₁₀	1
67	Haldia	Satisfactory	100	PM ₁₀	1
68	Hapur	Poor	286	PM _{2.5}	1
69	Hassan	Satisfactory	83	PM _{2.5}	1
70	Haveri	Moderate	116	PM _{2.5}	1
71	Hisar	Poor	252	PM _{2.5}	1
72	Hosur	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Moderate	164	PM _{2.5}	3
74	Hubballi	Moderate	104	PM ₁₀	1
75	Hyderabad	Satisfactory	86	PM _{2.5} , PM ₁₀	14
76	Imphal	Satisfactory	88	PM ₁₀ , SO ₂	2
77	Indore	Moderate	136	PM ₁₀	1
78	Jabalpur	Moderate	152	PM _{2.5}	1
79	Jaipur	Moderate	124	PM _{2.5} , PM ₁₀	3
80	Jalandhar	Moderate	144	PM _{2.5}	1
81	Jhansi	Poor	239	PM _{2.5}	1
82	Jind	Poor	293	PM _{2.5}	1
83	Jodhpur	Moderate	147	PM _{2.5}	1
84	Kaithal	Very Poor	395	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Moderate	110	PM _{2.5}	1
86	Kalyan	Moderate	178	PM ₁₀	1
87	Kanchipuram	Satisfactory	56	SO ₂	1
88	Kannur	Satisfactory	76	PM ₁₀	1
89	Kanpur	Poor	270	PM _{2.5}	3
90	Karnal	Very Poor	369	PM _{2.5}	1
91	Katihar	Very Poor	323	PM ₁₀	1
92	Katni	Moderate	178	PM _{2.5}	1
93	Khanna	Moderate	153	PM _{2.5}	1
94	Khurja	Poor	239	PM _{2.5}	1
95	Kishanganj	Poor	203	PM ₁₀	1
96	Kochi	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Moderate	116	SO ₂	1
98	Kolar	Moderate	121	PM ₁₀	1
99	Kolkata	Moderate	167	PM _{2.5}	7
100	Kollam	Satisfactory	88	PM ₁₀	1
101	Koppal	Satisfactory	55	со	1
102	Kota	Very Poor	302	PM _{2.5}	1
103	Kurukshetra	Very Poor	399	PM _{2.5}	1
104	Lucknow	Poor	236	PM _{2.5}	6
105	Ludhiana	Poor	210	PM _{2.5}	1
106	Madikeri	Satisfactory	60	0 ₃	1
107	Maihar	Satisfactory	74	PM ₁₀	1
108	Mandi Gobindgarh	Very Poor	362	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Poor	228	PM ₁₀	1
110	Mandikhera	Satisfactory	92	PM ₁₀	1
111	Manesar	Poor	236	PM _{2.5}	1
112	Manguraha	Moderate	109	PM _{2.5}	1
113	Meerut	Poor	261	PM _{2.5}	3
114	Moradabad	Moderate	162	PM _{2.5}	6
115	Motihari	Very Poor	385	PM _{2.5}	1
116	Mumbai	Moderate	179	PM _{2.5} , NO ₂	18
117	Munger	Moderate	189	PM _{2.5}	1
118	Muzaffarnagar	Poor	262	PM _{2.5}	1
119	Muzaffarpur	Poor	288	PM _{2.5}	2
120	Mysuru	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Poor	207	PM _{2.5}	1
122	Narnaul	Satisfactory	97	PM _{2.5}	1
123	Nashik	Moderate	147	PM _{2.5}	1
124	Navi Mumbai	Poor	256	PM _{2.5}	3
125	Noida	Poor	256	PM _{2.5} , PM ₁₀	4
126	Ooty	Satisfactory	61	PM ₁₀	1
127	Pali	Moderate	107	PM ₁₀	1
128	Palwal	Satisfactory	100	PM ₁₀	1
129	Panchkula	Poor	210	PM _{2.5}	1
130	Panipat	Very Poor	384	PM ₁₀	1
131	Patiala	Poor	278	PM _{2.5}	1
132	Patna	Poor	253	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pithampur	Moderate	130	PM ₁₀	1
134	Prayagraj	Moderate	134	PM _{2.5} , PM ₁₀	3
135	Puducherry	Good	36	PM ₁₀	1
136	Pune	Good	43	СО	1
137	Purnia	Very Poor	304	PM _{2.5}	1
138	Raichur	Moderate	124	PM ₁₀	1
139	Rajamahendravaram	Moderate	107	PM _{2.5}	1
140	Rajgir	Moderate	150	PM _{2.5}	1
141	Ramanagara	Satisfactory	94	PM _{2.5}	1
142	Ramanathapuram	Good	38	PM ₁₀	1
143	Ratlam	Moderate	129	PM ₁₀	1
144	Rohtak	Poor	223	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rupnagar	Moderate	118	PM ₁₀	1
146	Sagar	Satisfactory	84	O ₃ , CO	2
147	Saharsa	Very Poor	377	PM _{2.5}	1
148	Samastipur	Very Poor	312	PM _{2.5}	1
149	Sasaram	Moderate	141	PM _{2.5}	1
150	Satna	Satisfactory	57	PM ₁₀	1
151	Shillong	Good	36	PM _{2.5}	1
152	Shivamogga	Satisfactory	59	PM ₁₀	1
153	Siliguri	Moderate	122	PM ₁₀	1
154	Singrauli	Poor	275	PM _{2.5}	1
155	Sivasagar	Good	40	PM ₁₀	1
156	Siwan	Very Poor	389	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Solapur	Moderate	108	PM _{2.5}	1
158	Sonipat	Very Poor	365	PM ₁₀	1
159	Srinagar	Satisfactory	62	PM ₁₀	1
160	Surat	Poor	224	PM _{2.5}	1
161	Talcher	Moderate	147	PM _{2.5}	1
162	Thane	Moderate	140	PM ₁₀	1
163	Thiruvananthapuram	Satisfactory	51	со	2
164	Thoothukudi	Good	37	PM ₁₀	1
165	Tirupur	Moderate	180	PM _{2.5}	1
166	Udaipur	Moderate	149	PM _{2.5}	1
167	Udupi	Satisfactory	93	СО	1
168	Ujjain	Moderate	160	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun,

Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Varanasi	Satisfactory	98	PM ₁₀ , PM _{2.5}	4
170	Vatva	Moderate	153	PM _{2.5}	1
171	Vijayapura	Good	46	PM ₁₀	1
172	Visakhapatnam	Moderate	133	PM _{2.5}	1
173	Vrindavan	Satisfactory	87	PM ₁₀	1
174	Yadgir	Satisfactory	87	PM _{2.5}	1
175	Yamunanagar	Poor	296	PM _{2.5}	1
176	vellore	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Eloor, Gadag, Gummidipoondi, Jorapokhar, Korba, Kozhikode, Manglore, Naharlagun, Nandesari, Raipur, Salem, Sirsa, Thrissur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.