

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	98	PM ₁₀	1
2	Agra	Satisfactory	75	PM ₁₀	6
3	Ahmedabad	Satisfactory	80	PM ₁₀	1
4	Aizawl	Good	23	PM ₁₀	1
5	Ajmer	Satisfactory	87	PM ₁₀	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Moderate	142	PM _{2.5}	1
8	Ambala	Moderate	122	PM _{2.5}	1
9	Amritsar	Moderate	134	PM _{2.5}	1
10	Anantapur	Moderate	155	PM _{2.5}	1
11	Ankleshwar	Poor	220	PM _{2.5}	1
12	Araria	Poor	273	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	226	PM ₁₀	1
14	Asansol	Poor	253	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	178	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	123	PM _{2.5}	1
17	Baddi	Poor	205	PM _{2.5}	1
18	Bagalkot	Good	39	PM ₁₀	1
19	Baghpat	Poor	268	PM _{2.5}	1
20	Bahadurgarh	Poor	202	PM _{2.5}	1
21	Ballabgarh	Poor	296	PM _{2.5}	1
22	Bareilly	Satisfactory	84	PM ₁₀	2
23	Bathinda	Moderate	199	PM ₁₀	1
24	Begusarai	Very Poor	363	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	199	PM _{2.5}	1
26	Bengaluru	Moderate	168	PM _{2.5}	6
27	Bettiah	Severe	406	PM ₁₀	1
28	Bhagalpur	Poor	270	PM _{2.5}	2
29	Bhiwadi	Poor	210	PM _{2.5}	1
30	Bhiwani	Poor	206	PM _{2.5}	1
31	Bhopal	Moderate	172	PM _{2.5}	2
32	Bidar	Satisfactory	93	PM ₁₀	1
33	Bilaspur	Satisfactory	59	PM ₁₀	1
34	Brajrajnagar	Satisfactory	86	PM ₁₀	1
35	Bulandshahr	Poor	224	PM _{2.5}	1
36	Buxar	Very Poor	341	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	45	PM ₁₀	1
38	Chandigarh	Moderate	144	PM _{2.5} , O ₃	3
39	Chandrapur	Moderate	178	PM _{2.5}	1
40	Charkhi Dadri	Moderate	173	PM _{2.5}	1
41	Chennai	Moderate	142	PM _{2.5}	7
42	Chhapra	Very Poor	317	PM _{2.5}	1
43	Chikkaballapur	Moderate	150	PM ₁₀	1
44	Chikkamagaluru	Good	36	со	1
45	Damoh	Satisfactory	64	PM _{2.5}	1
46	Darbhanga	Very Poor	374	PM _{2.5}	1
47	Davanagere	Moderate	119	PM _{2.5}	1
48	Delhi	Poor	260	PM _{2.5}	36

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	136	PM ₁₀	1
50	Dharuhera	Poor	207	PM ₁₀	1
51	Dindigul	Moderate	136	PM _{2.5}	1
52	Durgapur	Moderate	185	PM _{2.5}	1
53	Eloor	Satisfactory	56	PM ₁₀	1
54	Ernakulam	Good	47	со	1
55	Faridabad	Poor	230	PM _{2.5}	4
56	Fatehabad	Poor	203	PM _{2.5}	1
57	Firozabad	Satisfactory	71	PM _{2.5}	2
58	Gadag	Moderate	101	PM _{2.5}	1
59	Gandhinagar	Satisfactory	59	PM ₁₀	1
60	Gangtok	Good	42	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Moderate	147	PM _{2.5}	3
62	Ghaziabad	Moderate	186	PM _{2.5}	4
63	Gorakhpur	Moderate	124	PM ₁₀	1
64	Greater Noida	Moderate	194	PM ₁₀ , PM _{2.5}	2
65	Gurugram	Poor	223	PM _{2.5}	4
66	Guwahati	Moderate	162	PM _{2.5}	3
67	Gwalior	Poor	209	PM _{2.5}	2
68	Hajipur	Poor	218	PM ₁₀	1
69	Haldia	Moderate	145	PM ₁₀	1
70	Hapur	Moderate	129	PM _{2.5}	1
71	Hassan	Satisfactory	94	PM _{2.5}	1
72	Haveri	Moderate	147	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Poor	211	PM _{2.5}	1
74	Hosur	Satisfactory	96	PM ₁₀	1
75	Howrah	Poor	296	PM _{2.5}	3
76	Hubballi	Moderate	106	PM _{2.5}	1
77	Hyderabad	Moderate	107	PM _{2.5} , PM ₁₀	14
78	Imphal	Moderate	112	PM _{2.5} , SO ₂	2
79	Indore	Moderate	117	PM ₁₀	1
80	Jabalpur	Poor	207	PM _{2.5}	1
81	Jaipur	Satisfactory	96	PM ₁₀	2
82	Jalandhar	Moderate	189	PM _{2.5}	1
83	Jhansi	Moderate	119	PM ₁₀	1
84	Jind	Poor	276	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	139	PM ₁₀	1
86	Kaithal	Moderate	163	PM _{2.5}	1
87	Kalaburgi	Moderate	156	PM _{2.5}	1
88	Kalyan	Moderate	145	PM ₁₀	1
89	Kanchipuram	Satisfactory	85	PM ₁₀	1
90	Kannur	Satisfactory	76	PM ₁₀	1
91	Kanpur	Moderate	166	PM _{2.5}	3
92	Karnal	Moderate	113	PM _{2.5}	1
93	Katihar	Very Poor	395	PM _{2.5}	1
94	Katni	Poor	211	PM ₁₀	1
95	Khanna	Moderate	111	PM _{2.5}	1
96	Khurja	Moderate	121	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kishanganj	Poor	221	PM ₁₀	1
98	Kohima	Satisfactory	68	PM ₁₀	1
99	Kolar	Moderate	150	PM ₁₀	1
100	Kolkata	Poor	271	PM _{2.5}	6
101	Kollam	Satisfactory	61	PM ₁₀	1
102	Koppal	Satisfactory	56	PM ₁₀	1
103	Kota	Moderate	199	PM _{2.5}	1
104	Kurukshetra	Moderate	173	PM _{2.5}	1
105	Lucknow	Moderate	168	PM _{2.5}	6
106	Ludhiana	Moderate	136	PM _{2.5}	1
107	Madikeri	Good	42	03	1
108	Maihar	Good	49	PM ₁₀	1

Possible Health Impacts

....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Very Poor	328	PM _{2.5}	1
110	Mandideep	Moderate	122	PM ₁₀	1
111	Mandikhera	Satisfactory	92	PM ₁₀	1
112	Manesar	Moderate	142	PM ₁₀	1
113	Manguraha	Satisfactory	92	PM ₁₀	1
114	Meerut	Poor	237	PM _{2.5}	3
115	Moradabad	Moderate	121	PM _{2.5}	6
116	Motihari	Severe	448	PM _{2.5}	1
117	Mumbai	Moderate	167	PM _{2.5} , PM ₁₀	18
118	Munger	Poor	211	PM _{2.5}	1
119	Muzaffarnagar	Poor	228	PM _{2.5}	1
120	Muzaffarpur	Poor	293	PM _{2.5}	3

Possible Health Impacts

od Minimal Impact

Cood	William impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Satisfactory	64	PM ₁₀	1
122	Nagpur	Moderate	158	PM _{2.5}	1
123	Nandesari	Good	50	со	1
124	Narnaul	Moderate	115	PM _{2.5}	1
125	Navi Mumbai	Moderate	160	PM _{2.5} , PM ₁₀	2
126	Noida	Moderate	199	PM _{2.5}	4
127	Ooty	Satisfactory	68	PM ₁₀	1
128	Pali	Moderate	129	PM _{2.5}	1
129	Palwal	Satisfactory	62	PM ₁₀	1
130	Panchkula	Moderate	128	PM _{2.5}	1
131	Panipat	Moderate	141	PM ₁₀	1
132	Patiala	Moderate	116	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patna	Poor	284	PM ₁₀ , PM _{2.5}	6
134	Pithampur	Moderate	156	PM _{2.5}	1
135	Prayagraj	Moderate	117	PM _{2.5} , PM ₁₀	3
136	Puducherry	Moderate	150	PM _{2.5}	1
137	Purnia	Severe	417	PM _{2.5}	1
138	Raichur	Moderate	135	PM ₁₀	1
139	Rajamahendravaram	Moderate	157	PM _{2.5}	1
140	Rajgir	Moderate	136	PM _{2.5}	1
141	Ramanagara	Moderate	117	PM _{2.5}	1
142	Ramanathapuram	Moderate	113	PM _{2.5}	1
143	Ratlam	Moderate	117	PM _{2.5}	1
144	Rohtak	Moderate	111	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rupnagar	Moderate	154	PM ₁₀	1
146	Sagar	Satisfactory	93	PM _{2.5} , CO	2
147	Saharsa	Very Poor	373	PM _{2.5}	1
148	Samastipur	Very Poor	318	PM _{2.5}	1
149	Sasaram	Moderate	153	PM _{2.5}	1
150	Satna	Good	44	PM ₁₀	1
151	Shillong	Good	39	PM _{2.5}	1
152	Shivamogga	Satisfactory	61	O ₃	1
153	Siliguri	Moderate	124	PM ₁₀	1
154	Singrauli	Very Poor	306	PM _{2.5}	1
155	Sirsa	Poor	201	PM _{2.5}	1
156	Sivasagar	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siwan	Very Poor	394	PM _{2.5}	1
158	Srinagar	Satisfactory	99	PM ₁₀	1
159	Surat	Moderate	154	PM ₁₀	1
160	Talcher	Moderate	154	PM _{2.5}	1
161	Thane	Moderate	139	PM ₁₀	1
162	Thiruvananthapuram	Good	47	PM ₁₀	2
163	Thoothukudi	Satisfactory	90	PM ₁₀	1
164	Tirupati	Poor	231	PM _{2.5}	1
165	Udaipur	Moderate	116	PM _{2.5}	1
166	Udupi	Satisfactory	99	со	1
167	Ujjain	Moderate	116	PM _{2.5}	1
168	Vapi	Poor	278	PM _{2.5}	1

Possible Health Impacts

Poor

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Breathing discomfort to most people on prolonged exposure

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Varanasi	Satisfactory	93	PM ₁₀ , PM _{2.5}	4
170	Vatva	Satisfactory	92	PM ₁₀	1
171	Vijayapura	Good	47	PM ₁₀	1
172	Visakhapatnam	Poor	210	PM _{2.5}	1
173	Vrindavan	Moderate	101	PM ₁₀	1
174	Yadgir	Satisfactory	91	PM _{2.5}	1
175	Yamunanagar	Moderate	102	PM ₁₀	1
176	vellore	Moderate	144	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Chengalpattu, Coimbatore, Dehradun, Gummidipoondi, Jorapokhar, Kochi, Korba, Kozhikode, Manglore, Naharlagun, Nashik, Pune, Raipur, Salem, Solapur, Sonipat, Thrissur, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.