

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	90	PM ₁₀	2
2	Agra	Satisfactory	78	PM ₁₀	6
3	Ahmedabad	Satisfactory	88	NO ₂	1
4	Aizawl	Good	28	PM ₁₀	1
5	Ajmer	Satisfactory	78	PM ₁₀	1
6	Alwar	Satisfactory	80	PM _{2.5}	1
7	Amaravati	Moderate	116	PM _{2.5}	1
8	Ambala	Moderate	151	PM _{2.5}	1
9	Amritsar	Poor	213	PM _{2.5}	1
10	Anantapur	Satisfactory	73	03	1
11	Ankleshwar	Poor	219	PM _{2.5}	1
12	Araria	Poor	270	PM _{2.5}	1

Possible Health Impacts

Minimal Impact

Good	Minimai impaci
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	203	PM ₁₀	1
14	Asansol	Poor	219	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	183	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	87	PM ₁₀	1
17	Baddi	Moderate	185	PM _{2.5}	1
18	Bagalkot	Good	39	PM ₁₀	1
19	Baghpat	Poor	282	PM _{2.5}	1
20	Ballabgarh	Poor	228	PM _{2.5}	1
21	Bareilly	Moderate	119	PM ₁₀	2
22	Bathinda	Moderate	142	PM ₁₀	1
23	Begusarai	Very Poor	329	PM _{2.5}	1
24	Belgaum	Good	48	NO ₂	1

Possible Health Impacts

Minimal Impact

Good	Minimai impaci
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	133	PM _{2.5}	6
26	Bettiah	Very Poor	372	PM _{2.5}	1
27	Bhagalpur	Poor	252	PM _{2.5}	2
28	Bhiwadi	Moderate	176	PM ₁₀	1
29	Bhiwani	Moderate	198	PM _{2.5}	1
30	Bhopal	Moderate	112	PM _{2.5} , PM ₁₀	2
31	Bidar	Satisfactory	87	PM ₁₀	1
32	Bihar Sharif	Poor	213	PM _{2.5}	1
33	Bilaspur	Satisfactory	63	PM ₁₀	1
34	Brajrajnagar	Satisfactory	74	со	1
35	Bulandshahr	Moderate	182	PM _{2.5}	1
36	Buxar	Very Poor	363	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	44	PM ₁₀	1
38	Chandigarh	Moderate	144	O ₃ , PM ₁₀	3
39	Chandrapur	Moderate	160	PM _{2.5}	1
40	Charkhi Dadri	Moderate	134	PM _{2.5}	1
41	Chengalpattu	Moderate	189	PM _{2.5}	1
42	Chennai	Moderate	170	PM _{2.5}	7
43	Chhapra	Very Poor	303	PM _{2.5}	1
44	Chikkaballapur	Moderate	116	PM ₁₀	1
45	Chikkamagaluru	Good	41	PM ₁₀	1
46	Damoh	Good	47	PM _{2.5}	1
47	Darbhanga	Very Poor	332	PM ₁₀	1
48	Davanagere	Moderate	106	PM ₁₀	1

Possible Health Impacts

....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dehradun	Satisfactory	94	PM _{2.5}	1
50	Delhi	Poor	289	PM _{2.5}	35
51	Dewas	Moderate	111	PM _{2.5}	1
52	Dharuhera	Poor	222	PM _{2.5}	1
53	Durgapur	Moderate	128	PM ₁₀	1
54	Eloor	Satisfactory	56	PM ₁₀	1
55	Ernakulam	Satisfactory	60	PM ₁₀	1
56	Faridabad	Poor	258	PM _{2.5}	4
57	Fatehabad	Poor	207	PM _{2.5}	1
58	Firozabad	Satisfactory	72	NO ₂ , PM _{2.5}	2
59	Gandhinagar	Satisfactory	69	PM ₁₀	1
60	Gangtok	Good	46	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Moderate	169	PM _{2.5}	3
62	Ghaziabad	Poor	232	PM _{2.5}	4
63	Gorakhpur	Moderate	112	PM ₁₀	1
64	Greater Noida	Poor	228	PM ₁₀ , PM _{2.5}	2
65	Gurugram	Poor	264	PM _{2.5}	4
66	Guwahati	Moderate	114	PM _{2.5}	3
67	Gwalior	Moderate	158	PM _{2.5}	2
68	Hajipur	Moderate	185	PM ₁₀	1
69	Haldia	Moderate	147	PM ₁₀	1
70	Hapur	Moderate	145	PM _{2.5}	1
71	Hassan	Satisfactory	80	PM _{2.5}	1
72	Haveri	Moderate	126	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Poor	203	PM _{2.5}	1
74	Hosur	Moderate	105	PM _{2.5}	1
75	Howrah	Poor	259	PM _{2.5}	3
76	Hubballi	Moderate	102	PM ₁₀	1
77	Hyderabad	Moderate	104	PM _{2.5} , PM ₁₀	14
78	Imphal	Moderate	134	PM _{2.5} , SO ₂	2
79	Indore	Satisfactory	92	PM ₁₀	1
80	Jabalpur	Poor	209	PM _{2.5}	1
81	Jaipur	Moderate	102	PM ₁₀	2
82	Jalandhar	Moderate	138	PM _{2.5}	1
83	Jhansi	Moderate	125	PM ₁₀	1
84	Jind	Poor	272	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Poor	219	PM ₁₀	1
86	Kaithal	Moderate	182	PM _{2.5}	1
87	Kalaburgi	Moderate	152	PM _{2.5}	1
88	Kalyan	Moderate	144	PM ₁₀	1
89	Kanchipuram	Satisfactory	92	PM ₁₀	1
90	Kannur	Satisfactory	94	PM ₁₀	1
91	Kanpur	Poor	224	PM _{2.5}	3
92	Karnal	Moderate	115	PM _{2.5}	1
93	Katihar	Severe	425	PM _{2.5}	1
94	Khanna	Moderate	131	PM _{2.5}	1
95	Khurja	Moderate	143	PM _{2.5}	1
96	Kishanganj	Poor	211	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Satisfactory	56	PM ₁₀	1
98	Kolar	Moderate	108	PM ₁₀	1
99	Kolkata	Poor	229	PM _{2.5}	6
100	Kollam	Satisfactory	62	PM ₁₀	1
101	Kota	Moderate	131	PM ₁₀	1
102	Kurukshetra	Moderate	183	PM _{2.5}	1
103	Lucknow	Moderate	188	PM _{2.5}	6
104	Ludhiana	Moderate	154	PM _{2.5}	1
105	Madikeri	Satisfactory	61	O ₃	1
106	Maihar	Good	43	PM ₁₀	1
107	Mandi Gobindgarh	Poor	285	PM _{2.5}	1
108	Mandideep	Moderate	121	PM ₁₀	1

Possible Health Impacts

ic ricalit impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandikhera	Satisfactory	92	PM ₁₀	1
110	Manesar	Moderate	177	PM ₁₀	1
111	Mangalore	Moderate	106	PM _{2.5}	1
112	Meerut	Poor	260	PM _{2.5}	3
113	Moradabad	Moderate	144	PM _{2.5}	6
114	Motihari	Very Poor	362	PM _{2.5}	1
115	Mumbai	Moderate	128	NO ₂ , PM _{2.5}	19
116	Munger	Poor	237	PM _{2.5}	1
117	Muzaffarnagar	Very Poor	305	PM _{2.5}	1
118	Muzaffarpur	Poor	234	PM _{2.5}	3
119	Mysuru	Good	50	PM ₁₀	1
120	Nagpur	Moderate	165	PM _{2.5}	1

Possible Health Impacts

odili ilipadio

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nandesari	Moderate	148	PM _{2.5}	1
122	Narnaul	Moderate	112	PM ₁₀	1
123	Nashik	Moderate	104	PM _{2.5}	1
124	Navi Mumbai	Moderate	154	PM _{2.5} , PM ₁₀	2
125	Noida	Poor	223	PM _{2.5}	4
126	Ooty	Satisfactory	84	PM ₁₀	1
127	Pali	Moderate	114	PM _{2.5}	1
128	Palwal	Satisfactory	66	PM ₁₀	1
129	Panchkula	Moderate	109	PM _{2.5}	1
130	Panipat	Moderate	138	PM ₁₀	1
131	Patiala	Moderate	107	PM ₁₀	1
132	Patna	Poor	271	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pithampur	Moderate	132	PM ₁₀	1
134	Prayagraj	Satisfactory	97	PM ₁₀	3
135	Puducherry	Moderate	131	PM _{2.5}	1
136	Purnia	Severe	416	PM _{2.5}	1
137	Raichur	Moderate	124	PM ₁₀	1
138	Rajamahendravaram	Moderate	115	PM _{2.5}	1
139	Rajgir	Moderate	150	PM _{2.5}	1
140	Ramanagara	Satisfactory	94	PM _{2.5}	1
141	Ramanathapuram	Moderate	116	PM _{2.5}	1
142	Ratlam	Satisfactory	85	PM ₁₀	1
143	Rohtak	Poor	236	PM _{2.5}	1
144	Rupnagar	Moderate	145	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sagar	Satisfactory	84	O ₃ , CO	2
146	Saharsa	Very Poor	330	PM _{2.5}	1
147	Samastipur	Poor	262	PM _{2.5}	1
148	Sasaram	Moderate	153	PM _{2.5}	1
149	Satna	Good	47	PM ₁₀	1
150	Shillong	Good	35	PM _{2.5}	1
151	Shivamogga	Satisfactory	64	03	1
152	Siliguri	Moderate	118	PM ₁₀	1
153	Sirsa	Moderate	160	PM _{2.5}	1
154	Sivasagar	Good	47	PM ₁₀	1
155	Siwan	Very Poor	330	PM _{2.5}	1
156	Solapur	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sonipat	Poor	215	PM ₁₀	1
158	Srinagar	Moderate	103	PM ₁₀	1
159	Surat	Moderate	154	PM ₁₀	1
160	Talcher	Moderate	132	PM _{2.5}	1
161	Thane	Moderate	132	PM ₁₀	1
162	Thiruvananthapuram	Good	32	PM ₁₀ , CO	2
163	Thoothukudi	Satisfactory	92	PM ₁₀	1
164	Tirupati	Poor	252	PM _{2.5}	1
165	Udaipur	Satisfactory	100	PM ₁₀	1
166	Udupi	Satisfactory	96	со	1
167	Ujjain	Moderate	102	PM ₁₀	1
168	Vapi	Poor	202	PM _{2.5}	1

Possible Health Impacts

od Minimal Impact

Good	Willimar Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Varanasi	Satisfactory	85	PM _{2.5} , PM ₁₀	4
170	Vatva	Moderate	109	PM ₁₀	1
171	Vijayapura	Good	47	PM ₁₀	1
172	Visakhapatnam	Moderate	123	PM ₁₀	1
173	Vrindavan	Moderate	103	PM ₁₀	1
174	Yamunanagar	Moderate	111	PM ₁₀	1
175	vellore	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhilai, Coimbatore, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Katni, Kochi, Koppal, Korba, Kozhikode, Manguraha, Naharlagun, Pune, Raipur, Salem, Singrauli, Thrissur, Tirupur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.