

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	106	PM ₁₀	1
2	Agra	Satisfactory	96	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Satisfactory	87	NO ₂	1
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Satisfactory	91	PM ₁₀	1
6	Alwar	Satisfactory	76	PM ₁₀	1
7	Amaravati	Moderate	109	PM ₁₀	1
8	Ambala	Moderate	182	PM _{2.5}	1
9	Amritsar	Moderate	160	PM _{2.5}	1
10	Ankleshwar	Poor	202	PM _{2.5}	1
11	Araria	Poor	245	PM _{2.5}	1
12	Arrah	Poor	236	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	171	PM _{2.5}	1
14	Aurangabad (Bihar)	Poor	240	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Satisfactory	91	PM ₁₀	1
16	Baddi	Moderate	129	O ₃	1
17	Bagalkot	Good	38	PM ₁₀	1
18	Baghpat	Poor	271	PM _{2.5}	1
19	Bahadurgarh	Poor	224	PM _{2.5}	1
20	Ballabgarh	Poor	215	PM _{2.5}	1
21	Bareilly	Moderate	152	PM ₁₀	2
22	Belgaum	Satisfactory	76	PM ₁₀	1
23	Bengaluru	Moderate	124	PM _{2.5}	6
24	Bettiah	Very Poor	362	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Poor	278	PM _{2.5}	2
26	Bhiwadi	Moderate	194	PM _{2.5}	1
27	Bhiwani	Poor	223	PM _{2.5}	1
28	Bhopal	Moderate	154	PM _{2.5} , PM ₁₀	2
29	Bidar	Satisfactory	81	PM ₁₀	1
30	Bihar Sharif	Poor	261	PM _{2.5}	1
31	Bilaspur	Satisfactory	62	PM _{2.5}	1
32	Brajrajnagar	Satisfactory	76	PM ₁₀	1
33	Bulandshahr	Moderate	199	PM _{2.5}	1
34	Chamarajanagar	Good	45	PM ₁₀	1
35	Chandigarh	Moderate	156	PM _{2.5} , O ₃	3
36	Chandrapur	Satisfactory	99	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Moderate	144	PM ₁₀	1
38	Chengalpattu	Moderate	154	PM _{2.5}	1
39	Chennai	Moderate	108	PM _{2.5} , PM ₁₀	7
40	Chhapra	Very Poor	330	PM _{2.5}	1
41	Chikkaballapur	Moderate	131	PM ₁₀	1
42	Chikkamagaluru	Good	43	PM ₁₀	1
43	Coimbatore	Moderate	148	PM _{2.5}	1
44	Damoh	Satisfactory	69	PM _{2.5}	1
45	Darbhanga	Very Poor	394	PM ₁₀	1
46	Davanagere	Satisfactory	99	PM ₁₀	1
47	Dehradun	Satisfactory	77	PM ₁₀	1
48	Delhi	Poor	280	PM ₁₀ , PM _{2.5}	35

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	107	PM ₁₀	1
50	Durgapur	Moderate	115	PM _{2.5}	1
51	Eloor	Satisfactory	56	PM ₁₀	1
52	Ernakulam	Moderate	118	PM _{2.5}	1
53	Faridabad	Poor	252	PM _{2.5}	4
54	Fatehabad	Poor	224	PM _{2.5}	1
55	Firozabad	Satisfactory	80	PM _{2.5}	2
56	Gadag	Satisfactory	83	O ₃	1
57	Gandhinagar	Satisfactory	61	PM ₁₀	1
58	Gangtok	Good	38	PM ₁₀	1
59	Gaya	Moderate	195	PM _{2.5}	3
60	Ghaziabad	Poor	263	PM ₁₀	4

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Poor	280	PM ₁₀	2
62	Gurugram	Poor	247	PM _{2.5}	4
63	Guwahati	Moderate	105	PM ₁₀	3
64	Gwalior	Poor	226	PM _{2.5}	2
65	Hajipur	Poor	248	PM _{2.5}	1
66	Haldia	Moderate	120	PM ₁₀	1
67	Hapur	Moderate	161	PM _{2.5}	1
68	Hassan	Satisfactory	68	PM _{2.5}	1
69	Haveri	Moderate	132	PM _{2.5}	1
70	Hisar	Moderate	199	PM _{2.5}	1
71	Howrah	Moderate	153	PM _{2.5} , PM ₁₀	3
72	Hubballi	Satisfactory	96	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Moderate	118	PM _{2.5}	14
74	Imphal	Moderate	119	PM _{2.5} , SO ₂	2
75	Indore	Satisfactory	92	NO ₂	1
76	Jabalpur	Moderate	199	PM _{2.5}	1
77	Jaipur	Moderate	110	PM ₁₀	3
78	Jalandhar	Moderate	128	PM ₁₀	1
79	Jhansi	Moderate	149	PM ₁₀	1
80	Jind	Poor	276	PM _{2.5}	1
81	Jodhpur	Moderate	170	PM ₁₀	1
82	Kaithal	Poor	218	PM _{2.5}	1
83	Kalaburgi	Moderate	163	PM _{2.5}	1
84	Kalyan	Moderate	142	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanchipuram	Satisfactory	82	PM ₁₀	1
86	Kannur	Satisfactory	98	PM ₁₀	1
87	Kanpur	Poor	213	PM _{2.5}	3
88	Karnal	Moderate	132	PM _{2.5}	1
89	Katihar	Very Poor	358	PM ₁₀	1
90	Khanna	Moderate	104	PM _{2.5}	1
91	Khurja	Moderate	176	PM _{2.5}	1
92	Kishanganj	Moderate	191	PM _{2.5}	1
93	Kohima	Good	47	PM ₁₀	1
94	Kolar	Moderate	152	PM ₁₀	1
95	Kolkata	Moderate	131	PM _{2.5} , PM ₁₀	7
96	Kollam	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Satisfactory	62	PM ₁₀	1
98	Kota	Moderate	121	PM ₁₀	1
99	Kurukshetra	Poor	217	PM _{2.5}	1
100	Lucknow	Moderate	184	PM _{2.5}	6
101	Ludhiana	Poor	210	PM _{2.5}	1
102	Madikeri	Good	44	03	1
103	Maihar	Good	44	PM ₁₀	1
104	Mandi Gobindgarh	Moderate	128	PM _{2.5}	1
105	Mandideep	Moderate	154	PM ₁₀	1
106	Mandikhera	Satisfactory	100	PM ₁₀	1
107	Manesar	Poor	250	PM ₁₀	1
108	Mangalore	Satisfactory	91	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manguraha	Moderate	128	PM _{2.5}	1
110	Meerut	Poor	279	PM ₁₀ , PM _{2.5}	3
111	Moradabad	Moderate	118	PM ₁₀ , PM _{2.5}	6
112	Motihari	Very Poor	377	PM _{2.5}	1
113	Mumbai	Moderate	134	NO ₂ , PM ₁₀	19
114	Munger	Poor	266	PM _{2.5}	1
115	Muzaffarnagar	Poor	232	PM _{2.5}	1
116	Muzaffarpur	Very Poor	303	PM ₁₀ , PM _{2.5}	3
117	Mysuru	Satisfactory	57	PM ₁₀	1
118	Nagpur	Moderate	110	PM _{2.5}	1
119	Nandesari	Satisfactory	85	PM _{2.5}	1
120	Narnaul	Moderate	130	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Navi Mumbai	Moderate	166	PM _{2.5}	3
122	Noida	Poor	235	PM _{2.5}	4
123	Ooty	Satisfactory	85	PM ₁₀	1
124	Pali	Moderate	103	PM ₁₀	1
125	Palwal	Satisfactory	70	PM ₁₀	1
126	Panchkula	Satisfactory	80	PM _{2.5}	1
127	Panipat	Moderate	151	PM ₁₀	1
128	Patiala	Moderate	131	PM _{2.5}	1
129	Patna	Poor	299	PM ₁₀ , PM _{2.5}	6
130	Pithampur	Moderate	128	PM ₁₀	1
131	Prayagraj	Moderate	117	PM _{2.5} , PM ₁₀	3
132	Puducherry	Satisfactory	98	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Raichur	Moderate	140	PM ₁₀	1
134	Rajamahendravaram	Satisfactory	97	PM ₁₀	1
135	Rajgir	Poor	247	PM _{2.5}	1
136	Ramanagara	Satisfactory	97	PM _{2.5}	1
137	Ramanathapuram	Satisfactory	99	PM _{2.5}	1
138	Ratlam	Satisfactory	96	PM ₁₀	1
139	Rohtak	Poor	229	PM _{2.5}	1
140	Rupnagar	Moderate	182	PM ₁₀	1
141	Sagar	Moderate	135	03	2
142	Saharsa	Very Poor	315	PM _{2.5}	1
143	Salem	Satisfactory	84	PM ₁₀	1
144	Samastipur	Very Poor	309	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sasaram	Poor	206	PM _{2.5}	1
146	Satna	Satisfactory	62	NO ₂	1
147	Shillong	Good	21	SO ₂	1
148	Shivamogga	Satisfactory	61	03	1
149	Siliguri	Moderate	107	PM ₁₀	1
150	Sirsa	Moderate	194	03	1
151	Sivasagar	Good	47	PM ₁₀	1
152	Siwan	Very Poor	366	PM _{2.5}	1
153	Solapur	Moderate	137	PM _{2.5}	1
154	Sonipat	Poor	206	PM _{2.5}	1
155	Srinagar	Moderate	130	PM _{2.5}	1
156	Surat	Moderate	154	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Talcher	Moderate	128	PM _{2.5}	1
158	Thane	Moderate	130	PM ₁₀	1
159	Thiruvananthapuram	Satisfactory	70	PM _{2.5}	2
160	Thoothukudi	Satisfactory	85	PM ₁₀	1
161	Tirupati	Poor	241	PM _{2.5}	1
162	Udaipur	Moderate	130	PM _{2.5}	1
163	Udupi	Poor	232	O ₃	1
164	Ujjain	Moderate	112	PM ₁₀	1
165	Vapi	Poor	227	PM _{2.5}	1
166	Varanasi	Moderate	110	PM _{2.5} , PM ₁₀	4
167	Vatva	Satisfactory	97	PM ₁₀	1
168	Vijayapura	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Visakhapatnam	Moderate	123	PM ₁₀	1
170	Vrindavan	Satisfactory	94	PM ₁₀	1
171	Yadgir	Satisfactory	95	PM _{2.5}	1
172	Yamunanagar	Moderate	174	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Begusarai, Bhilai, Buxar, Dharuhera, Dindigul, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Katni, Kochi, Korba, Kozhikode, Naharlagun, Nashik, Pune, Purnia, Raipur, Singrauli, Thrissur, Tirupur, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.