

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	94	PM ₁₀	1
2	Agra	Moderate	130	PM _{2.5}	6
3	Ahmedabad	Moderate	103	PM ₁₀	1
4	Aizawl	Good	26	PM ₁₀	1
5	Ajmer	Satisfactory	91	PM ₁₀	1
6	Alwar	Satisfactory	87	PM ₁₀	1
7	Amaravati	Moderate	116	PM _{2.5}	1
8	Ambala	Moderate	140	PM _{2.5}	1
9	Amritsar	Moderate	104	PM ₁₀	1
10	Ankleshwar	Moderate	169	PM _{2.5}	1
11	Araria	Poor	225	PM _{2.5}	1
12	Arrah	Poor	209	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	233	PM _{2.5}	1
14	Aurangabad (Bihar)	Poor	215	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	111	PM ₁₀	1
16	Baddi	Poor	220	PM _{2.5}	1
17	Bagalkot	Good	33	PM ₁₀	1
18	Baghpat	Very Poor	333	PM _{2.5}	1
19	Bahadurgarh	Poor	254	PM _{2.5}	1
20	Ballabgarh	Moderate	175	PM ₁₀	1
21	Bareilly	Moderate	165	PM ₁₀	2
22	Begusarai	Very Poor	399	PM _{2.5}	1
23	Belgaum	Satisfactory	52	PM ₁₀	1
24	Bengaluru	Moderate	129	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Very Poor	319	PM _{2.5}	2
26	Bhiwadi	Poor	261	PM ₁₀	1
27	Bhiwani	Poor	270	PM _{2.5}	1
28	Bhopal	Moderate	198	PM _{2.5}	2
29	Bilaspur	Satisfactory	100	PM ₁₀	1
30	Brajrajnagar	Satisfactory	86	PM ₁₀	1
31	Bulandshahr	Poor	217	PM _{2.5}	1
32	Buxar	Very Poor	362	PM _{2.5}	1
33	Chamarajanagar	Good	46	PM ₁₀	1
34	Chandigarh	Moderate	159	PM _{2.5} , O ₃	3
35	Chandrapur	Moderate	102	PM _{2.5}	1
36	Charkhi Dadri	Poor	255	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Moderate	120	PM _{2.5}	7
38	Chhapra	Very Poor	317	PM _{2.5}	1
39	Chikkaballapur	Moderate	138	PM ₁₀	1
40	Chikkamagaluru	Good	44	PM ₁₀	1
41	Coimbatore	Moderate	130	PM _{2.5}	1
42	Damoh	Satisfactory	88	PM _{2.5}	1
43	Darbhanga	Severe	411	PM ₁₀	1
44	Davanagere	Moderate	106	PM ₁₀	1
45	Dehradun	Satisfactory	79	PM ₁₀	1
46	Delhi	Very Poor	314	PM ₁₀ , PM _{2.5}	36
47	Dewas	Moderate	133	PM ₁₀	1
48	Durgapur	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	70	PM ₁₀	1
50	Faridabad	Poor	260	PM _{2.5}	4
51	Fatehabad	Poor	232	PM _{2.5}	1
52	Firozabad	Moderate	116	PM _{2.5}	2
53	Gadag	Satisfactory	89	03	1
54	Gandhinagar	Satisfactory	72	PM ₁₀	1
55	Gangtok	Good	27	O ₃	1
56	Gaya	Poor	207	PM _{2.5}	3
57	Ghaziabad	Poor	259	PM ₁₀	4
58	Greater Noida	Poor	288	PM ₁₀ , PM _{2.5}	2
59	Gurugram	Poor	284	PM _{2.5}	4
60	Guwahati	Moderate	111	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Poor	264	PM _{2.5}	2
62	Hajipur	Poor	230	PM ₁₀	1
63	Haldia	Moderate	119	PM ₁₀	1
64	Hapur	Moderate	173	PM _{2.5}	1
65	Hassan	Satisfactory	98	PM _{2.5}	1
66	Haveri	Moderate	163	PM _{2.5}	1
67	Hisar	Poor	236	PM _{2.5}	1
68	Howrah	Moderate	193	PM _{2.5} , PM ₁₀	3
69	Hubballi	Moderate	109	PM _{2.5}	1
70	Hyderabad	Moderate	130	PM _{2.5} , PM ₁₀	14
71	Imphal	Moderate	175	PM _{2.5} , SO ₂	2
72	Indore	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jabalpur	Poor	266	PM _{2.5}	1
74	Jaipur	Moderate	113	PM ₁₀	3
75	Jalandhar	Moderate	142	PM _{2.5}	1
76	Jhansi	Moderate	181	PM _{2.5}	1
77	Jind	Poor	285	PM _{2.5}	1
78	Jodhpur	Moderate	115	PM _{2.5}	1
79	Kaithal	Moderate	167	PM _{2.5}	1
80	Kalaburgi	Moderate	133	PM _{2.5}	1
81	Kalyan	Moderate	145	PM ₁₀	1
82	Kannur	Satisfactory	63	PM _{2.5}	1
83	Kanpur	Moderate	196	PM ₁₀ , PM _{2.5}	3
84	Karnal	Moderate	138	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katihar	Very Poor	355	PM _{2.5}	1
86	Khanna	Satisfactory	100	PM _{2.5}	1
87	Khurja	Poor	205	PM _{2.5}	1
88	Kishanganj	Moderate	187	PM ₁₀	1
89	Kolar	Moderate	159	PM ₁₀	1
90	Kolkata	Moderate	186	PM _{2.5}	7
91	Kollam	Moderate	118	PM ₁₀	1
92	Koppal	Satisfactory	66	PM ₁₀	1
93	Kota	Moderate	127	PM ₁₀	1
94	Kurukshetra	Moderate	188	PM _{2.5}	1
95	Lucknow	Moderate	190	PM _{2.5}	6
96	Ludhiana	Moderate	175	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Satisfactory	51	03	1
98	Maihar	Satisfactory	63	PM ₁₀	1
99	Mandi Gobindgarh	Moderate	184	PM _{2.5}	1
100	Mandideep	Moderate	165	PM ₁₀	1
101	Mandikhera	Moderate	109	PM ₁₀	1
102	Manesar	Poor	252	PM _{2.5}	1
103	Mangalore	Satisfactory	89	PM _{2.5}	1
104	Manguraha	Satisfactory	89	СО	1
105	Meerut	Poor	251	PM ₁₀ , PM _{2.5}	3
106	Moradabad	Satisfactory	100	PM _{2.5}	6
107	Motihari	Severe	423	PM _{2.5}	1
108	Mumbai	Moderate	143	PM _{2.5} , PM ₁₀	19

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Munger	Poor	265	PM _{2.5}	1
110	Muzaffarnagar	Moderate	173	PM _{2.5}	1
111	Muzaffarpur	Very Poor	322	PM _{2.5}	3
112	Mysuru	Satisfactory	60	PM ₁₀	1
113	Nandesari	Satisfactory	55	PM _{2.5}	1
114	Narnaul	Moderate	132	PM _{2.5}	1
115	Nashik	Satisfactory	98	PM _{2.5}	1
116	Navi Mumbai	Moderate	182	PM _{2.5}	3
117	Noida	Poor	254	PM _{2.5}	4
118	Ooty	Satisfactory	89	PM ₁₀	1
119	Pali	Moderate	131	PM _{2.5}	1
120	Palwal	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul, Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur, Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panchkula	Satisfactory	77	PM _{2.5}	1
122	Panipat	Moderate	163	PM ₁₀	1
123	Patiala	Moderate	119	PM _{2.5}	1
124	Patna	Very Poor	320	PM _{2.5}	6
125	Pithampur	Moderate	153	PM ₁₀	1
126	Prayagraj	Moderate	167	PM _{2.5} , PM ₁₀	3
127	Puducherry	Satisfactory	89	PM ₁₀	1
128	Pune	Poor	296	PM ₁₀	1
129	Purnia	Very Poor	348	PM _{2.5}	1
130	Raichur	Moderate	152	PM ₁₀	1
131	Rajamahendravaram	Moderate	108	PM ₁₀	1
132	Rajgir	Poor	226	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul, Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur, Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ramanagara	Moderate	107	PM _{2.5}	1
134	Ramanathapuram	Satisfactory	95	PM ₁₀	1
135	Ratlam	Moderate	108	PM ₁₀	1
136	Rohtak	Poor	232	PM _{2.5}	1
137	Rupnagar	Moderate	168	PM ₁₀	1
138	Sagar	Moderate	167	03	1
139	Saharsa	Very Poor	326	PM _{2.5}	1
140	Salem	Satisfactory	86	PM _{2.5}	1
141	Samastipur	Very Poor	357	PM _{2.5}	1
142	Sasaram	Moderate	189	PM _{2.5}	1
143	Satna	Satisfactory	60	NO ₂	1
144	Shillong	Good	21	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul, Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur, Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Shivamogga	Satisfactory	70	O ₃	1
146	Siliguri	Satisfactory	94	PM ₁₀	1
147	Singrauli	Poor	270	PM _{2.5}	1
148	Sirsa	Poor	222	PM _{2.5}	1
149	Sivasagar	Good	46	PM ₁₀	1
150	Siwan	Severe	401	PM _{2.5}	1
151	Surat	Moderate	188	PM _{2.5}	1
152	Talcher	Moderate	133	PM _{2.5}	1
153	Thane	Moderate	157	PM ₁₀	1
154	Thiruvananthapuram	Satisfactory	66	PM _{2.5}	2
155	Thoothukudi	Satisfactory	71	PM ₁₀	1
156	Tirupati	Moderate	106	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Udaipur	Moderate	128	PM _{2.5}	1
158	Udupi	Satisfactory	94	со	1
159	Ujjain	Moderate	122	PM ₁₀	1
160	Vapi	Poor	231	PM _{2.5}	1
161	Varanasi	Moderate	133	PM _{2.5}	3
162	Vatva	Moderate	131	PM ₁₀	1
163	Vijayapura	Good	47	PM ₁₀	1
164	Visakhapatnam	Moderate	110	PM ₁₀	1
165	Vrindavan	Moderate	124	PM ₁₀	1
166	Yadgir	Moderate	141	PM _{2.5}	1
167	Yamunanagar	Moderate	145	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Dindigul,
 Ernakulam, Gorakhpur, Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Katni
 Kochi, Kohima, Korba, Kozhikode, Nagpur, Naharlagun, Raipur, Solapur,
 Sonipat, Srinagar, Thrissur, Tirupur, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.