Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	158	$PM_{2.5}$	2
2	Agra	Moderate	105	$PM_{2.5}$, PM_{10}	6
3	Ahmedabad	Moderate	120	NO_2	1
4	Aizawl	Good	26	PM_{10}	1
5	Ajmer	Satisfactory	86	PM_{10}	1
6	Alwar	Satisfactory	86	PM_{10}	1
7	Amaravati	Moderate	132	$PM_{2.5}$	1
8	Ambala	Moderate	134	$PM_{2.5}$	1
9	Amritsar	Moderate	143	PM_{10}	1
10	Anantapur	Satisfactory	56	O_3	1
11	Ankleshwar	Poor	243	$PM_{2.5}$	1
12	Araria	Very Poor	358	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	240	PM_{10}	1
14	Asansol	Poor	224	$PM_{2.5}$	1
15	Aurangabad (Bihar)	Poor	285	$PM_{2.5}$	1
16	Aurangabad (Maharashtra)	Moderate	123	$PM_{2.5}$	1
17	Baddi	Moderate	195	$PM_{2.5}$	1
18	Bagalkot	Good	40	PM_{10}	1
19	Baghpat	Poor	255	$PM_{2.5}$	1
20	Bahadurgarh	Moderate	171	$PM_{2.5}$	1
21	Ballabgarh	Moderate	175	PM_{10}	1
22	Bareilly	Moderate	170	PM_{10}	2
23	Bathinda	Moderate	193	PM_{10}	1
24	Begusarai	Very Poor	395	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	54	PM_{10}	1
26	Bengaluru	Satisfactory	78	$PM_{2.5}$, PM_{10}	6
27	Bhagalpur	Poor	300	$PM_{2.5}$	2
28	Bhiwadi	Moderate	183	PM_{10}	1
29	Bhiwani	Moderate	182	$PM_{2.5}$	1
30	Bhopal	Poor	260	$PM_{2.5}$	2
31	Bihar Sharif	Very Poor	302	$PM_{2.5}$	1
32	Bilaspur	Satisfactory	73	PM_{10}	1
33	Brajrajnagar	Satisfactory	85	PM_{10}	1
34	Bulandshahr	Poor	208	$PM_{2.5}$	1
35	Chamarajanagar	Good	36	PM_{10}	1
36	Chandigarh	Moderate	153	$PM_{2.5}$, O_3	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Poor	211	$PM_{2.5}$	1
38	Charkhi Dadri	Moderate	126	PM_{10}	1
39	Chennai	Satisfactory	74	$PM_{2.5}$, CO	7
40	Chhapra	Very Poor	330	$PM_{2.5}$	1
41	Chikkaballapur	Satisfactory	100	PM_{10}	1
42	Chikkamagaluru	Satisfactory	60	PM_{10}	1
43	Chittoor	Satisfactory	66	$PM_{2.5}$	1
44	Coimbatore	Moderate	120	$PM_{2.5}$	1
45	Damoh	Moderate	147	$PM_{2.5}$	1
46	Darbhanga	Very Poor	374	PM_{10}	1
47	Dehradun	Satisfactory	84	PM_{10}	1
48	Delhi	Poor	255	$PM_{2.5}$, O_3	35

Possible Health Impacts

|	
Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	134	PM_{10}	1
50	Dharuhera	Poor	264	$PM_{2.5}$	1
51	Dharwad	Moderate	116	PM_{10}	1
52	Durgapur	Moderate	170	$PM_{2.5}$	1
53	Eloor	Satisfactory	69	PM_{10}	1
54	Faridabad	Poor	227	$PM_{2.5}$	4
55	Firozabad	Satisfactory	85	NO_2	2
56	Gadag	Satisfactory	67	O_3	1
57	Gandhinagar	Satisfactory	98	PM_{10}	1
58	Gangtok	Good	35	PM_{10}	1
59	Gaya	Poor	233	$PM_{2.5}$	3
60	Ghaziabad	Moderate	182	$PM_{2.5}$	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	118	PM_{10}	1
62	Greater Noida	Poor	209	PM_{10}, $PM_{2.5}$	2
63	Gurugram	Poor	242	$PM_{2.5}$	4
64	Guwahati	Moderate	162	$PM_{2.5}$	3
65	Gwalior	Poor	208	$PM_{2.5}$	2
66	Hajipur	Poor	218	$PM_{2.5}$	1
67	Haldia	Moderate	134	PM_{10}	1
68	Hapur	Moderate	114	$PM_{2.5}$	1
69	Hassan	Satisfactory	79	$PM_{2.5}$	1
70	Haveri	Moderate	107	PM_{10}	1
71	Hisar	Poor	205	$PM_{2.5}$	1
72	Hosur	Satisfactory	92	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Poor	224	$PM_{2.5}$, O_3	3
74	Hubballi	Satisfactory	97	$PM_{2.5}$	1
75	Hyderabad	Moderate	143	$PM_{2.5}$	14
76	Imphal	Satisfactory	78	SO_2	2
77	Indore	Moderate	143	PM_{10}	1
78	Jabalpur	Poor	283	$PM_{2.5}$	1
79	Jaipur	Moderate	109	PM_{10}	3
80	Jalandhar	Moderate	110	PM_{10}	1
81	Jhansi	Moderate	174	$PM_{2.5}$	1
82	Jind	Poor	255	$PM_{2.5}$	1
83	Jodhpur	Moderate	123	PM_{10}	1
84	Kaithal	Moderate	112	PM_{10}	1

Possible Health Impacts

| Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	158	PM_{10}	1
86	Kanchipuram	Satisfactory	58	PM_{10}	1
87	Kannur	Satisfactory	81	PM_{10}	1
88	Kanpur	Moderate	194	$PM_{2.5}$	3
89	Karnal	Satisfactory	96	PM_{10}	1
90	Katihar	Very Poor	362	$PM_{2.5}$	1
91	Khanna	Moderate	123	$PM_{2.5}$	1
92	Khurja	Moderate	135	$PM_{2.5}$	1
93	Kishanganj	Poor	265	$PM_{2.5}$	1
94	Kolar	Moderate	143	PM_{10}	1
95	Kolkata	Moderate	165	$PM_{2.5}, O_3$	7
96	Kollam	Moderate	109	PM_{10}	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Satisfactory	63	$PM_{2.5}$	1
98	Kota	Moderate	151	PM_{10}	1
99	Kurukshetra	Moderate	132	$PM_{2.5}$	1
100	Lucknow	Moderate	157	$PM_{2.5}$	6
101	Ludhiana	Moderate	138	$PM_{2.5}$	1
102	Madikeri	Good	33	O_3	1
103	Maihar	Satisfactory	64	PM_{10}	1
104	Mandi Gobindgarh	Poor	231	$PM_{2.5}$	1
105	Mandideep	Moderate	155	PM_{10}	1
106	Mandikhera	Satisfactory	85	PM_{10}	1
107	Manesar	Moderate	191	PM_{10}	1
108	Mangalore	Moderate	101	$PM_{2.5}$	1

Possible Health Impacts

|	
Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manguraha	Satisfactory	77	CO	1
110	Meerut	Poor	211	PM_{10}, $PM_{2.5}$	3
111	Moradabad	Moderate	133	$PM_{2.5}$	6
112	Motihari	Severe	413	$PM_{2.5}$	1
113	Mumbai	Moderate	173	$PM_{2.5}$, PM_{10}	19
114	Munger	Poor	256	$PM_{2.5}$	1
115	Muzaffarnagar	Moderate	194	$PM_{2.5}$	1
116	Muzaffarpur	Very Poor	320	$PM_{2.5}$	3
117	Mysuru	Satisfactory	62	PM_{10}	1
118	Nagpur	Poor	232	$PM_{2.5}$	1
119	Nandesari	Satisfactory	63	SO_2	1
120	Narnaul	Moderate	115	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nashik	Poor	209	$PM_{2.5}$	1
122	Navi Mumbai	Moderate	198	$PM_{2.5}$	3
123	Noida	Moderate	195	$PM_{2.5}$	4
124	Ooty	Satisfactory	84	PM_{10}	1
125	Pali	Moderate	108	PM_{10}	1
126	Palwal	Satisfactory	58	PM_{10}	1
127	Panchkula	Satisfactory	97	$PM_{2.5}$	1
128	Panipat	Moderate	140	PM_{10}	1
129	Patiala	Satisfactory	86	PM_{10}	1
130	Patna	Very Poor	328	$PM_{2.5}$	6
131	Pithampur	Moderate	183	$PM_{2.5}$	1
132	Prayagraj	Moderate	127	$PM_{2.5}$, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Puducherry	Satisfactory	53	CO	1
134	Pune	Good	44	PM_{10}	1
135	Raichur	Satisfactory	99	PM_{10}	1
136	Rajamahendravaram	Satisfactory	80	PM_{10}	1
137	Rajgir	Poor	262	$PM_{2.5}$	1
138	Ramanagara	Moderate	117	$PM_{2.5}$	1
139	Ramanathapuram	Satisfactory	94	$PM_{2.5}$	1
140	Ratlam	Moderate	111	PM_{10}	1
141	Rohtak	Moderate	200	$PM_{2.5}$	1
142	Rupnagar	Moderate	126	PM_{10}	1
143	Sagar	Moderate	114	$PM_{2.5}$, CO	2
144	Saharsa	Very Poor	336	$PM_{2.5}$	1

Possible Health Impacts

|	
Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Salem	Satisfactory	90	$PM_{2.5}$	1
146	Sasaram	Poor	230	$PM_{2.5}$	1
147	Satna	Satisfactory	67	NO_2	1
148	Shillong	Good	21	SO_2	1
149	Shivamogga	Satisfactory	53	PM_{10}	1
150	Siliguri	Moderate	125	$PM_{2.5}$	1
151	Sirsa	Moderate	154	PM_{10}	1
152	Sivasagar	Satisfactory	51	PM_{10}	1
153	Siwan	Severe	402	$PM_{2.5}$	1
154	Solapur	Moderate	117	$PM_{2.5}$	1
155	Sonipat	Moderate	123	PM_{10}	1
156	Talcher	Moderate	167	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thane	Moderate	154	PM_{10}	1
158	Thiruvananthapuram	Satisfactory	76	$PM_{2.5}$	2
159	Thoothukudi	Satisfactory	87	PM_{10}	1
160	Tirupati	Satisfactory	71	NO_2, $PM_{2.5}$	2
161	Udaipur	Moderate	176	$PM_{2.5}$	1
162	Ujjain	Moderate	188	$PM_{2.5}$	1
163	Vapi	Poor	287	$PM_{2.5}$	1
164	Varanasi	Satisfactory	97	$PM_{2.5}$, PM_{10}	3
165	Vatva	Moderate	143	PM_{10}	1
166	Vijayapura	Good	46	PM_{10}	1
167	Visakhapatnam	Moderate	109	PM_{10}	1
168	Vrindavan	Moderate	113	PM_{10}	1

Possible Health Impacts

|	
Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Yadgir	Moderate	129	$PM_{2.5}$	1
170	Yamunanagar	Moderate	120	PM_{10}	1
171	vellore	Satisfactory	83	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Buxar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Purnia, Raipur, Samastipur, Singrauli, Srinagar, Surat, Thrissur, Tirupur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.