


(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	204	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	82	NO <sub>2</sub>	6
3	Ahmedabad	Moderate	103	03	1
4	Aizawl	Good	27	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	79	PM <sub>10</sub>	1
6	Alwar	Satisfactory	80	PM <sub>10</sub>	1
7	Amaravati	Good	44	PM <sub>10</sub>	1
8	Ambala	Moderate	138	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	129	PM <sub>10</sub>	1
10	Anantapur	Good	35	со	1
11	Ankleshwar	Poor	202	PM <sub>2.5</sub>	1
12	Araria	Poor	289	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	242	PM <sub>10</sub>	1
14	Asansol	Poor	276	PM <sub>2.5</sub>	1
15	Aurangabad (Bihar)	Poor	241	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Moderate	102	PM <sub>10</sub>	1
17	Baddi	Moderate	179	PM <sub>2.5</sub>	1
18	Bagalkot	Good	50	PM <sub>10</sub>	1
19	Baghpat	Poor	268	PM <sub>2.5</sub>	1
20	Bahadurgarh	Moderate	127	PM <sub>2.5</sub>	1
21	Ballabgarh	Moderate	182	PM <sub>2.5</sub>	1
22	Bareilly	Moderate	124	PM <sub>10</sub>	2
23	Begusarai	Very Poor	373	PM <sub>2.5</sub>	1
24	Belgaum	Satisfactory	60	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Good	47	PM <sub>10</sub>	8
26	Bettiah	Severe	429	PM <sub>2.5</sub>	1
27	Bhagalpur	Poor	287	PM <sub>2.5</sub>	2
28	Bhiwadi	Moderate	182	PM <sub>10</sub>	1
29	Bhiwani	Satisfactory	96	PM <sub>2.5</sub>	1
30	Bhopal	Moderate	183	PM <sub>2.5</sub>	2
31	Bihar Sharif	Poor	289	PM <sub>2.5</sub>	1
32	Bilaspur	Satisfactory	69	PM <sub>10</sub>	1
33	Brajrajnagar	Satisfactory	83	СО	1
34	Bulandshahr	Moderate	179	PM <sub>2.5</sub>	1
35	Buxar	Very Poor	376	PM <sub>2.5</sub>	1
36	Chamarajanagar	Good	42	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	147	PM <sub>2.5</sub> , O <sub>3</sub>	3
38	Chandrapur	Moderate	196	PM <sub>2.5</sub>	1
39	Charkhi Dadri	Moderate	117	PM <sub>10</sub>	1
40	Chennai	Satisfactory	62	со	7
41	Chhapra	Very Poor	304	PM <sub>10</sub>	1
42	Chikkaballapur	Satisfactory	56	PM <sub>10</sub>	1
43	Chikkamagaluru	Good	42	PM <sub>10</sub>	1
44	Chittoor	Good	40	PM <sub>2.5</sub>	1
45	Coimbatore	Poor	204	PM <sub>2.5</sub>	1
46	Damoh	Satisfactory	100	PM <sub>2.5</sub>	1
47	Darbhanga	Very Poor	382	PM <sub>10</sub>	1
48	Dehradun	Moderate	104	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Poor	237	PM <sub>10</sub> , PM <sub>2.5</sub>	36
50	Dewas	Moderate	127	PM <sub>10</sub>	1
51	Dharuhera	Poor	261	PM <sub>2.5</sub>	1
52	Dharwad	Moderate	146	PM <sub>2.5</sub>	1
53	Durgapur	Moderate	179	PM <sub>10</sub>	1
54	Eloor	Satisfactory	76	PM <sub>10</sub>	1
55	Faridabad	Moderate	198	PM <sub>2.5</sub>	4
56	Fatehabad	Poor	224	PM <sub>2.5</sub>	1
57	Firozabad	Satisfactory	87	NO <sub>2</sub>	2
58	Gadag	Good	32	PM <sub>10</sub>	1
59	Gandhinagar	Satisfactory	93	PM <sub>10</sub>	1
60	Gangtok	Good	30	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Poor	204	PM <sub>2.5</sub>	3
62	Ghaziabad	Moderate	190	PM <sub>10</sub>	4
63	Gorakhpur	Moderate	123	PM <sub>10</sub>	1
64	Greater Noida	Moderate	198	PM <sub>10</sub>	2
65	Gurugram	Poor	212	PM <sub>2.5</sub>	4
66	Guwahati	Moderate	177	PM <sub>2.5</sub>	3
67	Gwalior	Poor	210	PM <sub>2.5</sub>	2
68	Hajipur	Poor	262	PM <sub>10</sub>	1
69	Haldia	Moderate	148	PM <sub>10</sub>	1
70	Hassan	Good	33	PM <sub>2.5</sub>	1
71	Haveri	Satisfactory	70	PM <sub>10</sub>	1
72	Hisar	Poor	212	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Satisfactory	69	PM <sub>10</sub>	1
74	Howrah	Poor	288	PM <sub>2.5</sub>	3
75	Hubballi	Moderate	117	PM <sub>2.5</sub>	1
76	Hyderabad	Moderate	103	PM <sub>2.5</sub> , PM <sub>10</sub>	14
77	Imphal	Satisfactory	94	PM <sub>2.5</sub> , SO <sub>2</sub>	2
78	Indore	Moderate	144	PM <sub>10</sub>	1
79	Jabalpur	Moderate	200	PM <sub>10</sub>	1
80	Jaipur	Moderate	109	PM <sub>10</sub>	3
81	Jalandhar	Moderate	133	PM <sub>10</sub>	1
82	Jhansi	Moderate	154	PM <sub>10</sub>	1
83	Jind	Poor	220	PM <sub>2.5</sub>	1
84	Jodhpur	Moderate	152	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Moderate	118	03	1
86	Kalaburgi	Moderate	134	PM <sub>2.5</sub>	1
87	Kalyan	Moderate	152	PM <sub>10</sub>	1
88	Kannur	Satisfactory	79	PM <sub>10</sub>	1
89	Kanpur	Moderate	167	PM <sub>10</sub> , PM <sub>2.5</sub>	3
90	Karnal	Moderate	101	PM <sub>2.5</sub>	1
91	Katihar	Very Poor	372	PM <sub>2.5</sub>	1
92	Khanna	Moderate	152	PM <sub>2.5</sub>	1
93	Khurja	Moderate	118	PM <sub>2.5</sub>	1
94	Kishanganj	Poor	208	PM <sub>2.5</sub>	1
95	Kolar	Satisfactory	68	SO <sub>2</sub>	1
96	Kolkata	Poor	250	PM <sub>2.5</sub>	7

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kollam	Satisfactory	97	PM <sub>10</sub>	1
98	Koppal	Satisfactory	60	PM <sub>10</sub>	1
99	Kota	Moderate	131	PM <sub>10</sub>	1
100	Kurukshetra	Moderate	190	PM <sub>2.5</sub>	1
101	Lucknow	Moderate	169	PM <sub>2.5</sub>	6
102	Ludhiana	Moderate	173	PM <sub>2.5</sub>	1
103	Madikeri	Good	43	03	1
104	Maihar	Satisfactory	53	PM <sub>10</sub>	1
105	Mandi Gobindgarh	Poor	202	PM <sub>2.5</sub>	1
106	Mandideep	Moderate	162	PM <sub>10</sub>	1
107	Mandikhera	Satisfactory	77	PM <sub>10</sub>	1
108	Manesar	Moderate	182	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mangalore	Satisfactory	96	PM <sub>2.5</sub>	1
110	Manguraha	Moderate	117	PM <sub>2.5</sub>	1
111	Meerut	Poor	220	PM <sub>2.5</sub>	3
112	Moradabad	Moderate	150	PM <sub>2.5</sub>	6
113	Motihari	Very Poor	388	PM <sub>2.5</sub>	1
114	Mumbai	Moderate	195	PM <sub>2.5</sub> , PM <sub>10</sub>	19
115	Munger	Poor	251	PM <sub>2.5</sub>	1
116	Muzaffarnagar	Poor	231	PM <sub>2.5</sub>	1
117	Muzaffarpur	Poor	271	PM <sub>2.5</sub>	3
118	Mysuru	Good	41	PM <sub>10</sub>	1
119	Nagpur	Poor	214	PM <sub>2.5</sub>	1
120	Nandesari	Satisfactory	65	SO <sub>2</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Narnaul	Moderate	102	PM <sub>10</sub>	1
122	Nashik	Poor	223	PM <sub>2.5</sub>	1
123	Navi Mumbai	Poor	218	PM <sub>2.5</sub>	3
124	Noida	Moderate	182	PM <sub>2.5</sub>	4
125	Ooty	Satisfactory	76	со	1
126	Pali	Moderate	109	PM <sub>10</sub>	1
127	Palwal	Satisfactory	56	PM <sub>10</sub>	1
128	Panchkula	Satisfactory	100	PM <sub>2.5</sub>	1
129	Panipat	Moderate	131	PM <sub>10</sub>	1
130	Patiala	Moderate	106	PM <sub>2.5</sub>	1
131	Patna	Poor	297	PM <sub>2.5</sub>	6
132	Pithampur	Moderate	137	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Prayagraj	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	3
134	Puducherry	Good	50	O <sub>3</sub>	1
135	Pune	Good	43	со	1
136	Purnia	Severe	408	PM <sub>2.5</sub>	1
137	Raichur	Satisfactory	74	PM <sub>10</sub>	1
138	Rajamahendravaram	Satisfactory	57	PM <sub>10</sub>	1
139	Rajgir	Poor	224	PM <sub>2.5</sub>	1
140	Ramanagara	Satisfactory	54	PM <sub>2.5</sub>	1
141	Ramanathapuram	Satisfactory	74	PM <sub>2.5</sub>	1
142	Rohtak	Moderate	194	PM <sub>2.5</sub>	1
143	Rupnagar	Moderate	173	PM <sub>10</sub>	1
144	Sagar	Moderate	104	O <sub>3</sub> , CO	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Saharsa	Very Poor	341	PM <sub>2.5</sub>	1
146	Salem	Satisfactory	81	SO <sub>2</sub>	1
147	Samastipur	Very Poor	305	PM <sub>2.5</sub>	1
148	Sasaram	Moderate	179	PM <sub>2.5</sub>	1
149	Satna	Satisfactory	56	PM <sub>10</sub>	1
150	Shillong	Good	31	PM <sub>10</sub>	1
151	Shivamogga	Satisfactory	73	PM <sub>10</sub>	1
152	Siliguri	Moderate	105	PM <sub>10</sub>	1
153	Singrauli	Poor	251	PM <sub>2.5</sub>	1
154	Sirsa	Poor	212	PM <sub>2.5</sub>	1
155	Sivasagar	Satisfactory	53	PM <sub>10</sub>	1
156	Siwan	Very Poor	385	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sonipat	Moderate	155	PM <sub>10</sub>	1
158	Srinagar	Satisfactory	54	PM <sub>2.5</sub>	1
159	Surat	Poor	274	PM <sub>2.5</sub>	1
160	Talcher	Moderate	131	PM <sub>2.5</sub>	1
161	Thane	Moderate	145	PM <sub>10</sub>	1
162	Thiruvananthapuram	Moderate	113	PM <sub>2.5</sub>	1
163	Thoothukudi	Satisfactory	87	PM <sub>10</sub>	1
164	Tirupati	Satisfactory	60	NO <sub>2</sub> , CO	2
165	Udaipur	Moderate	130	PM <sub>2.5</sub>	1
166	Ujjain	Moderate	195	PM <sub>2.5</sub>	1
167	Varanasi	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	3
168	Vatva	Moderate	144	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vijayapura	Satisfactory	70	PM <sub>10</sub>	1
170	Visakhapatnam	Moderate	105	PM <sub>2.5</sub>	1
171	Vrindavan	Moderate	129	PM <sub>10</sub>	1
172	Yadgir	Moderate	116	PM <sub>2.5</sub>	1
173	Yamunanagar	Moderate	135	PM <sub>10</sub>	1
174	vellore	Good	39	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

### Notes:

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Chengalpattu, Davanagere, Dindigul, Ernakulam, Gummidipoondi, Hapur, Jorapokhar, Kanchipuram, Katni, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Ratlam, Solapur, Thrissur, Tirupur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.