



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	81	NO <sub>2</sub>	1
4	Aizawl	Good	20	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	94	PM <sub>10</sub>	1
6	Alwar	Satisfactory	94	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	69	PM <sub>2.5</sub>	1
8	Ambala	Poor	257	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	112	PM <sub>2.5</sub>	1
10	Anantapur	Good	46	O <sub>3</sub>	1
11	Ankleshwar	Poor	213	PM <sub>2.5</sub>	1
12	Araria	Poor	254	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Raichangpur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	267	PM <sub>10</sub>	1
14	Asansol	Poor	275	PM <sub>2.5</sub>	1
15	Aurangabad (Bihar)	Poor	250	PM <sub>2.5</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	76	O <sub>3</sub>	1
17	Baddi	Poor	269	PM <sub>2.5</sub>	1
18	Bagalkot	Satisfactory	52	PM <sub>10</sub>	1
19	Baghpat	Poor	263	PM <sub>2.5</sub>	1
20	Bahadurgarh	Poor	262	PM <sub>2.5</sub>	1
21	Ballabgarh	Poor	215	PM <sub>2.5</sub>	1
22	Bareilly	Moderate	132	PM <sub>10</sub>	2
23	Bathinda	Poor	211	PM <sub>10</sub>	1
24	Begusarai	Severe	418	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Raigarh, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	52	PM <sub>10</sub>	1
26	Bengaluru	Satisfactory	63	PM <sub>10</sub>	7
27	Bhagalpur	Very Poor	316	PM <sub>2.5</sub>	2
28	Bhiwadi	Poor	229	PM <sub>10</sub>	1
29	Bhiwani	Moderate	151	PM <sub>2.5</sub>	1
30	Bhopal	Moderate	167	PM <sub>2.5</sub> , PM <sub>10</sub>	2
31	Bihar Sharif	Very Poor	331	PM <sub>2.5</sub>	1
32	Bilaspur	Satisfactory	90	PM <sub>10</sub>	1
33	Brajrajnagar	Satisfactory	79	SO <sub>2</sub>	1
34	Bulandshahr	Poor	237	PM <sub>2.5</sub>	1
35	Buxar	Severe	418	PM <sub>2.5</sub>	1
36	Chamarajanagar	Good	42	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Raichur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Poor	203	PM <sub>2.5</sub> , PM <sub>10</sub>	3
38	Chandrapur	Moderate	148	PM <sub>2.5</sub>	1
39	Charkhi Dadri	Moderate	144	PM <sub>10</sub>	1
40	Chennai	Satisfactory	86	PM <sub>2.5</sub> , CO	8
41	Chhapra	Very Poor	342	PM <sub>2.5</sub>	1
42	Chikkaballapur	Satisfactory	70	PM <sub>10</sub>	1
43	Chikkamagaluru	Good	45	PM <sub>10</sub>	1
44	Chittoor	Good	44	O <sub>3</sub>	1
45	Damoh	Satisfactory	73	PM <sub>2.5</sub>	1
46	Darbhanga	Very Poor	397	PM <sub>10</sub>	1
47	Davanagere	Satisfactory	58	PM <sub>10</sub>	1
48	Delhi	Very Poor	336	PM <sub>2.5</sub>	36

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Raichangpur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	106	PM <sub>10</sub>	1
50	Dharuhera	Very Poor	315	PM <sub>2.5</sub>	1
51	Dharwad	Moderate	124	PM <sub>10</sub>	1
52	Durgapur	Moderate	133	PM <sub>10</sub>	1
53	Eloor	Satisfactory	70	PM <sub>10</sub>	1
54	Faridabad	Poor	294	PM <sub>2.5</sub>	4
55	Fatehabad	Poor	207	PM <sub>2.5</sub>	1
56	Firozabad	Satisfactory	93	NO <sub>2</sub> , PM <sub>2.5</sub>	2
57	Gadag	Good	36	PM <sub>10</sub>	1
58	Gandhinagar	Satisfactory	61	PM <sub>10</sub>	1
59	Gangtok	Good	27	O <sub>3</sub>	1
60	Gaya	Poor	247	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Rairangpur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Poor	284	PM <sub>10</sub>	4
62	Gorakhpur	Moderate	129	PM <sub>10</sub>	1
63	Greater Noida	Very Poor	329	PM <sub>10</sub> , PM <sub>2.5</sub>	2
64	Gurugram	Poor	283	PM <sub>2.5</sub>	4
65	Guwahati	Moderate	141	PM <sub>2.5</sub>	3
66	Gwalior	Poor	208	PM <sub>2.5</sub>	2
67	Hajipur	Poor	274	PM <sub>2.5</sub>	1
68	Haldia	Moderate	127	PM <sub>10</sub>	1
69	Hapur	Poor	216	PM <sub>2.5</sub>	1
70	Hassan	Good	48	PM <sub>2.5</sub>	1
71	Haveri	Satisfactory	68	PM <sub>10</sub>	1
72	Hisar	Poor	227	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagarhar, Panipat, Pune, Raipur, Raichur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Satisfactory	94	CO	1
74	Howrah	Poor	262	PM <sub>2.5</sub>	3
75	Hubballi	Satisfactory	92	PM <sub>10</sub>	1
76	Hyderabad	Moderate	119	PM <sub>2.5</sub>	13
77	Imphal	Moderate	122	PM <sub>2.5</sub> , SO <sub>2</sub>	2
78	Indore	Satisfactory	99	NO <sub>2</sub>	1
79	Jabalpur	Poor	237	PM <sub>2.5</sub>	1
80	Jaipur	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	3
81	Jalandhar	Moderate	136	PM <sub>10</sub>	1
82	Jhansi	Moderate	149	PM <sub>10</sub>	1
83	Jind	Poor	290	PM <sub>2.5</sub>	1
84	Jodhpur	Moderate	183	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Rairangpur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Moderate	176	PM <sub>2.5</sub>	1
86	Kanchipuram	Satisfactory	57	SO <sub>2</sub>	1
87	Kannur	Satisfactory	81	PM <sub>10</sub>	1
88	Kanpur	Poor	209	PM <sub>2.5</sub>	3
89	Karnal	Moderate	185	PM <sub>2.5</sub>	1
90	Katihar	Very Poor	352	PM <sub>2.5</sub>	1
91	Katni	Poor	206	PM <sub>2.5</sub>	1
92	Khanna	Moderate	152	PM <sub>2.5</sub>	1
93	Khurja	Poor	215	PM <sub>2.5</sub>	1
94	Kishanganj	Poor	226	PM <sub>10</sub>	1
95	Kochi	Poor	205	PM <sub>2.5</sub>	1
96	Kohima	Satisfactory	74	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Raichangpur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolar	Satisfactory	73	PM <sub>10</sub>	1
98	Kolkata	Poor	252	PM <sub>2.5</sub>	7
99	Kollam	Moderate	101	PM <sub>10</sub>	1
100	Koppal	Satisfactory	66	CO	1
101	Kota	Moderate	157	PM <sub>10</sub>	1
102	Kurukshetra	Poor	220	PM <sub>2.5</sub>	1
103	Lucknow	Moderate	195	PM <sub>2.5</sub>	6
104	Ludhiana	Poor	224	PM <sub>2.5</sub>	1
105	Madikeri	Good	26	PM <sub>2.5</sub>	1
106	Maihar	Satisfactory	56	PM <sub>10</sub>	1
107	Mandi Gobindgarh	Moderate	181	PM <sub>2.5</sub>	1
108	Mandideep	Moderate	176	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Raichangpur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandikhera	Satisfactory	83	PM <sub>10</sub>	1
110	Mangalore	Satisfactory	94	PM <sub>2.5</sub>	1
111	Manguraha	Satisfactory	52	PM <sub>10</sub>	1
112	Meerut	Poor	222	PM <sub>2.5</sub>	3
113	Moradabad	Moderate	112	PM <sub>2.5</sub>	6
114	Mumbai	Poor	243	PM <sub>2.5</sub> , PM <sub>10</sub>	19
115	Munger	Poor	267	PM <sub>2.5</sub>	1
116	Muzaffarpur	Poor	286	PM <sub>2.5</sub>	3
117	Mysuru	Good	45	PM <sub>10</sub>	1
118	Nagpur	Moderate	159	PM <sub>2.5</sub>	1
119	Nalbari	Moderate	109	PM <sub>10</sub>	1
120	Narnaul	Moderate	118	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Naggarh, Panipat, Pune, Raipur, Raipur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Navi Mumbai	Poor	259	PM <sub>2.5</sub>	3
122	Noida	Poor	286	PM <sub>2.5</sub>	4
123	Ooty	Good	49	SO <sub>2</sub>	1
124	Pali	Moderate	152	O <sub>3</sub>	1
125	Palwal	Good	47	PM <sub>10</sub>	1
126	Panchkula	Moderate	118	PM <sub>2.5</sub>	1
127	Patiala	Moderate	197	PM <sub>2.5</sub>	1
128	Patna	Very Poor	341	PM <sub>2.5</sub> , PM <sub>10</sub>	6
129	Pithampur	Moderate	119	PM <sub>10</sub>	1
130	Prayagraj	Moderate	140	PM <sub>2.5</sub> , PM <sub>10</sub>	3
131	Puducherry	Good	50	PM <sub>10</sub>	1
132	Purnia	Very Poor	373	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Raichangpur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Raichur	Moderate	102	PM <sub>10</sub>	1
134	Rajamahendravaram	Moderate	152	PM <sub>2.5</sub>	1
135	Rajgir	Very Poor	320	PM <sub>2.5</sub>	1
136	Ramanagara	Satisfactory	60	PM <sub>10</sub>	1
137	Ramanathapuram	Satisfactory	54	PM <sub>10</sub>	1
138	Ratlam	Satisfactory	85	PM <sub>10</sub>	1
139	Rohtak	Poor	230	PM <sub>2.5</sub>	1
140	Rupnagar	Moderate	128	PM <sub>10</sub>	1
141	Sagar	Moderate	130	O <sub>3</sub>	1
142	Saharsa	Very Poor	327	PM <sub>2.5</sub>	1
143	Salem	Satisfactory	64	SO <sub>2</sub>	1
144	Samastipur	Very Poor	314	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Rairangpur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sasaram	Poor	222	PM <sub>2.5</sub>	1
146	Satna	Satisfactory	61	PM <sub>10</sub>	1
147	Shillong	Good	21	SO <sub>2</sub>	1
148	Shivamogga	Satisfactory	66	PM <sub>10</sub>	1
149	Siliguri	Moderate	106	PM <sub>10</sub>	1
150	Singrauli	Poor	265	PM <sub>2.5</sub>	1
151	Sirsa	Poor	223	PM <sub>2.5</sub>	1
152	Sivasagar	Good	47	PM <sub>10</sub>	1
153	Siwan	Very Poor	384	PM <sub>2.5</sub>	1
154	Sonipat	Moderate	185	PM <sub>2.5</sub>	1
155	Surat	Poor	211	PM <sub>2.5</sub>	1
156	Talcher	Moderate	159	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Rairangpur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Nov 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thane	Moderate	168	PM <sub>10</sub>	1
158	Thiruvananthapuram	Satisfactory	68	PM <sub>2.5</sub>	2
159	Thoothukudi	Satisfactory	68	O <sub>3</sub>	1
160	Thrissur	Satisfactory	67	PM <sub>2.5</sub>	1
161	Tirupati	Satisfactory	64	NO <sub>2</sub> , CO	2
162	Tirupur	Moderate	106	PM <sub>10</sub>	1
163	Udaipur	Moderate	146	PM <sub>2.5</sub>	1
164	Ujjain	Moderate	117	PM <sub>10</sub>	1
165	Varanasi	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	4
166	Vatva	Satisfactory	85	PM <sub>10</sub>	1
167	Vijayapura	Satisfactory	78	PM <sub>10</sub>	1
168	Visakhapatnam	Poor	260	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagaygarh, Panipat, Pune, Raipur, Raichangpur, Solapur, Srinagar, Suakati, Tensa, Udupi, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## **Air Quality Index on Nov 26, 2022 @ 4 PM**

*(Average of past 24 hours)*

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vrindavan	Satisfactory	100	PM <sub>10</sub>	1
170	Yadgir	Moderate	122	PM <sub>2.5</sub>	1
171	Yamunanagar	Moderate	160	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baripada, Bettiah, Bhilai, Bidar, Bileipada, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kaithal, Kalyan, Keonjhar, Korba, Kozhikode, Manesar, Motihari, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Nagarhar, Panipat, Pune, Raipur, Raichur, Solapur, Srinagar, Suakati, Tansa, Udupi, Vapi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.