

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	203	PM _{2.5}	1
2	Agra	Satisfactory	51	PM ₁₀	6
3	Ahmedabad	Moderate	132	PM ₁₀	6
4	Aizawl	Good	47	PM ₁₀	1
5	Ajmer	Satisfactory	61	PM ₁₀	1
6	Alwar	Good	50	NO ₂	1
7	Amaravati	Satisfactory	86	03	1
8	Ambala	Satisfactory	66	PM ₁₀	1
9	Amritsar	Satisfactory	96	PM ₁₀	1
10	Ankleshwar	Satisfactory	83	PM ₁₀	1
11	Ariyalur	Good	47	NO ₂	1
12	Arrah	Moderate	133	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	ory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

The is not calculated for today 3 buildin for Atlantapur, Trana,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	102	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	80	PM ₁₀	1
15	Baddi	Satisfactory	71	PM ₁₀	1
16	Bagalkot	Good	46	PM ₁₀	1
17	Baghpat	Satisfactory	65	PM _{2.5}	1
18	Bahadurgarh	Good	46	СО	1
19	Ballabgarh	Satisfactory	69	PM ₁₀	1
20	Bareilly	Satisfactory	60	PM ₁₀	2
21	Baripada	Moderate	107	O ₃	1
22	Barmer	Satisfactory	77	O ₃	1
23	Bathinda	Satisfactory	94	PM ₁₀	1
24	Begusarai	Moderate	186	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	57	PM ₁₀	1
26	Bengaluru	Satisfactory	58	CO, PM _{2.5}	13
27	Bettiah	Poor	202	PM ₁₀	1
28	Bhagalpur	Moderate	131	PM ₁₀	2
29	Bharatpur	Satisfactory	80	03	1
30	Bhilai	Good	49	PM ₁₀ , O ₃	3
31	Bhiwadi	Satisfactory	55	PM ₁₀	1
32	Bhiwani	Satisfactory	62	СО	1
33	Bhopal	Satisfactory	78	PM ₁₀	2
34	Bidar	Good	47	NH ₃	1
35	Bihar Sharif	Moderate	137	PM ₁₀	1
36	Bikaner	Satisfactory	86	O ₃	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dindigul, Ernakulam, Notes: Gummidipoondi, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Madikeri, Maihar, Nagaur, Nandesari, Narnaul, Pratapgarh, Raichur, Rajgir, Ratlam, Salem, Sasaram,

Sikar, Sirohi, Sonipat, Talcher, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	78	PM _{2.5}	1
38	Bileipada	Moderate	152	PM ₁₀	1
39	Bulandshahr	Satisfactory	90	03	1
40	Bundi	Moderate	113	03	1
41	Byrnihat	Poor	224	PM ₁₀	1
42	Chamarajanagar	Good	29	PM _{2.5}	1
43	Chandigarh	Satisfactory	58	O ₃ , PM _{2.5}	3
44	Chandrapur	Moderate	102	PM ₁₀	1
45	Charkhi Dadri	Satisfactory	52	PM _{2.5}	1
46	Chennai	Satisfactory	83	CO, PM _{2.5}	8
47	Chhal	Satisfactory	75	PM ₁₀	1
48	Chhapra	Poor	228	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

The first odiculated for today's buildin for Anamapur, Arana,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	42	03	1
50	Chittoor	Satisfactory	96	03	1
51	Chittorgarh	Satisfactory	90	03	1
52	Churu	Moderate	108	03	1
53	Cuddalore	Moderate	153	NO ₂	2
54	Damoh	Good	22	PM ₁₀	1
55	Dausa	Moderate	101	PM ₁₀	1
56	Davanagere	Good	38	PM _{2.5}	1
57	Dehradun	Satisfactory	66	O ₃	1
58	Delhi	Satisfactory	85	NO ₂ , PM _{2.5}	36
59	Dewas	Moderate	104	PM ₁₀	1
60	Dhanbad	Moderate	190	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dindigul, Ernakulam,

Notes: Gummidipoondi, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Madikeri, Maihar, Nagaur, Nandesari, Narnaul, Pratapgarh, Raichur, Rajgir, Ratlam, Salem, Sasaram, Sikar, Sirohi, Sonipat, Talcher, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharuhera	Satisfactory	56	PM _{2.5}	1
62	Dharwad	Satisfactory	72	PM _{2.5}	1
63	Dholpur	Satisfactory	99	03	1
64	Durgapur	Moderate	131	PM ₁₀	1
65	Eloor	Satisfactory	80	PM ₁₀	1
66	Faridabad	Satisfactory	78	PM ₁₀	3
67	Fatehabad	Moderate	151	03	1
68	Firozabad	Satisfactory	62	O ₃ , PM _{2.5}	2
69	Gadag	Satisfactory	63	PM ₁₀	1
70	Gandhinagar	Moderate	116	PM _{2.5} , PM ₁₀	3
71	Gangtok	Satisfactory	54	03	1
72	Gaya	Moderate	103	PM ₁₀ , PM _{2.5}	3

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts No.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dindigul, Ernakulam, Notes: Gummidipoondi, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Madikeri, Maihar, Nagaur, Nandesari, Narnaul, Pratapgarh, Raichur, Rajgir, Ratlam, Salem, Sasaram,

Nandesari, Narnaul, Pratapgarh, Raichur, Rajgir, Ratlam, Salem, Sasaram, Sikar, Sirohi, Sonipat, Talcher, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Satisfactory	73	O ₃ , CO	4
74	Gorakhpur	Moderate	153	PM ₁₀	1
75	Greater Noida	Moderate	144	03	2
76	Gurugram	Satisfactory	98	PM _{2.5}	3
77	Guwahati	Moderate	110	PM ₁₀	4
78	Gwalior	Moderate	155	03	3
79	Hajipur	Moderate	190	PM ₁₀	1
80	Haldia	Satisfactory	58	PM ₁₀	1
81	Hanumangarh	Satisfactory	66	PM ₁₀	1
82	Hapur	Satisfactory	89	03	1
83	Haveri	Good	39	со	1
84	Hisar	Good	50	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts No.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Aurongohod (Riber), Rongware, Baron, Rhilware, Brainsineger, Buy

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hosur	Satisfactory	56	PM ₁₀	1
86	Howrah	Satisfactory	96	PM ₁₀	3
87	Hubballi	Satisfactory	78	PM ₁₀	2
88	Hyderabad	Satisfactory	88	PM ₁₀	13
89	Indore	Satisfactory	74	PM ₁₀	2
90	Jabalpur	Moderate	113	PM ₁₀	1
91	Jaipur	Satisfactory	73	O ₃ , PM ₁₀	6
92	Jaisalmer	Satisfactory	91	СО	1
93	Jalandhar	Good	49	PM ₁₀	1
94	Jhalawar	Satisfactory	82	PM ₁₀	1
95	Jhansi	Satisfactory	57	O ₃	1
96	Jhunjhunu	Satisfactory	85	O ₃	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Agris not calculated for today's bulletin for Atlantaput, Atlanta,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jind	Satisfactory	73	co	1
98	Jodhpur	Satisfactory	72	O ₃	2
99	Kadapa	Satisfactory	61	03	1
100	Kaithal	Good	44	PM ₁₀	1
101	Kalyan	Satisfactory	81	PM ₁₀	1
102	Kannur	Satisfactory	77	PM ₁₀	1
103	Kanpur	Satisfactory	88	PM ₁₀	4
104	Karauli	Satisfactory	86	O ₃	1
105	Karnal	Good	43	PM ₁₀	1
106	Katihar	Poor	208	PM ₁₀	1
107	Katni	Satisfactory	98	PM ₁₀	1
108	Khanna	Satisfactory	61	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts No

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aurongohod (Riber), Rongworg, Boron, Rhilworg, Breireinager, Buy

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Moderate	110	PM _{2.5}	1
110	Kishanganj	Moderate	112	PM ₁₀	1
111	Kochi	Satisfactory	77	PM ₁₀	1
112	Kohima	Satisfactory	51	PM _{2.5}	1
113	Kolhapur	Moderate	106	O ₃	2
114	Kolkata	Satisfactory	83	O ₃ , PM ₁₀	7
115	Kollam	Satisfactory	60	PM _{2.5}	1
116	Korba	Satisfactory	69	PM ₁₀	2
117	Kota	Satisfactory	94	CO, PM _{2.5}	3
118	Kunjemura	Satisfactory	88	PM ₁₀	1
119	Kurukshetra	Good	49	PM _{2.5}	1
120	Latur	Satisfactory	85	O ₃	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Aurongohod (Riber), Rongware, Baron, Rhilware, Brainsineger, Buy

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Lucknow	Satisfactory	87	PM ₁₀	6
122	Ludhiana	Satisfactory	62	PM ₁₀	1
123	Mandi Gobindgarh	Satisfactory	95	PM ₁₀	1
124	Mandideep	Satisfactory	92	PM ₁₀	1
125	Mandikhera	Satisfactory	60	PM ₁₀	1
126	Manesar	Satisfactory	66	PM ₁₀	1
127	Mangalore	Satisfactory	58	PM ₁₀	1
128	Manguraha	Moderate	123	PM _{2.5}	1
129	Meerut	Satisfactory	98	O ₃	2
130	Milupara	Satisfactory	79	PM ₁₀	1
131	Moradabad	Satisfactory	87	PM ₁₀	6
132	Motihari	Moderate	198	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts N

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Aurongohod (Riber), Rongworg, Boron, Rhilworg, Breireinager, Buy

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mumbai	Satisfactory	97	PM _{2.5} , PM ₁₀	17
134	Munger	Moderate	195	PM ₁₀	1
135	Muzaffarnagar	Satisfactory	84	PM ₁₀	1
136	Muzaffarpur	Moderate	195	PM _{2.5}	3
137	Mysuru	Satisfactory	54	03	1
138	Nagaon	Moderate	111	PM ₁₀	1
139	Nagpur	Satisfactory	82	PM ₁₀	1
140	Naharlagun	Good	49	PM _{2.5}	1
141	Nalbari	Moderate	148	PM ₁₀	1
142	Nashik	Satisfactory	85	PM ₁₀ , O ₃	3
143	Navi Mumbai	Moderate	104	PM ₁₀	2
144	Nayagarh	Moderate	138	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts No.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aurongohod (Riber), Rongworg, Boron, Rhilworg, Breireinager, Buy

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Noida	Satisfactory	78	CO, PM ₁₀	4
146	Ooty	Moderate	109	PM _{2.5}	1
147	Pali	Satisfactory	96	PM ₁₀	1
148	Palkalaiperur	Satisfactory	63	SO ₂	1
149	Palwal	Good	47	PM ₁₀	1
150	Panchkula	Satisfactory	56	PM _{2.5}	1
151	Panipat	Good	45	PM ₁₀	1
152	Patiala	Satisfactory	52	O ₃	1
153	Patna	Moderate	193	PM _{2.5}	6
154	Pimpri Chinchwad	Moderate	102	PM _{2.5}	1
155	Pithampur	Moderate	105	PM ₁₀	1
156	Prayagraj	Satisfactory	55	PM ₁₀	3

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts No

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Aurangahad (Ribar) Rangwara Baran Bhilwara Brairainagar Bu

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Puducherry	Satisfactory	67	03	1
158	Pune	Satisfactory	96	NO ₂ , PM _{2.5}	5
159	Purnia	Moderate	168	PM _{2.5}	1
160	Raipur	Satisfactory	66	PM ₁₀ , NO ₂	4
161	Rairangpur	Satisfactory	75	PM _{2.5}	1
162	Rajamahendravaram	Satisfactory	70	PM ₁₀	1
163	Rajsamand	Satisfactory	96	PM ₁₀	1
164	Ramanagara	Satisfactory	81	03	1
165	Ramanathapuram	Satisfactory	99	со	1
166	Rishikesh	Satisfactory	51	PM ₁₀	1
167	Rohtak	Good	44	PM _{2.5}	1
168	Rourkela	Moderate	136	PM ₁₀	2

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts No.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

The following of today 5 building for Thankapur, Thankapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rupnagar	Moderate	107	PM ₁₀	1
170	Sagar	Satisfactory	85	03	1
171	Saharsa	Moderate	140	PM ₁₀	1
172	Samastipur	Moderate	155	PM _{2.5}	1
173	Satna	Satisfactory	71	PM ₁₀	1
174	Sawai Madhopur	Satisfactory	74	PM ₁₀	1
175	Shillong	Satisfactory	62	PM _{2.5}	1
176	Shivamogga	Satisfactory	59	PM ₁₀	1
177	Silchar	Good	30	PM ₁₀	1
178	Siliguri	Satisfactory	75	PM ₁₀	1
179	Singrauli	Moderate	135	PM ₁₀	1
180	Sirsa	Satisfactory	85	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts No.

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dindigul, Ernakulam, Notes: Gummidipoondi, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Madikeri, Maihar, Nagaur, Nandesari, Narnaul, Pratapgarh, Raichur, Rajgir, Ratlam, Salem, Sasaram, Sikar, Sirohi, Sonipat, Talcher, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sivasagar	Good	39	PM ₁₀	1
182	Siwan	Moderate	151	PM ₁₀	1
183	Solapur	Moderate	108	PM ₁₀	2
184	Sri Ganganagar	Satisfactory	78	03	1
185	Srinagar	Good	48	PM ₁₀	1
186	Suakati	Satisfactory	97	PM ₁₀	1
187	Surat	Satisfactory	78	со	1
188	Tensa	Satisfactory	89	PM ₁₀	1
189	Thane	Satisfactory	79	PM ₁₀	1
190	Thiruvananthapuram	Good	40	PM _{2.5} , PM ₁₀	2
191	Thoothukudi	Satisfactory	73	PM ₁₀	1
192	Thrissur	Satisfactory	76	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tirupati	Satisfactory	54	PM _{2.5} , NO ₂	2
194	Tirupur	Satisfactory	56	PM ₁₀	1
195	Tumakuru	Satisfactory	82	PM ₁₀	1
196	Udaipur	Moderate	107	PM ₁₀	1
197	Vapi	Satisfactory	68	PM _{2.5}	1
198	Varanasi	Satisfactory	85	PM ₁₀	4
199	Vatva	Moderate	180	PM _{2.5}	1
200	Vijayapura	Good	49	PM ₁₀	1
201	Vijayawada	Good	45	со	1
202	Visakhapatnam	Moderate	142	PM ₁₀	1
203	Vrindavan	Moderate	129	PM ₁₀	1
204	Yadgir	Satisfactory	54	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yamunanagar	Satisfactory	87	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria,

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

angabad (Bihar), Banswara, Baran, Bhilwara, Brajrajnag

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.