



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	184	PM _{2.5}	1
2	Agra	Satisfactory	52	PM ₁₀	6
3	Ahmedabad	Moderate	109	PM ₁₀	6
4	Aizawl	Satisfactory	63	PM ₁₀	1
5	Ajmer	Moderate	108	PM _{2.5}	1
6	Alwar	Satisfactory	55	NO ₂	1
7	Amaravati	Satisfactory	79	PM ₁₀	1
8	Ambala	Good	42	O ₃	1
9	Amravati	Moderate	112	PM ₁₀	2
10	Amritsar	Satisfactory	88	PM ₁₀	1
11	Ankleshwar	Satisfactory	90	PM ₁₀	1
12	Ariyalur	Satisfactory	59	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidadar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonapat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	125	PM ₁₀	1
14	Aurangabad (Bihar)	Moderate	121	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	91	PM ₁₀	1
16	Baddi	Satisfactory	89	O ₃	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Baghpat	Satisfactory	70	PM ₁₀	1
19	Bahadurgarh	Satisfactory	61	PM _{2.5}	1
20	Ballabgarh	Satisfactory	83	PM _{2.5}	1
21	Bareilly	Satisfactory	56	PM ₁₀	2
22	Baripada	Moderate	107	O ₃	1
23	Barmer	Satisfactory	65	PM ₁₀	1
24	Bathinda	Satisfactory	54	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidad, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonipat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	215	PM ₁₀	1
26	Belgaum	Satisfactory	58	PM ₁₀	1
27	Bengaluru	Satisfactory	53	CO, PM _{2.5}	12
28	Bettiah	Moderate	169	PM ₁₀	1
29	Bhagalpur	Moderate	165	PM ₁₀	2
30	Bharatpur	Satisfactory	76	O ₃	1
31	Bhilai	Satisfactory	55	PM ₁₀	3
32	Bhiwadi	Moderate	118	PM ₁₀	1
33	Bhiwani	Satisfactory	57	CO	1
34	Bhopal	Moderate	120	PM ₁₀	2
35	Bihar Sharif	Moderate	123	PM ₁₀	1
36	Bikaner	Satisfactory	88	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnhat,

Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonapat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	78	PM _{2.5}	1
38	Bileipada	Moderate	158	PM ₁₀	1
39	Bulandshahr	Satisfactory	72	PM ₁₀	1
40	Bundi	Moderate	113	PM ₁₀	1
41	Chamarajanagar	Good	39	PM ₁₀	1
42	Chandigarh	Satisfactory	65	O ₃ , PM _{2.5}	3
43	Chandrapur	Moderate	111	PM ₁₀	1
44	Charkhi Dadri	Satisfactory	63	PM _{2.5}	1
45	Chennai	Satisfactory	82	CO, PM _{2.5}	8
46	Chhal	Satisfactory	65	PM ₁₀	1
47	Chhapra	Moderate	174	PM ₁₀	1
48	Chikkaballapur	Good	34	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bider, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonipat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	56	PM ₁₀	1
50	Chittoor	Satisfactory	75	PM _{2.5}	1
51	Chittorgarh	Satisfactory	86	PM ₁₀	1
52	Churu	Moderate	102	O ₃	1
53	Cuddalore	Satisfactory	98	NO ₂	2
54	Damoh	Good	31	PM ₁₀	1
55	Dausa	Satisfactory	88	PM ₁₀	1
56	Davanagere	Good	38	PM _{2.5}	1
57	Dehradun	Satisfactory	72	O ₃	1
58	Delhi	Satisfactory	96	PM _{2.5} , PM ₁₀	38
59	Dewas	Moderate	120	PM ₁₀	1
60	Dharuhera	Moderate	103	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidadar, Brajrajnagar, Buxar, Byrnihat,

Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonapat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharwad	Satisfactory	80	CO	1
62	Dholpur	Moderate	111	O ₃	1
63	Durgapur	Moderate	123	PM ₁₀	1
64	Eloor	Satisfactory	80	PM ₁₀	1
65	Faridabad	Satisfactory	73	PM _{2.5}	3
66	Firozabad	Satisfactory	70	O ₃ , PM ₁₀	2
67	Gadag	Satisfactory	77	PM ₁₀	1
68	Gandhinagar	Satisfactory	96	PM _{2.5} , PM ₁₀	3
69	Gangtok	Good	49	O ₃	1
70	Gaya	Satisfactory	78	PM ₁₀ , PM _{2.5}	3
71	Ghaziabad	Satisfactory	91	PM ₁₀	4
72	Gorakhpur	Satisfactory	92	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonipat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Moderate	102	PM ₁₀	2
74	Gurugram	Moderate	101	PM ₁₀ , PM _{2.5}	3
75	Guwahati	Moderate	111	PM ₁₀	4
76	Gwalior	Moderate	105	O ₃ , PM ₁₀	3
77	Hajipur	Poor	213	PM ₁₀	1
78	Haldia	Satisfactory	54	PM ₁₀	1
79	Hanumangarh	Satisfactory	78	PM ₁₀	1
80	Hapur	Satisfactory	68	O ₃	1
81	Haveri	Good	39	CO	1
82	Hisar	Good	48	PM _{2.5}	1
83	Hosur	Satisfactory	56	PM ₁₀	1
84	Howrah	Satisfactory	87	PM ₁₀	3

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonapat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Satisfactory	92	CO	2
86	Hyderabad	Satisfactory	87	PM ₁₀	14
87	Indore	Satisfactory	94	PM ₁₀	2
88	Jabalpur	Moderate	161	PM ₁₀	1
89	Jaipur	Satisfactory	69	PM ₁₀	6
90	Jaisalmer	Moderate	152	PM ₁₀	1
91	Jalandhar	Satisfactory	57	O ₃	1
92	Jhalawar	Satisfactory	85	PM ₁₀	1
93	Jhansi	Satisfactory	71	O ₃	1
94	Jind	Satisfactory	60	CO	1
95	Jodhpur	Moderate	104	PM ₁₀ , PM _{2.5}	4
96	Kadapa	Satisfactory	56	O ₃	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonipat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Good	45	PM ₁₀	1
98	Kalyan	Satisfactory	86	PM ₁₀	1
99	Kanchipuram	Satisfactory	56	PM ₁₀	1
100	Kannur	Satisfactory	77	PM ₁₀	1
101	Kanpur	Satisfactory	93	CO	3
102	Karauli	Satisfactory	72	PM ₁₀	1
103	Karnal	Good	43	PM ₁₀	1
104	Katihar	Poor	217	PM ₁₀	1
105	Katni	Moderate	122	PM ₁₀	1
106	Keonjhar	Moderate	104	PM ₁₀	1
107	Khanna	Satisfactory	72	PM ₁₀	1
108	Khurja	Moderate	105	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidadar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonapat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kishanganj	Moderate	136	PM ₁₀	1
110	Kochi	Satisfactory	73	PM ₁₀	1
111	Kohima	Satisfactory	58	PM _{2.5}	1
112	Kolhapur	Satisfactory	79	PM ₁₀	2
113	Kolkata	Satisfactory	77	PM ₁₀ , O ₃	7
114	Kollam	Satisfactory	60	PM _{2.5}	1
115	Korba	Satisfactory	86	PM ₁₀	2
116	Kota	Moderate	121	PM ₁₀ , PM _{2.5}	3
117	Kunjemura	Satisfactory	89	PM ₁₀	1
118	Kurukshetra	Satisfactory	56	O ₃	1
119	Latur	Satisfactory	93	PM ₁₀	1
120	Lucknow	Satisfactory	90	PM ₁₀	6

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidadar, Brajrajnagar, Buxar, Byrnihat,

Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonapat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Satisfactory	86	PM ₁₀	1
122	Madikeri	Good	26	O ₃	1
123	Mandi Gobindgarh	Satisfactory	81	PM ₁₀	1
124	Mandideep	Moderate	108	PM ₁₀	1
125	Mandikhera	Good	29	PM _{2.5}	1
126	Manesar	Satisfactory	76	PM ₁₀	1
127	Mangalore	Good	46	PM ₁₀	1
128	Manguraha	Moderate	120	PM ₁₀	1
129	Meerut	Satisfactory	77	PM ₁₀ , O ₃	3
130	Milupara	Good	48	PM ₁₀	1
131	Moradabad	Satisfactory	68	PM _{2.5}	6
132	Motihari	Moderate	137	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidadar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonapat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mumbai	Satisfactory	89	CO, PM ₁₀	17
134	Muzaffarnagar	Satisfactory	73	PM ₁₀	1
135	Muzaffarpur	Moderate	176	PM _{2.5} , CO	3
136	Mysuru	Satisfactory	54	PM ₁₀	1
137	Nagaon	Moderate	104	PM ₁₀	1
138	Nagpur	Satisfactory	89	PM ₁₀	1
139	Naharlagun	Satisfactory	55	PM _{2.5}	1
140	Nalbari	Moderate	140	PM ₁₀	1
141	Narnaul	Good	48	PM ₁₀	1
142	Nashik	Satisfactory	82	PM ₁₀	3
143	Navi Mumbai	Moderate	125	PM ₁₀	2
144	Nayagarh	Moderate	113	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidadar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonapat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Noida	Satisfactory	96	CO, PM ₁₀	4
146	Ooty	Satisfactory	76	PM ₁₀	1
147	Pali	Moderate	102	PM ₁₀	1
148	Palkalaiperur	Satisfactory	63	SO ₂	1
149	Palwal	Good	50	PM ₁₀	1
150	Patiala	Good	38	O ₃	1
151	Patna	Moderate	172	PM _{2.5} , NO ₂	6
152	Pimpri Chinchwad	Moderate	130	PM _{2.5}	1
153	Pithampur	Moderate	107	PM ₁₀	1
154	Pratapgarh	Satisfactory	80	PM ₁₀	1
155	Prayagraj	Satisfactory	58	PM ₁₀	3
156	Puducherry	Satisfactory	53	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonipat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pune	Moderate	110	NO ₂ , PM ₁₀	5
158	Purnia	Moderate	182	PM ₁₀	1
159	Raipur	Satisfactory	89	PM ₁₀	4
160	Rairangpur	Satisfactory	74	PM _{2.5}	1
161	Rajamahendravaram	Satisfactory	73	PM ₁₀	1
162	Rajgir	Moderate	109	PM ₁₀	1
163	Rajsamand	Moderate	134	PM ₁₀	1
164	Ramanagara	Satisfactory	72	O ₃	1
165	Rohtak	Satisfactory	95	SO ₂	1
166	Rourkela	Moderate	122	PM ₁₀	2
167	Rupnagar	Satisfactory	55	CO	1
168	Sagar	Moderate	102	O ₃	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidadar, Brajrajnagar, Buxar, Byrnihat,

Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonapat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Saharsa	Moderate	151	PM ₁₀	1
170	Samastipur	Moderate	144	PM ₁₀	1
171	Satna	Moderate	106	PM ₁₀	1
172	Sawai Madhopur	Satisfactory	82	PM ₁₀	1
173	Shillong	Satisfactory	73	PM _{2.5}	1
174	Shivamogga	Satisfactory	57	PM ₁₀	1
175	Sikar	Satisfactory	89	O ₃	1
176	Silchar	Good	33	CO	1
177	Siliguri	Satisfactory	75	PM ₁₀	1
178	Singrauli	Moderate	136	PM ₁₀	1
179	Sirsa	Satisfactory	63	PM ₁₀	1
180	Sivasagar	Good	40	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonipat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siwan	Moderate	139	PM ₁₀	1
182	Solapur	Moderate	140	PM _{2.5} , PM ₁₀	2
183	Sri Ganganagar	Satisfactory	70	PM ₁₀	1
184	Srinagar	Good	36	PM ₁₀	1
185	Suakati	Satisfactory	93	PM ₁₀	1
186	Surat	Satisfactory	96	PM ₁₀	1
187	Talcher	Satisfactory	88	CO	1
188	Tensa	Satisfactory	84	PM ₁₀	1
189	Thane	Satisfactory	96	PM ₁₀	1
190	Thiruvananthapuram	Good	36	PM _{2.5} , CO	2
191	Thoothukudi	Satisfactory	59	PM ₁₀	1
192	Thrissur	Satisfactory	75	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonipat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tirupati	Satisfactory	84	PM _{2.5}	2
194	Tirupur	Good	42	PM ₁₀	1
195	Tumakuru	Satisfactory	94	PM ₁₀	1
196	Udaipur	Satisfactory	94	PM ₁₀	1
197	Vapi	Satisfactory	67	PM _{2.5}	1
198	Varanasi	Satisfactory	78	PM ₁₀	4
199	Vatva	Moderate	144	PM _{2.5}	1
200	Vijayapura	Good	50	PM ₁₀	1
201	Vijayawada	Good	45	CO	1
202	Visakhapatnam	Moderate	126	PM ₁₀	1
203	Vrindavan	Moderate	131	PM ₁₀	1
204	Yadgir	Satisfactory	61	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidadar, Brajrajnagar, Buxar, Byrnihat,

Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonapat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yamunanagar	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Araria, Arrah, Banowara, Baran, Bhilwara, Bidad, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Imphal, Jhunjhunu, Jorapokhar, Kalaburgi, Kashipur, Kolar, Koppal, Kozhikode, Mailhar, Munger, Nagaur, Nandesari, Panchkula, Panipat, Raichur, Ramanathapuram, Rattlam, Rishikesh, Salem, Sasaram, Sirohi, Sonipat, Tonk, Tumidih, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.