

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	161	PM _{2.5}	1
2	Agra	Satisfactory	62	PM ₁₀	6
3	Ahmedabad	Satisfactory	81	PM ₁₀	6
4	Aizawl	Satisfactory	86	PM ₁₀	1
5	Ajmer	Satisfactory	66	PM ₁₀	1
6	Alwar	Satisfactory	52	NO ₂	1
7	Amaravati	Moderate	110	PM ₁₀	1
8	Ambala	Good	40	O ₃	1
9	Amravati	Moderate	108	PM ₁₀	2
10	Amritsar	Satisfactory	92	PM ₁₀	1
11	Ankleshwar	Satisfactory	70	со	1
12	Ariyalur	Good	50	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	130	PM ₁₀	1
14	Asansol	Moderate	147	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	134	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	82	PM ₁₀	1
17	Baddi	Moderate	112	O ₃	1
18	Bagalkot	Good	45	PM ₁₀	1
19	Baghpat	Satisfactory	96	PM _{2.5}	1
20	Ballabgarh	Satisfactory	78	PM _{2.5}	1
21	Bareilly	Satisfactory	58	PM ₁₀	2
22	Baripada	Moderate	113	PM ₁₀	1
23	Barmer	Satisfactory	79	PM ₁₀	1
24	Bathinda	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	204	PM ₁₀	1
26	Belgaum	Satisfactory	56	PM ₁₀	1
27	Bengaluru	Satisfactory	60	CO, PM _{2.5}	12
28	Bettiah	Poor	203	PM ₁₀	1
29	Bhagalpur	Moderate	106	PM ₁₀ , O ₃	2
30	Bharatpur	Satisfactory	90	03	1
31	Bhilai	Satisfactory	70	PM ₁₀	3
32	Bhiwadi	Moderate	108	PM ₁₀	1
33	Bhiwani	Good	48	СО	1
34	Bhopal	Satisfactory	84	PM ₁₀	2
35	Bidar	Satisfactory	54	NH ₃	1
36	Bihar Sharif	Moderate	109	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Satisfactory	100	PM ₁₀	1
38	Bilaspur	Moderate	103	со	1
39	Bileipada	Moderate	164	PM ₁₀	1
40	Bulandshahr	Moderate	150	03	1
41	Bundi	Moderate	104	PM ₁₀	1
42	Byrnihat	Poor	259	PM ₁₀	1
43	Chamarajanagar	Good	47	PM ₁₀	1
44	Chandigarh	Satisfactory	66	O ₃ , PM ₁₀	3
45	Chandrapur	Moderate	106	PM ₁₀	1
46	Charkhi Dadri	Satisfactory	67	PM _{2.5}	1
47	Chennai	Satisfactory	90	PM _{2.5}	8
48	Chhal	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Moderate	166	PM ₁₀	1
50	Chikkaballapur	Satisfactory	54	PM ₁₀	1
51	Chikkamagaluru	Good	42	PM ₁₀	1
52	Chittoor	Satisfactory	81	03	1
53	Churu	Moderate	114	03	1
54	Cuddalore	Satisfactory	98	NO ₂	2
55	Damoh	Good	35	PM ₁₀	1
56	Dausa	Satisfactory	97	PM ₁₀	1
57	Davanagere	Good	43	PM _{2.5}	1
58	Dehradun	Moderate	101	03	1
59	Delhi	Moderate	120	PM _{2.5} , PM ₁₀	38
60	Dewas	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharuhera	Satisfactory	70	PM ₁₀	1
62	Dharwad	Satisfactory	67	PM ₁₀	1
63	Durgapur	Moderate	147	PM ₁₀	1
64	Eloor	Satisfactory	80	PM ₁₀	1
65	Faridabad	Moderate	108	PM ₁₀ , PM _{2.5}	4
66	Firozabad	Satisfactory	82	O ₃ , PM ₁₀	2
67	Gadag	Good	48	SO ₂	1
68	Gandhinagar	Satisfactory	60	PM _{2.5}	3
69	Gangtok	Satisfactory	62	03	1
70	Gaya	Satisfactory	81	PM ₁₀ , O ₃	3
71	Ghaziabad	Moderate	130	O ₃ , PM ₁₀	4
72	Gorakhpur	Moderate	102	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Moderate	154	03	2
74	Gummidipoondi	Satisfactory	78	PM ₁₀	1
75	Gurugram	Moderate	109	PM _{2.5}	4
76	Guwahati	Moderate	119	PM ₁₀	4
77	Gwalior	Moderate	125	03	3
78	Hajipur	Poor	214	PM ₁₀	1
79	Haldia	Satisfactory	73	PM ₁₀	1
80	Hanumangarh	Satisfactory	86	PM ₁₀	1
81	Hapur	Satisfactory	82	03	1
82	Haveri	Good	38	со	1
83	Hosur	Satisfactory	62	PM ₁₀	1
84	Howrah	Moderate	102	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Moderate	105	CO, PM ₁₀	2
86	Hyderabad	Satisfactory	96	CO, PM ₁₀	13
87	Indore	Satisfactory	70	PM ₁₀	2
88	Jabalpur	Moderate	127	PM ₁₀	1
89	Jaipur	Satisfactory	70	PM ₁₀	6
90	Jalandhar	Good	49	PM ₁₀	1
91	Jhalawar	Satisfactory	65	PM ₁₀	1
92	Jhansi	Satisfactory	77	03	1
93	Jhunjhunu	Satisfactory	93	03	1
94	Jind	Satisfactory	62	со	1
95	Jodhpur	Satisfactory	73	PM ₁₀	4
96	Kadapa	Satisfactory	71	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Good	42	PM ₁₀	1
98	Kalyan	Satisfactory	55	NO ₂	1
99	Kannur	Satisfactory	76	PM ₁₀	1
100	Kanpur	Satisfactory	96	PM ₁₀ , CO	3
101	Karauli	Moderate	105	03	1
102	Karnal	Good	46	PM ₁₀	1
103	Katihar	Poor	214	PM ₁₀	1
104	Katni	Moderate	145	PM ₁₀	1
105	Khanna	Satisfactory	70	PM ₁₀	1
106	Khurja	Satisfactory	84	PM _{2.5}	1
107	Kishanganj	Moderate	168	PM ₁₀	1
108	Kochi	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kohima	Satisfactory	76	PM _{2.5}	1
110	Kolhapur	Satisfactory	64	PM ₁₀	2
111	Kolkata	Satisfactory	87	PM _{2.5} , O ₃	7
112	Kollam	Satisfactory	56	PM _{2.5}	1
113	Korba	Satisfactory	84	PM ₁₀	2
114	Kota	Moderate	105	PM ₁₀ , PM _{2.5}	3
115	Kunjemura	Moderate	103	PM ₁₀	1
116	Kurukshetra	Satisfactory	80	O ₃	1
117	Lucknow	Satisfactory	94	PM ₁₀	6
118	Ludhiana	Satisfactory	65	PM ₁₀	1
119	Madikeri	Good	26	03	1
120	Mandi Gobindgarh	Satisfactory	100	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandideep	Moderate	121	O ₃	1
122	Mandikhera	Good	26	SO ₂	1
123	Manesar	Satisfactory	74	PM ₁₀	1
124	Mangalore	Satisfactory	52	PM ₁₀	1
125	Manguraha	Moderate	109	03	1
126	Meerut	Satisfactory	94	03	3
127	Moradabad	Satisfactory	72	PM ₁₀ , PM _{2.5}	6
128	Motihari	Moderate	124	PM ₁₀	1
129	Mumbai	Satisfactory	84	PM ₁₀	17
130	Munger	Moderate	193	PM ₁₀	1
131	Muzaffarnagar	Satisfactory	76	PM ₁₀	1
132	Muzaffarpur	Moderate	157	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mysuru	Satisfactory	61	O ₃	1
134	Nagaon	Moderate	150	O ₃	1
135	Nagpur	Satisfactory	78	PM ₁₀	1
136	Naharlagun	Satisfactory	55	PM _{2.5}	1
137	Nalbari	Moderate	159	PM ₁₀	1
138	Narnaul	Satisfactory	55	PM ₁₀	1
139	Nashik	Satisfactory	61	PM ₁₀	3
140	Navi Mumbai	Satisfactory	82	PM ₁₀	2
141	Nayagarh	Moderate	188	PM ₁₀	1
142	Noida	Moderate	122	NO ₂ , PM ₁₀	4
143	Ooty	Satisfactory	94	PM ₁₀	1
144	Pali	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good
Satisfactory
Moderate
Poor
Very Poor
Severe
Moderate Poor Very Poor

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palkalaiperur	Satisfactory	63	SO ₂	1
146	Palwal	Satisfactory	56	PM ₁₀	1
147	Patiala	Satisfactory	70	03	1
148	Patna	Moderate	170	PM _{2.5} , NO ₂	6
149	Pimpri Chinchwad	Moderate	166	PM _{2.5}	2
150	Pithampur	Satisfactory	94	PM ₁₀	1
151	Pratapgarh	Satisfactory	90	PM ₁₀	1
152	Prayagraj	Satisfactory	57	PM ₁₀	3
153	Puducherry	Satisfactory	60	O ₃	1
154	Pune	Moderate	108	NO ₂ , PM _{2.5}	5
155	Purnia	Moderate	142	PM ₁₀	1
156	Raichur	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raipur	Satisfactory	98	PM ₁₀	4
158	Rairangpur	Satisfactory	82	PM ₁₀	1
159	Rajamahendravaram	Satisfactory	95	PM ₁₀	1
160	Ramanagara	Satisfactory	62	03	1
161	Ramanathapuram	Moderate	127	со	1
162	Rishikesh	Good	39	PM ₁₀	1
163	Rohtak	Satisfactory	83	SO ₂	1
164	Rourkela	Moderate	128	PM ₁₀	2
165	Rupnagar	Satisfactory	89	PM ₁₀	1
166	Sagar	Moderate	103	O ₃	1
167	Saharsa	Moderate	185	03	1
168	Samastipur	Moderate	142	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Satna	Satisfactory	80	PM ₁₀	1
170	Sawai Madhopur	Satisfactory	86	PM ₁₀	1
171	Shillong	Satisfactory	98	PM ₁₀	1
172	Shivamogga	Good	49	PM _{2.5}	1
173	Sikar	Satisfactory	73	03	1
174	Silchar	Good	36	PM ₁₀	1
175	Siliguri	Satisfactory	90	PM ₁₀	1
176	Singrauli	Moderate	148	PM ₁₀	1
177	Sirsa	Satisfactory	59	O ₃	1
178	Sivasagar	Good	43	PM ₁₀	1
179	Siwan	Moderate	152	PM ₁₀	1
180	Solapur	Moderate	166	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sri Ganganagar	Satisfactory	77	03	1
182	Srinagar	Good	48	PM ₁₀	1
183	Suakati	Moderate	154	03	1
184	Talcher	Satisfactory	82	PM ₁₀	1
185	Tensa	Satisfactory	58	PM ₁₀	1
186	Thane	Satisfactory	80	PM ₁₀	1
187	Thiruvananthapuram	Good	44	PM _{2.5} , CO	2
188	Thoothukudi	Satisfactory	54	PM ₁₀	1
189	Thrissur	Satisfactory	64	PM ₁₀	1
190	Tirupati	Satisfactory	68	NO ₂	2
191	Tumakuru	Moderate	107	PM ₁₀	1
192	Tumidih	Poor	208	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udaipur	Moderate	112	PM ₁₀	1
194	Ujjain	Moderate	135	PM _{2.5}	1
195	Vapi	Good	46	PM _{2.5}	1
196	Varanasi	Satisfactory	75	PM ₁₀	4
197	Vatva	Satisfactory	88	PM _{2.5}	1
198	Vijayapura	Good	49	PM ₁₀	1
199	Vijayawada	Satisfactory	74	PM _{2.5}	1
200	Visakhapatnam	Moderate	153	PM _{2.5}	1
201	Vrindavan	Moderate	106	PM ₁₀	1
202	Yadgir	Satisfactory	62	PM ₁₀	1
203	Yamunanagar	Satisfactory	86	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.