



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	174	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	91	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	97	PM <sub>10</sub>	5
4	Aizawl	Satisfactory	80	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	81	PM <sub>10</sub>	1
6	Alwar	Satisfactory	66	PM <sub>10</sub>	1
7	Amaravati	Moderate	123	PM <sub>10</sub>	1
8	Ambala	Good	48	PM <sub>10</sub>	1
9	Amravati	Moderate	108	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	99	PM <sub>10</sub>	1
11	Anantapur	Moderate	102	PM <sub>10</sub>	1
12	Ankleshwar	Satisfactory	54	CO	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	50	NO <sub>2</sub>	1
14	Arrah	Moderate	127	PM <sub>10</sub>	1
15	Asansol	Moderate	133	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	61	PM <sub>10</sub>	1
17	Baddi	Moderate	199	O <sub>3</sub>	1
18	Bagalkot	Good	42	PM <sub>10</sub>	1
19	Baghpat	Moderate	104	PM <sub>10</sub>	1
20	Bahadurgarh	Satisfactory	100	PM <sub>2.5</sub>	1
21	Ballabgarh	Satisfactory	75	PM <sub>10</sub>	1
22	Banswara	Moderate	179	CO	1
23	Bareilly	Satisfactory	52	PM <sub>10</sub>	2
24	Baripada	Satisfactory	98	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	103	PM <sub>10</sub>	1
26	Bathinda	Moderate	101	PM <sub>10</sub>	1
27	Begusarai	Poor	228	PM <sub>10</sub>	1
28	Belgaum	Satisfactory	53	PM <sub>10</sub>	1
29	Bengaluru	Satisfactory	73	PM <sub>2.5</sub> , PM <sub>10</sub>	10
30	Bhagalpur	Poor	216	PM <sub>10</sub>	2
31	Bharatpur	Moderate	120	PM <sub>10</sub>	1
32	Bhilai	Satisfactory	68	PM <sub>10</sub>	2
33	Bhiwadi	Moderate	150	PM <sub>10</sub>	1
34	Bhiwani	Satisfactory	61	PM <sub>2.5</sub>	1
35	Bhopal	Satisfactory	100	PM <sub>10</sub>	2
36	Bidar	Satisfactory	55	NH <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonapat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	113	PM <sub>10</sub>	1
38	Bikaner	Moderate	112	PM <sub>10</sub>	1
39	Bileipada	Moderate	168	PM <sub>10</sub>	1
40	Bulandshahr	Moderate	104	PM <sub>10</sub>	1
41	Bundi	Moderate	131	PM <sub>10</sub>	1
42	Chamarajanagar	Good	41	PM <sub>10</sub>	1
43	Chandigarh	Moderate	125	O <sub>3</sub>	3
44	Chandrapur	Moderate	104	PM <sub>10</sub>	1
45	Charkhi Dadri	Moderate	102	PM <sub>2.5</sub>	1
46	Chennai	Satisfactory	92	PM <sub>2.5</sub>	8
47	Chhal	Satisfactory	78	PM <sub>10</sub>	1
48	Chhapra	Moderate	174	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonapat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Satisfactory	66	PM <sub>10</sub>	1
50	Chikkamagaluru	Good	37	O <sub>3</sub>	1
51	Chittoor	Satisfactory	80	O <sub>3</sub>	1
52	Chittorgarh	Satisfactory	90	PM <sub>10</sub>	1
53	Churu	Moderate	120	O <sub>3</sub>	1
54	Cuddalore	Moderate	110	NO <sub>2</sub>	2
55	Damoh	Good	33	PM <sub>10</sub>	1
56	Dausa	Moderate	144	PM <sub>10</sub>	1
57	Davanagere	Good	37	PM <sub>2.5</sub>	1
58	Dehradun	Satisfactory	96	O <sub>3</sub>	1
59	Delhi	Moderate	121	O <sub>3</sub> , PM <sub>10</sub>	37
60	Dewas	Moderate	116	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonapat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Poor	202	PM <sub>2.5</sub>	1
62	Dharuhera	Moderate	154	PM <sub>10</sub>	1
63	Dharwad	Satisfactory	68	PM <sub>10</sub>	1
64	Dholpur	Moderate	119	PM <sub>10</sub>	1
65	Durgapur	Moderate	138	PM <sub>10</sub>	1
66	Eloor	Satisfactory	80	PM <sub>10</sub>	1
67	Faridabad	Satisfactory	100	PM <sub>2.5</sub>	4
68	Fatehabad	Poor	209	O <sub>3</sub>	1
69	Firozabad	Moderate	144	O <sub>3</sub> , PM <sub>10</sub>	2
70	Gadag	Satisfactory	54	PM <sub>10</sub>	1
71	Gandhinagar	Satisfactory	66	PM <sub>2.5</sub>	3
72	Gangtok	Satisfactory	61	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gaya	Satisfactory	83	PM <sub>10</sub> , PM <sub>2.5</sub>	3
74	Ghaziabad	Moderate	136	O <sub>3</sub> , PM <sub>10</sub>	4
75	Gorakhpur	Moderate	106	PM <sub>10</sub>	1
76	Greater Noida	Moderate	186	O <sub>3</sub>	2
77	Gummidipoondi	Moderate	103	PM <sub>10</sub>	1
78	Gurugram	Moderate	133	PM <sub>2.5</sub>	4
79	Guwahati	Moderate	124	PM <sub>10</sub>	4
80	Gwalior	Moderate	125	O <sub>3</sub> , PM <sub>10</sub>	3
81	Hajipur	Moderate	147	PM <sub>10</sub>	1
82	Haldia	Satisfactory	79	PM <sub>10</sub>	1
83	Hanumangarh	Satisfactory	98	PM <sub>10</sub>	1
84	Hapur	Satisfactory	86	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udipi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hisar	Satisfactory	71	PM <sub>2.5</sub>	1
86	Hosur	Satisfactory	92	PM <sub>10</sub>	1
87	Howrah	Satisfactory	87	PM <sub>10</sub>	3
88	Hubballi	Satisfactory	92	CO	2
89	Hyderabad	Satisfactory	88	PM <sub>10</sub>	12
90	Indore	Satisfactory	79	PM <sub>10</sub>	2
91	Jabalpur	Moderate	128	PM <sub>10</sub>	1
92	Jaipur	Satisfactory	100	PM <sub>10</sub>	6
93	Jaisalmer	Moderate	140	PM <sub>10</sub>	1
94	Jalandhar	Satisfactory	63	PM <sub>10</sub>	1
95	Jhalawar	Satisfactory	78	PM <sub>10</sub>	1
96	Jhansi	Satisfactory	82	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhunjhunu	Satisfactory	98	O <sub>3</sub>	1
98	Jind	Satisfactory	60	PM <sub>2.5</sub>	1
99	Jodhpur	Satisfactory	96	PM <sub>10</sub>	4
100	Kadapa	Satisfactory	52	O <sub>3</sub>	1
101	Kaithal	Satisfactory	59	PM <sub>10</sub>	1
102	Kalyan	Satisfactory	55	NO <sub>2</sub>	1
103	Kannur	Satisfactory	78	PM <sub>10</sub>	1
104	Kanpur	Moderate	112	PM <sub>10</sub>	3
105	Karauli	Moderate	101	PM <sub>10</sub>	1
106	Karnal	Satisfactory	55	PM <sub>2.5</sub>	1
107	Katni	Moderate	119	PM <sub>10</sub>	1
108	Khanna	Satisfactory	75	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Satisfactory	75	PM <sub>2.5</sub>	1
110	Kochi	Satisfactory	83	PM <sub>10</sub>	1
111	Kohima	Satisfactory	76	PM <sub>2.5</sub>	1
112	Kolhapur	Satisfactory	52	PM <sub>10</sub>	2
113	Kolkata	Satisfactory	79	PM <sub>2.5</sub> , O <sub>3</sub>	7
114	Korba	Satisfactory	62	PM <sub>10</sub>	2
115	Kota	Moderate	111	PM <sub>10</sub> , PM <sub>2.5</sub>	3
116	Kunjemura	Moderate	106	PM <sub>10</sub>	1
117	Kurukshetra	Satisfactory	74	O <sub>3</sub>	1
118	Lucknow	Moderate	102	PM <sub>10</sub>	6
119	Ludhiana	Satisfactory	58	PM <sub>10</sub>	1
120	Madikeri	Good	33	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandi Gobindgarh	Satisfactory	81	PM <sub>10</sub>	1
122	Mandideep	Moderate	162	O <sub>3</sub>	1
123	Mandikhera	Satisfactory	65	PM <sub>10</sub>	1
124	Manesar	Moderate	121	PM <sub>2.5</sub>	1
125	Mangalore	Satisfactory	62	PM <sub>10</sub>	1
126	Meerut	Moderate	104	PM <sub>10</sub> , O <sub>3</sub>	3
127	Milupara	Satisfactory	66	PM <sub>10</sub>	1
128	Moradabad	Satisfactory	71	PM <sub>10</sub>	6
129	Motihari	Moderate	144	PM <sub>10</sub>	1
130	Mumbai	Satisfactory	74	PM <sub>10</sub>	17
131	Munger	Poor	226	PM <sub>10</sub>	1
132	Muzaffarnagar	Satisfactory	98	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Muzaffarpur	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	3
134	Mysuru	Satisfactory	60	PM <sub>10</sub>	1
135	Nagaon	Moderate	152	O <sub>3</sub>	1
136	Nagpur	Satisfactory	88	PM <sub>10</sub>	1
137	Naharlagun	Satisfactory	55	PM <sub>2.5</sub>	1
138	Nalbari	Moderate	187	PM <sub>10</sub>	1
139	Narnaul	Satisfactory	78	PM <sub>10</sub>	1
140	Nashik	Satisfactory	61	PM <sub>10</sub>	3
141	Navi Mumbai	Satisfactory	67	CO	2
142	Noida	Moderate	115	PM <sub>10</sub>	4
143	Ooty	Satisfactory	98	PM <sub>10</sub>	1
144	Palkalaiperur	Satisfactory	62	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udipi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palwal	Satisfactory	73	PM <sub>10</sub>	1
146	Patiala	Satisfactory	59	PM <sub>10</sub>	1
147	Patna	Moderate	184	PM <sub>2.5</sub> , NO <sub>2</sub>	6
148	Pimpri Chinchwad	Satisfactory	76	PM <sub>2.5</sub> , PM <sub>10</sub>	2
149	Pithampur	Satisfactory	95	PM <sub>10</sub>	1
150	Pratapgarh	Moderate	108	PM <sub>10</sub>	1
151	Prayagraj	Satisfactory	62	PM <sub>10</sub>	3
152	Puducherry	Satisfactory	66	PM <sub>10</sub>	1
153	Pune	Moderate	120	NO <sub>2</sub> , PM <sub>2.5</sub>	3
154	Purnia	Moderate	165	PM <sub>2.5</sub>	1
155	Raichur	Satisfactory	89	PM <sub>10</sub>	1
156	Raipur	Satisfactory	85	PM <sub>10</sub>	4

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rairangpur	Satisfactory	91	PM <sub>10</sub>	1
158	Rajamahendravaram	Moderate	108	PM <sub>10</sub>	1
159	Rajgir	Moderate	106	PM <sub>10</sub>	1
160	Rajsamand	Moderate	126	PM <sub>10</sub>	1
161	Ramanagara	Satisfactory	66	PM <sub>10</sub>	1
162	Ramanathapuram	Moderate	126	CO	1
163	Rishikesh	Good	38	PM <sub>10</sub>	1
164	Rohtak	Satisfactory	51	PM <sub>2.5</sub>	1
165	Rourkela	Moderate	139	PM <sub>10</sub>	2
166	Rupnagar	Moderate	132	PM <sub>10</sub>	1
167	Sagar	Moderate	105	O <sub>3</sub>	1
168	Saharsa	Moderate	189	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sasaram	Moderate	104	O <sub>3</sub>	1
170	Satna	Satisfactory	82	PM <sub>10</sub>	1
171	Sawai Madhopur	Moderate	108	PM <sub>10</sub>	1
172	Shillong	Satisfactory	83	PM <sub>10</sub>	1
173	Shivamogga	Good	50	PM <sub>10</sub>	1
174	Sikar	Satisfactory	91	PM <sub>10</sub>	1
175	Silchar	Good	35	PM <sub>10</sub>	1
176	Siliguri	Satisfactory	93	PM <sub>10</sub>	1
177	Singrauli	Moderate	136	PM <sub>10</sub>	1
178	Sirsa	Satisfactory	69	O <sub>3</sub>	1
179	Sivasagar	Good	36	PM <sub>2.5</sub>	1
180	Siwan	Moderate	142	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Solapur	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	2
182	Srinagar	Satisfactory	51	PM <sub>10</sub>	1
183	Surat	Satisfactory	57	PM <sub>2.5</sub>	1
184	Talcher	Satisfactory	54	PM <sub>2.5</sub>	1
185	Tensa	Moderate	105	PM <sub>10</sub>	1
186	Thane	Satisfactory	82	PM <sub>10</sub>	1
187	Thiruvananthapuram	Good	38	PM <sub>2.5</sub> , CO	2
188	Thoothukudi	Satisfactory	53	PM <sub>10</sub>	1
189	Thrissur	Satisfactory	66	PM <sub>10</sub>	1
190	Tirupati	Satisfactory	73	PM <sub>10</sub>	1
191	Tumakuru	Moderate	116	PM <sub>10</sub>	1
192	Udaipur	Moderate	127	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonapat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udipi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Jun 03, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Ujjain	Moderate	120	PM <sub>2.5</sub>	1
194	Varanasi	Satisfactory	86	PM <sub>10</sub>	4
195	Vatva	Moderate	104	PM <sub>10</sub>	1
196	Vijayapura	Good	49	PM <sub>10</sub>	1
197	Vrindavan	Moderate	139	PM <sub>10</sub>	1
198	Yadgir	Satisfactory	72	PM <sub>10</sub>	1
199	Yamunanagar	Satisfactory	70	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hassen, Haveri, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Katihar, Keonjhar, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Manguraha, Nagaur, Nandesari, Nayagarh, Pali, Panchkula, Panipat, Ratlam, Salem, Samastipur, Sirohi, Sonipat, Sri Ganganagar, Suakati, Tirupur, Tonk, Tumidih, Udupi, Vapi, Vijayawada, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: