

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	164	PM _{2.5}	1
2	Agra	Satisfactory	92	PM ₁₀	6
3	Ahmedabad	Satisfactory	94	PM ₁₀	5
4	Aizawl	Satisfactory	79	PM ₁₀	1
5	Ajmer	Moderate	123	PM ₁₀	1
6	Alwar	Satisfactory	63	PM ₁₀	1
7	Amaravati	Moderate	104	PM ₁₀	1
8	Ambala	Satisfactory	64	PM _{2.5}	1
9	Amravati	Moderate	106	PM ₁₀	2
10	Amritsar	Moderate	109	PM ₁₀	1
11	Anantapur	Satisfactory	85	PM ₁₀	1
12	Ankleshwar	Moderate	158	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

ra, Bidar, Brajrajnagar, Buxar, Byrnihat, Che

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Moderate	169	PM ₁₀	1
14	Ariyalur	Satisfactory	61	PM ₁₀	1
15	Arrah	Moderate	124	PM ₁₀	1
16	Asansol	Moderate	108	PM ₁₀	1
17	Aurangabad (Bihar)	Moderate	161	PM ₁₀	1
18	Aurangabad (Maharashtra)	Satisfactory	70	PM ₁₀	1
19	Baddi	Moderate	174	O ₃	1
20	Bahadurgarh	Moderate	134	PM _{2.5}	1
21	Ballabgarh	Satisfactory	79	PM ₁₀	1
22	Banswara	Satisfactory	80	03	1
23	Bareilly	Satisfactory	76	PM ₁₀	2
24	Baripada	Satisfactory	76	03	1

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	101	PM ₁₀	1
26	Bathinda	Moderate	194	PM ₁₀	1
27	Begusarai	Poor	283	PM ₁₀	1
28	Belgaum	Good	48	СО	1
29	Bengaluru	Satisfactory	71	PM _{2.5} , PM ₁₀	11
30	Bettiah	Moderate	163	PM ₁₀	1
31	Bhagalpur	Moderate	144	PM ₁₀	2
32	Bharatpur	Satisfactory	92	PM ₁₀	1
33	Bhilai	Satisfactory	68	PM ₁₀	2
34	Bhiwadi	Moderate	141	PM ₁₀	1
35	Bhiwani	Satisfactory	72	PM _{2.5}	1
36	Bhopal	Satisfactory	89	O ₃ , PM ₁₀	2

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

ra, Bidar, Brajrajnagar, Buxar, Byrnihat, Che

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	165	PM ₁₀	1
38	Bikaner	Satisfactory	83	O ₃	1
39	Bilaspur	Satisfactory	75	со	1
40	Bileipada	Moderate	166	PM ₁₀	1
41	Bulandshahr	Moderate	111	PM ₁₀	1
42	Bundi	Moderate	157	PM ₁₀	1
43	Chamarajanagar	Good	45	PM ₁₀	1
44	Chandigarh	Moderate	121	O ₃ , PM ₁₀	3
45	Chandrapur	Moderate	104	PM ₁₀	1
46	Charkhi Dadri	Moderate	199	PM _{2.5}	1
47	Chennai	Satisfactory	80	CO, PM _{2.5}	8
48	Chhal	Satisfactory	71	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

— Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpatte

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Poor	211	PM ₁₀	1
50	Chikkaballapur	Satisfactory	65	PM ₁₀	1
51	Chittoor	Satisfactory	76	PM _{2.5}	1
52	Chittorgarh	Satisfactory	91	03	1
53	Cuddalore	Satisfactory	98	NO ₂	2
54	Damoh	Good	17	PM ₁₀	1
55	Dausa	Moderate	114	PM ₁₀	1
56	Davanagere	Good	41	PM _{2.5}	1
57	Dehradun	Satisfactory	91	O ₃	1
58	Delhi	Moderate	171	PM _{2.5} , PM ₁₀	37
59	Dewas	Satisfactory	79	PM ₁₀	1
60	Dharuhera	Moderate	174	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharwad	Satisfactory	51	PM ₁₀	1
62	Dholpur	Moderate	108	03	1
63	Durgapur	Moderate	143	PM ₁₀	1
64	Eloor	Satisfactory	80	PM ₁₀	1
65	Faridabad	Moderate	127	PM _{2.5}	4
66	Fatehabad	Poor	241	O ₃	1
67	Firozabad	Moderate	146	O ₃ , PM _{2.5}	2
68	Gadag	Good	47	SO ₂	1
69	Gandhinagar	Satisfactory	80	PM _{2.5} , PM ₁₀	3
70	Gangtok	Satisfactory	67	O ₃	1
71	Gaya	Moderate	103	PM ₁₀ , PM _{2.5}	3
72	Ghaziabad	Moderate	142	PM ₁₀	4

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

ra, Bidar, Brajrajnagar, Buxar, Byrnihat, Che

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam Hisar, Imphal, Jhalawar, Jorapokhar, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Mandideep, Nagaur, Naharlagun, Nandesari, Pali, Panchkula, Purnia, Rajamahendravaram, Ratlam, Rupnagar, Salem, Shivamogga, Sirohi, Srinagar, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Moderate	111	PM ₁₀	1
74	Greater Noida	Moderate	196	O ₃	2
75	Gummidipoondi	Moderate	144	PM ₁₀	1
76	Gurugram	Moderate	169	PM _{2.5}	4
77	Guwahati	Moderate	107	O ₃ , PM ₁₀	4
78	Gwalior	Moderate	150	O ₃	2
79	Hajipur	Moderate	178	PM ₁₀	1
80	Haldia	Satisfactory	67	PM ₁₀	1
81	Hanumangarh	Satisfactory	90	PM ₁₀	1
82	Hapur	Satisfactory	100	O ₃	1
83	Hassan	Satisfactory	68	PM ₁₀	1
84	Haveri	Good	37	СО	1

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,


ra, Bidar, Brajrajnagar, Buxar, Byrnihat, Che

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam Hisar, Imphal, Jhalawar, Jorapokhar, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Latur, Maihar, Mandideep, Nagaur, Naharlagun, Nandesari, Pali, Panchkula, Purnia, Rajamahendravaram, Ratlam, Rupnagar, Salem, Shivamogga, Sirohi, Srinagar, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hosur	Satisfactory	66	PM ₁₀	1
86	Howrah	Satisfactory	79	PM ₁₀	3
87	Hubballi	Satisfactory	94	CO, PM ₁₀	2
88	Hyderabad	Satisfactory	79	PM ₁₀	12
89	Indore	Satisfactory	56	NO ₂	2
90	Jabalpur	Satisfactory	96	PM ₁₀	1
91	Jaipur	Satisfactory	84	PM ₁₀	6
92	Jaisalmer	Moderate	118	PM ₁₀	1
93	Jalandhar	Moderate	119	PM _{2.5}	1
94	Jhansi	Satisfactory	73	O ₃	1
95	Jhunjhunu	Moderate	168	PM ₁₀	1
96	Jind	Satisfactory	70	СО	1

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Satisfactory	82	O ₃	2
98	Kadapa	Good	29	NO ₂	1
99	Kaithal	Satisfactory	85	PM ₁₀	1
100	Kalaburgi	Good	33	со	1
101	Kalyan	Satisfactory	55	NO ₂	1
102	Kanchipuram	Satisfactory	65	PM ₁₀	1
103	Kannur	Satisfactory	77	PM ₁₀	1
104	Kanpur	Moderate	134	PM ₁₀	3
105	Karauli	Moderate	116	O ₃	1
106	Karnal	Satisfactory	72	PM ₁₀	1
107	Katihar	Poor	248	PM ₁₀	1
108	Katni	Moderate	134	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

ra, Bidar, Brajrajnagar, Buxar, Byrnihat, Che

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Satisfactory	89	PM ₁₀	1
110	Khurja	Satisfactory	92	PM _{2.5}	1
111	Kishanganj	Moderate	148	PM ₁₀	1
112	Kochi	Satisfactory	71	со	1
113	Kohima	Satisfactory	76	PM _{2.5}	1
114	Kolhapur	Good	36	O ₃ , PM _{2.5}	2
115	Kolkata	Satisfactory	77	PM ₁₀	7
116	Korba	Satisfactory	61	PM ₁₀	2
117	Kota	Moderate	109	PM ₁₀ , PM _{2.5}	3
118	Kunjemura	Satisfactory	90	PM ₁₀	1
119	Kurukshetra	Satisfactory	98	O ₃	1
120	Lucknow	Moderate	120	PM ₁₀	6

Notes:


* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

— Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpatte

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Satisfactory	91	PM ₁₀	1
122	Madikeri	Good	40	PM ₁₀	1
123	Mandi Gobindgarh	Satisfactory	93	PM ₁₀	1
124	Mandikhera	Satisfactory	56	PM ₁₀	1
125	Manesar	Moderate	120	PM _{2.5}	1
126	Mangalore	Satisfactory	69	PM ₁₀	1
127	Manguraha	Moderate	106	O ₃	1
128	Meerut	Moderate	159	PM _{2.5} , O ₃	3
129	Milupara	Satisfactory	58	PM ₁₀	1
130	Moradabad	Moderate	111	PM _{2.5}	6
131	Motihari	Moderate	139	PM ₁₀	1
132	Mumbai	Satisfactory	72	PM ₁₀	16

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

ra, Bidar, Brajrajnagar, Buxar, Byrnihat, Che

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Poor	230	PM ₁₀	1
134	Muzaffarnagar	Moderate	153	PM _{2.5}	1
135	Muzaffarpur	Moderate	189	O ₃ , PM ₁₀	3
136	Mysuru	Satisfactory	61	03	1
137	Nagaon	Moderate	104	PM ₁₀	1
138	Nagpur	Satisfactory	77	PM ₁₀	1
139	Nalbari	Moderate	150	PM ₁₀	1
140	Narnaul	Moderate	171	PM ₁₀	1
141	Nashik	Satisfactory	65	PM ₁₀	3
142	Navi Mumbai	Satisfactory	66	NO ₂	2
143	Nayagarh	Satisfactory	87	PM ₁₀	1
144	Noida	Moderate	137	PM ₁₀	4

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

ra, Bidar, Brajrajnagar, Buxar, Byrnihat, Che

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ooty	Moderate	107	PM ₁₀	1
146	Palkalaiperur	Satisfactory	62	SO ₂	1
147	Palwal	Satisfactory	74	PM ₁₀	1
148	Panipat	Satisfactory	91	PM ₁₀	1
149	Patiala	Satisfactory	89	PM ₁₀	1
150	Patna	Poor	202	PM _{2.5} , NO ₂	6
151	Pimpri Chinchwad	Satisfactory	70	PM ₁₀	2
152	Pithampur	Satisfactory	79	PM ₁₀	1
153	Pratapgarh	Satisfactory	79	03	1
154	Prayagraj	Satisfactory	68	PM ₁₀	3
155	Puducherry	Satisfactory	62	03	1
156	Pune	Moderate	132	NO ₂ , PM _{2.5}	2

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

—Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Cheng

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases


Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raichur	Satisfactory	65	PM ₁₀	1
158	Raipur	Moderate	103	PM _{2.5}	4
159	Rairangpur	Satisfactory	65	PM ₁₀	1
160	Rajgir	Moderate	112	PM ₁₀	1
161	Rajsamand	Satisfactory	54	03	1
162	Ramanagara	Satisfactory	67	PM ₁₀	1
163	Ramanathapuram	Good	43	со	1
164	Rishikesh	Good	46	PM ₁₀	1
165	Rohtak	Satisfactory	54	PM _{2.5}	1
166	Rourkela	Satisfactory	95	PM _{2.5}	2
167	Sagar	Moderate	101	O ₃	1
168	Saharsa	Moderate	187	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

ra, Bidar, Brajrajnagar, Buxar, Byrnihat, Che

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Samastipur	Poor	217	PM ₁₀	1
170	Sasaram	Moderate	102	O ₃	1
171	Satna	Moderate	109	PM ₁₀	1
172	Sawai Madhopur	Satisfactory	77	PM ₁₀	1
173	Shillong	Satisfactory	79	PM ₁₀	1
174	Sikar	Moderate	133	PM ₁₀	1
175	Silchar	Good	32	PM ₁₀	1
176	Siliguri	Satisfactory	74	PM ₁₀	1
177	Singrauli	Moderate	173	PM ₁₀	1
178	Sirsa	Satisfactory	90	PM ₁₀	1
179	Sivasagar	Good	43	PM ₁₀	1
180	Siwan	Moderate	153	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Che

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Solapur	Moderate	122	PM ₁₀	2
182	Sonipat	Moderate	138	PM ₁₀	1
183	Sri Ganganagar	Moderate	138	PM ₁₀	1
184	Surat	Poor	251	PM ₁₀	1
185	Tensa	Satisfactory	79	PM ₁₀	1
186	Thane	Satisfactory	74	PM ₁₀	1
187	Thiruvananthapuram	Good	24	PM ₁₀ , O ₃	2
188	Thoothukudi	Satisfactory	56	PM ₁₀	1
189	Thrissur	Satisfactory	52	PM _{2.5}	1
190	Tirupati	Satisfactory	68	PM ₁₀	1
191	Tumakuru	Moderate	137	PM ₁₀	1
192	Udaipur	Satisfactory	77	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,

ra, Bidar, Brajrajnagar, Buxar, Byrnihat, Che

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vapi	Good	48	СО	1
194	Varanasi	Moderate	112	PM _{2.5} , PM ₁₀	4
195	Vatva	Satisfactory	70	PM ₁₀	1
196	Vijayapura	Good	49	PM ₁₀	1
197	Visakhapatnam	Moderate	102	PM ₁₀	1
198	Vrindavan	Moderate	142	PM ₁₀	1
199	Yamunanagar	Moderate	106	PM ₁₀	1

—Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

 $^{^{\}star}$ AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Baran,