



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	161	PM _{2.5}	1
2	Agra	Satisfactory	65	PM ₁₀	6
3	Ahmedabad	Satisfactory	97	PM ₁₀	5
4	Aizawl	Satisfactory	77	PM ₁₀	1
5	Ajmer	Satisfactory	73	PM ₁₀	1
6	Alwar	Satisfactory	73	PM ₁₀	1
7	Amaravati	Satisfactory	70	CO	1
8	Ambala	Satisfactory	67	PM ₁₀	1
9	Amravati	Satisfactory	76	PM ₁₀	2
10	Amritsar	Moderate	109	PM ₁₀	1
11	Anantapur	Satisfactory	62	PM ₁₀	1
12	Ankleshwar	Satisfactory	59	O ₃	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Moderate	179	PM ₁₀	1
14	Arrah	Moderate	160	PM ₁₀	1
15	Asansol	Satisfactory	95	PM ₁₀	1
16	Aurangabad (Bihar)	Moderate	128	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	74	PM ₁₀	1
18	Baddi	Moderate	161	O ₃	1
19	Bahadurgarh	Moderate	105	PM ₁₀	1
20	Ballabgarh	Satisfactory	94	PM ₁₀	1
21	Banswara	Satisfactory	96	CO	1
22	Bareilly	Satisfactory	76	PM ₁₀	2
23	Baripada	Satisfactory	87	O ₃	1
24	Bathinda	Satisfactory	95	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	255	PM ₁₀	1
26	Bengaluru	Satisfactory	66	CO, PM ₁₀	12
27	Bettiah	Poor	246	PM ₁₀	1
28	Bhagalpur	Moderate	146	PM ₁₀	2
29	Bharatpur	Satisfactory	92	O ₃	1
30	Bhilai	Satisfactory	54	PM ₁₀	2
31	Bhiwadi	Moderate	124	PM ₁₀	1
32	Bhiwani	Satisfactory	85	PM _{2.5}	1
33	Bhopal	Satisfactory	84	O ₃ , PM ₁₀	2
34	Bihar Sharif	Moderate	179	PM ₁₀	1
35	Bikaner	Satisfactory	68	PM ₁₀	1
36	Bilaspur	Satisfactory	68	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	143	PM ₁₀	1
38	Bulandshahr	Moderate	164	O ₃	1
39	Bundi	Moderate	155	O ₃	1
40	Chamarajanagar	Good	41	PM ₁₀	1
41	Chandigarh	Moderate	112	O ₃ , PM ₁₀	3
42	Chandrapur	Satisfactory	91	PM ₁₀	1
43	Charkhi Dadri	Moderate	138	PM _{2.5}	1
44	Chennai	Satisfactory	88	CO	7
45	Chhal	Satisfactory	61	PM ₁₀	1
46	Chhapra	Poor	252	PM ₁₀	1
47	Chikkaballapur	Satisfactory	56	PM ₁₀	1
48	Chikkamagaluru	Good	39	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	60	PM _{2.5}	1
50	Chittorgarh	Moderate	121	CO	1
51	Cuddalore	Moderate	106	NO ₂	2
52	Damoh	Good	19	PM ₁₀	1
53	Dausa	Moderate	109	PM ₁₀	1
54	Davanagere	Good	35	PM _{2.5}	1
55	Dehradun	Satisfactory	84	PM ₁₀	1
56	Delhi	Moderate	166	PM _{2.5} , PM ₁₀	35
57	Dewas	Satisfactory	98	PM ₁₀	1
58	Dharuhera	Moderate	126	PM ₁₀	1
59	Dharwad	Good	45	PM ₁₀	1
60	Dholpur	Moderate	150	O ₃	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Moderate	104	PM ₁₀	1
62	Eloor	Satisfactory	81	PM ₁₀	1
63	Faridabad	Moderate	102	PM ₁₀ , PM _{2.5}	4
64	Fatehabad	Moderate	182	O ₃	1
65	Firozabad	Satisfactory	81	PM ₁₀	2
66	Gandhinagar	Satisfactory	81	PM _{2.5} , PM ₁₀	3
67	Gangtok	Satisfactory	61	O ₃	1
68	Gaya	Satisfactory	98	PM ₁₀ , PM _{2.5}	3
69	Ghaziabad	Moderate	150	O ₃ , PM ₁₀	4
70	Gorakhpur	Moderate	124	PM ₁₀	1
71	Greater Noida	Moderate	148	PM ₁₀	2
72	Gummidipoondi	Satisfactory	79	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Moderate	166	PM _{2.5}	3
74	Guwahati	Satisfactory	94	PM ₁₀	4
75	Gwalior	Moderate	130	O ₃	3
76	Hajipur	Poor	204	PM ₁₀	1
77	Haldia	Satisfactory	55	PM ₁₀	1
78	Hanumangarh	Satisfactory	83	PM ₁₀	1
79	Hapur	Satisfactory	100	O ₃	1
80	Haveri	Good	36	CO	1
81	Hosur	Satisfactory	68	PM ₁₀	1
82	Howrah	Satisfactory	73	PM ₁₀	3
83	Hubballi	Satisfactory	92	CO, PM ₁₀	2
84	Hyderabad	Satisfactory	61	PM ₁₀	12

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	79	PM ₁₀	2
86	Jabalpur	Satisfactory	100	PM ₁₀	1
87	Jaipur	Moderate	113	O ₃ , PM ₁₀	6
88	Jaisalmer	Satisfactory	82	PM ₁₀	1
89	Jalandhar	Satisfactory	95	PM ₁₀	1
90	Jhalawar	Satisfactory	85	O ₃	1
91	Jhansi	Satisfactory	69	O ₃	1
92	Jhunjhunu	Moderate	162	O ₃	1
93	Jind	Satisfactory	81	PM _{2.5}	1
94	Jodhpur	Moderate	109	O ₃ , PM _{2.5}	3
95	Kadapa	Satisfactory	57	O ₃	1
96	Kaithal	Satisfactory	93	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Satisfactory	82	O ₃	1
98	Kannur	Satisfactory	78	PM ₁₀	1
99	Kanpur	Moderate	107	PM ₁₀	3
100	Karauli	Moderate	131	O ₃	1
101	Karnal	Satisfactory	80	PM ₁₀	1
102	Katihar	Moderate	184	PM ₁₀	1
103	Katni	Satisfactory	96	PM ₁₀	1
104	Khanna	Satisfactory	97	PM ₁₀	1
105	Khurja	Moderate	140	PM _{2.5}	1
106	Kishanganj	Moderate	157	PM ₁₀	1
107	Kochi	Satisfactory	74	CO	1
108	Kohima	Satisfactory	78	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolhapur	Good	42	PM ₁₀ , O ₃	2
110	Kolkata	Satisfactory	72	PM ₁₀ , O ₃	7
111	Kollam	Good	49	PM ₁₀	1
112	Korba	Satisfactory	65	PM ₁₀	2
113	Kota	Satisfactory	97	O ₃ , PM ₁₀	3
114	Kunjemura	Satisfactory	70	PM ₁₀	1
115	Kurukshetra	Moderate	181	O ₃	1
116	Latur	Satisfactory	74	PM ₁₀	1
117	Lucknow	Satisfactory	96	PM ₁₀	6
118	Ludhiana	Moderate	104	PM ₁₀	1
119	Madikeri	Good	34	PM ₁₀	1
120	Mandi Gobindgarh	Moderate	125	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Satisfactory	58	PM ₁₀	1
122	Manesar	Moderate	104	PM _{2.5}	1
123	Mangalore	Good	44	PM ₁₀	1
124	Meerut	Moderate	172	O ₃	3
125	Moradabad	Moderate	107	PM _{2.5}	6
126	Motihari	Moderate	200	PM ₁₀	1
127	Mumbai	Satisfactory	73	CO, PM ₁₀	16
128	Munger	Poor	243	PM ₁₀	1
129	Muzaffarnagar	Moderate	143	PM ₁₀	1
130	Muzaffarpur	Poor	225	O ₃ , PM _{2.5}	3
131	Mysuru	Good	49	PM ₁₀	1
132	Nagaon	Moderate	125	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagpur	Satisfactory	77	O ₃	1
134	Nalbari	Moderate	130	PM _{2.5}	1
135	Narnaul	Moderate	121	PM ₁₀	1
136	Nashik	Satisfactory	64	PM ₁₀	3
137	Navi Mumbai	Satisfactory	80	PM ₁₀	2
138	Nayagarh	Moderate	129	PM ₁₀	1
139	Noida	Moderate	153	NO ₂ , PM ₁₀	4
140	Ooty	Satisfactory	96	PM ₁₀	1
141	Pali	Satisfactory	97	PM ₁₀	1
142	Palkalaiperur	Satisfactory	63	SO ₂	1
143	Palwal	Satisfactory	65	PM ₁₀	1
144	Panchkula	Satisfactory	68	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patiala	Satisfactory	97	O ₃	1
146	Patna	Poor	225	PM _{2.5}	6
147	Pimpri Chinchwad	Satisfactory	77	PM ₁₀	1
148	Pithampur	Satisfactory	88	PM ₁₀	1
149	Pratapgarh	Satisfactory	81	O ₃	1
150	Prayagraj	Satisfactory	51	PM ₁₀	3
151	Puducherry	Satisfactory	65	PM ₁₀	1
152	Pune	Satisfactory	97	NO ₂ , PM _{2.5}	4
153	Raipur	Satisfactory	79	PM _{2.5} , NO ₂	4
154	Rairangpur	Satisfactory	67	PM ₁₀	1
155	Rajamahendravaram	Satisfactory	65	PM ₁₀	1
156	Rajgir	Moderate	141	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajsamand	Satisfactory	70	PM ₁₀	1
158	Ramanathapuram	Good	36	CO	1
159	Rishikesh	Satisfactory	55	PM ₁₀	1
160	Rohtak	Satisfactory	58	PM _{2.5}	1
161	Rourkela	Satisfactory	82	PM ₁₀	2
162	Sagar	Satisfactory	100	O ₃	1
163	Saharsa	Moderate	196	PM ₁₀	1
164	Samastipur	Poor	243	PM ₁₀	1
165	Sasaram	Satisfactory	99	O ₃	1
166	Satna	Good	41	PM ₁₀	1
167	Sawai Madhopur	Satisfactory	91	PM ₁₀	1
168	Shillong	Satisfactory	77	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shivamogga	Satisfactory	67	O ₃	1
170	Sikar	Moderate	110	O ₃	1
171	Silchar	Good	32	CO	1
172	Siliguri	Satisfactory	80	PM ₁₀	1
173	Singrauli	Moderate	117	PM ₁₀	1
174	Sirsa	Satisfactory	96	PM ₁₀	1
175	Sivasagar	Good	44	PM ₁₀	1
176	Siwan	Moderate	167	PM ₁₀	1
177	Solapur	Moderate	122	PM ₁₀	2
178	Sri Ganganagar	Moderate	157	O ₃	1
179	Srinagar	Moderate	117	PM ₁₀	1
180	Surat	Moderate	101	CO	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghpat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tensa	Satisfactory	62	PM ₁₀	1
182	Thane	Satisfactory	69	PM ₁₀	1
183	Thiruvananthapuram	Good	32	PM _{2.5} , CO	2
184	Thoothukudi	Good	47	PM ₁₀	1
185	Thrissur	Satisfactory	65	PM ₁₀	1
186	Tirupati	Satisfactory	60	PM ₁₀	1
187	Tumakuru	Moderate	118	PM ₁₀	1
188	Udaipur	Satisfactory	78	PM ₁₀	1
189	Ujjain	Satisfactory	84	O ₃	1
190	Vapi	Satisfactory	54	PM _{2.5}	1
191	Varanasi	Satisfactory	72	PM ₁₀	4
192	Vatva	Moderate	109	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vijayapura	Good	49	PM ₁₀	1
194	Vijayawada	Good	45	CO	1
195	Visakhapatnam	Satisfactory	97	PM ₁₀	1
196	Vrindavan	Moderate	132	PM ₁₀	1
197	Yamunanagar	Satisfactory	73	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ariyalur, Bagalkot, Baghat, Baran, Barmer, Belgaum, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Maihar, Mandideep, Manguraha, Milupara, Nagaur, Naharlagun, Nandesari, Panipat, Purnia, Raichur, Ramanagara, Ratlam, Rupnagar, Salem, Sirohi, Sonipat, Suakati, Talcher, Tirupur, Tonk, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: