

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	181	PM _{2.5}	1
2	Agra	Satisfactory	84	PM ₁₀	6
3	Ahmedabad	Moderate	118	PM _{2.5} , PM ₁₀	6
4	Aizawl	Satisfactory	60	PM ₁₀	1
5	Ajmer	Satisfactory	56	PM ₁₀	1
6	Alwar	Moderate	110	PM ₁₀	1
7	Amaravati	Satisfactory	94	PM ₁₀	1
8	Ambala	Good	48	PM ₁₀	1
9	Amravati	Moderate	110	PM ₁₀	2
10	Amritsar	Satisfactory	99	PM ₁₀	1
11	Anantapur	Satisfactory	64	PM ₁₀	1
12	Ankleshwar	Satisfactory	63	0 ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Moderate	149	PM ₁₀	1
14	Ariyalur	Satisfactory	56	PM ₁₀	1
15	Asansol	Satisfactory	95	PM _{2.5}	1
16	Aurangabad (Bihar)	Moderate	115	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	81	PM ₁₀	1
18	Baddi	Moderate	175	0 ₃	1
19	Bagalkot	Good	43	PM ₁₀	1
20	Baghpat	Moderate	115	PM ₁₀	1
21	Bahadurgarh	Moderate	127	PM ₁₀	1
22	Ballabgarh	Satisfactory	72	PM ₁₀	1
23	Banswara	Moderate	120	PM ₁₀	1
24	Bareilly	Satisfactory	72	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Moderate	102	PM ₁₀	1
26	Barmer	Moderate	117	PM ₁₀	1
27	Bathinda	Satisfactory	67	PM _{2.5}	1
28	Begusarai	Poor	235	PM ₁₀	1
29	Belgaum	Satisfactory	51	PM ₁₀	1
30	Bengaluru	Satisfactory	65	PM ₁₀	13
31	Bettiah	Poor	219	PM ₁₀	1
32	Bhagalpur	Moderate	134	PM ₁₀	2
33	Bharatpur	Moderate	118	PM ₁₀	1
34	Bhilai	Satisfactory	62	PM ₁₀	2
35	Bhilwara	Satisfactory	68	PM ₁₀	1
36	Bhiwadi	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Satisfactory	93	PM _{2.5}	1
38	Bhopal	Satisfactory	96	PM ₁₀	2
39	Bidar	Good	40	NH ₃	1
40	Bihar Sharif	Moderate	165	PM ₁₀	1
41	Bikaner	Satisfactory	91	PM ₁₀	1
42	Bilaspur	Satisfactory	79	со	1
43	Bileipada	Moderate	148	PM ₁₀	1
44	Bulandshahr	Moderate	101	0 ₃	1
45	Bundi	Moderate	150	0 ₃	1
46	Chamarajanagar	Good	42	PM ₁₀	1
47	Chandigarh	Moderate	129	О ₃ , РМ ₁₀	3
48	Chandrapur	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Moderate	124	PM _{2.5}	1
50	Chennai	Satisfactory	70	NO ₂ , PM ₁₀	7
51	Chhal	Satisfactory	64	O ₃	1
52	Chhapra	Poor	275	PM ₁₀	1
53	Chikkaballapur	Good	50	PM ₁₀	1
54	Chittoor	Satisfactory	52	PM ₁₀	1
55	Chittorgarh	Satisfactory	94	O ₃	1
56	Cuddalore	Moderate	176	NO ₂	2
57	Damoh	Good	24	PM ₁₀	1
58	Dausa	Moderate	122	PM ₁₀	1
59	Davanagere	Good	26	PM _{2.5}	1
60	Dehradun	Satisfactory	52	0 ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	139	PM _{2.5}	36
62	Dewas	Moderate	119	PM ₁₀	1
63	Dhanbad	Poor	215	PM _{2.5}	1
64	Dharuhera	Moderate	132	PM ₁₀	1
65	Dharwad	Satisfactory	60	PM ₁₀	1
66	Dholpur	Moderate	124	O ₃	1
67	Durgapur	Moderate	160	0 ₃	1
68	Eloor	Satisfactory	82	PM ₁₀	1
69	Faridabad	Moderate	126	O ₃ , PM _{2.5}	4
70	Fatehabad	Poor	240	0 ₃	1
71	Firozabad	Satisfactory	80	PM ₁₀	2
72	Gadag	Good	49	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	100	PM _{2.5} , PM ₁₀	3
74	Gangtok	Satisfactory	55	O ₃	1
75	Gaya	Moderate	116	PM ₁₀ , PM _{2.5}	3
76	Ghaziabad	Moderate	120	0 ₃	4
77	Gorakhpur	Moderate	120	PM ₁₀	1
78	Greater Noida	Moderate	138	0 ₃	2
79	Gummidipoondi	Satisfactory	52	PM ₁₀	1
80	Gurugram	Moderate	123	PM _{2.5}	3
81	Guwahati	Moderate	159	PM ₁₀	4
82	Gwalior	Moderate	138	0 ₃	3
83	Hajipur	Poor	236	PM ₁₀	1
84	Haldia	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	127	PM ₁₀	1
86	Hapur	Moderate	109	O ₃	1
87	Hassan	Satisfactory	62	PM ₁₀	1
88	Haveri	Good	37	СО	1
89	Hosur	Satisfactory	66	PM ₁₀	1
90	Howrah	Satisfactory	86	PM ₁₀	3
91	Hubballi	Moderate	111	CO, PM ₁₀	2
92	Hyderabad	Satisfactory	89	PM ₁₀	10
93	Indore	Satisfactory	90	PM ₁₀	2
94	Jabalpur	Moderate	121	PM ₁₀	1
95	Jaipur	Moderate	103	PM ₁₀	6
96	Jaisalmer	Moderate	148	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	72	PM ₁₀	1
98	Jhalawar	Satisfactory	69	O ₃	1
99	Jhansi	Satisfactory	81	PM _{2.5}	1
100	Jhunjhunu	Moderate	178	O ₃	1
101	Jind	Satisfactory	77	со	1
102	Jodhpur	Satisfactory	90	PM _{2.5}	4
103	Kadapa	Good	35	0 ₃	1
104	Kaithal	Satisfactory	84	PM ₁₀	1
105	Kalaburgi	Good	36	со	1
106	Kalyan	Satisfactory	68	PM ₁₀	1
107	Kanchipuram	Good	34	PM ₁₀	1
108	Kannur	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Moderate	117	PM ₁₀	3
110	Karauli	Moderate	136	O ₃	1
111	Karnal	Satisfactory	83	PM ₁₀	1
112	Katihar	Moderate	186	PM ₁₀	1
113	Katni	Moderate	117	PM ₁₀	1
114	Kishanganj	Moderate	137	PM ₁₀	1
115	Kochi	Satisfactory	75	со	1
116	Kohima	Satisfactory	95	PM ₁₀	1
117	Kolhapur	Satisfactory	52	PM ₁₀	2
118	Kolkata	Satisfactory	86	О ₃ , РМ ₁₀	7
119	Kollam	Satisfactory	54	PM ₁₀	1
120	Korba	Satisfactory	59	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kota	Moderate	103	О ₃ , РМ ₁₀	3
122	Kurukshetra	Satisfactory	87	O ₃	1
123	Latur	Satisfactory	88	0 ₃	1
124	Lucknow	Moderate	122	PM _{2.5}	6
125	Ludhiana	Satisfactory	87	PM ₁₀	1
126	Madikeri	Good	29	PM ₁₀	1
127	Mandi Gobindgarh	Satisfactory	58	PM ₁₀	1
128	Mandideep	Moderate	102	PM ₁₀	1
129	Mandikhera	Good	48	PM ₁₀	1
130	Manesar	Moderate	123	PM _{2.5}	1
131	Mangalore	Good	50	PM ₁₀	1
132	Manguraha	Satisfactory	100	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Meerut	Moderate	138	О ₃ , РМ ₁₀	3
134	Milupara	Good	39	PM ₁₀	1
135	Moradabad	Satisfactory	93	PM ₁₀	6
136	Motihari	Moderate	197	PM ₁₀	1
137	Mumbai	Satisfactory	81	CO, PM ₁₀	16
138	Munger	Poor	245	PM ₁₀	1
139	Muzaffarnagar	Satisfactory	95	PM ₁₀	1
140	Muzaffarpur	Poor	204	PM _{2.5}	3
141	Mysuru	Satisfactory	63	0 ₃	1
142	Nagaon	Poor	205	PM _{2.5}	1
143	Nagpur	Satisfactory	81	PM ₁₀	1
144	Nalbari	Moderate	195	PM _{2.5}	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Narnaul	Satisfactory	87	PM ₁₀	1
146	Nashik	Satisfactory	62	PM ₁₀	3
147	Navi Mumbai	Satisfactory	89	PM ₁₀	2
148	Nayagarh	Moderate	111	PM ₁₀	1
149	Noida	Moderate	106	PM ₁₀	4
150	Ooty	Satisfactory	89	PM ₁₀	1
151	Pali	Moderate	102	PM ₁₀	1
152	Palkalaiperur	Satisfactory	62	SO ₂	1
153	Panchkula	Moderate	115	со	1
154	Panipat	Satisfactory	88	PM ₁₀	1
155	Patiala	Moderate	160	0 ₃	1
156	Patna	Poor	232	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pimpri Chinchwad	Satisfactory	69	PM ₁₀	2
158	Pithampur	Moderate	107	PM ₁₀	1
159	Pratapgarh	Satisfactory	77	PM ₁₀	1
160	Prayagraj	Satisfactory	61	PM ₁₀	3
161	Puducherry	Good	44	PM ₁₀	1
162	Pune	Satisfactory	90	NO ₂ , PM _{2.5}	4
163	Raichur	Satisfactory	68	PM ₁₀	1
164	Raipur	Satisfactory	80	PM _{2.5} , NO ₂	4
165	Rairangpur	Satisfactory	69	PM ₁₀	1
166	Rajamahendravaram	Satisfactory	86	PM ₁₀	1
167	Rajgir	Moderate	114	PM ₁₀	1
168	Rajsamand	Moderate	178	0 ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanathapuram	Satisfactory	54	со	1
170	Rishikesh	Good	33	PM ₁₀	1
171	Rohtak	Satisfactory	69	PM _{2.5}	1
172	Rourkela	Moderate	110	PM ₁₀	3
173	Rupnagar	Satisfactory	63	PM ₁₀	1
174	Sagar	Moderate	111	O ₃	1
175	Saharsa	Moderate	160	PM ₁₀	1
176	Samastipur	Poor	217	PM ₁₀	1
177	Sasaram	Moderate	114	0 ₃	1
178	Satna	Satisfactory	93	PM ₁₀	1
179	Sawai Madhopur	Satisfactory	90	PM ₁₀	1
180	Shillong	Satisfactory	81	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shivamogga	Satisfactory	66	O ₃	1
182	Sikar	Satisfactory	93	O ₃	1
183	Silchar	Good	46	СО	1
184	Siliguri	Satisfactory	84	PM _{2.5}	1
185	Singrauli	Moderate	103	PM ₁₀	1
186	Sirsa	Moderate	118	PM ₁₀	1
187	Sivasagar	Satisfactory	62	PM ₁₀	1
188	Siwan	Moderate	165	PM ₁₀	1
189	Solapur	Moderate	130	PM ₁₀	2
190	Sonipat	Moderate	128	PM ₁₀	1
191	Sri Ganganagar	Moderate	196	PM ₁₀	1
192	Srinagar	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Suakati	Satisfactory	92	PM ₁₀	1
194	Surat	Satisfactory	59	СО	1
195	Talcher	Satisfactory	75	СО	1
196	Tensa	Satisfactory	76	PM ₁₀	1
197	Thane	Satisfactory	72	PM ₁₀	1
198	Thiruvananthapuram	Good	22	РМ ₁₀ , СО	2
199	Thoothukudi	Good	39	PM ₁₀	1
200	Thrissur	Satisfactory	52	PM _{2.5}	1
201	Tirupati	Satisfactory	54	PM ₁₀	2
202	Tirupur	Good	35	PM ₁₀	1
203	Tumakuru	Moderate	122	PM ₁₀	1
204	Udaipur	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Ujjain	Satisfactory	96	PM _{2.5}	1
206	Vapi	Satisfactory	53	PM _{2.5}	1
207	Varanasi	Moderate	107	PM ₁₀	4
208	Vatva	Moderate	119	PM _{2.5}	1
209	Vijayapura	Good	49	PM ₁₀	1
210	Vijayawada	Good	48	со	1
211	Visakhapatnam	Moderate	121	PM ₁₀	1
212	Vrindavan	Moderate	127	PM ₁₀	1
213	Yadgir	Satisfactory	56	PM ₁₀	1
214	Yamunanagar	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Baran,

Notes: Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Keonjhar, Khanna, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Nagaur, Naharlagun, Nandesari, Palwal, Purnia, Ramanagara, Ratlam, Salem, Sirohi, Tonk, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.