



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	152	PM _{2.5}	1
2	Agra	Moderate	120	PM ₁₀	6
3	Ahmedabad	Satisfactory	82	PM ₁₀	7
4	Alwar	Moderate	148	PM _{2.5}	1
5	Amaravati	Satisfactory	93	PM ₁₀	1
6	Ambala	Good	48	PM ₁₀	1
7	Amravati	Moderate	102	PM ₁₀	2
8	Amritsar	Satisfactory	95	PM ₁₀	1
9	Anantapur	Satisfactory	68	PM ₁₀	1
10	Araria	Moderate	176	PM ₁₀	1
11	Ariyalur	Good	35	NO ₂	1
12	Arrah	Moderate	138	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	115	PM ₁₀	1
14	Aurangabad (Bihar)	Moderate	122	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	80	PM ₁₀	1
16	Baddi	Moderate	171	O ₃	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Baghpat	Moderate	200	PM ₁₀	1
19	Bahadurgarh	Poor	209	PM ₁₀	1
20	Ballabgarh	Poor	208	PM ₁₀	1
21	Banswara	Moderate	103	PM ₁₀	1
22	Bareilly	Satisfactory	70	PM ₁₀	2
23	Baripada	Poor	225	O ₃	1
24	Bathinda	Poor	205	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	250	PM ₁₀	1
26	Belgaum	Good	50	PM ₁₀	1
27	Bengaluru	Satisfactory	59	PM ₁₀	13
28	Bhagalpur	Moderate	155	PM ₁₀	2
29	Bharatpur	Moderate	197	PM ₁₀	1
30	Bhilai	Satisfactory	74	PM ₁₀ , O ₃	2
31	Bhiwadi	Poor	226	PM ₁₀	1
32	Bhiwani	Very Poor	331	PM _{2.5}	1
33	Bhopal	Moderate	128	PM ₁₀	2
34	Bidar	Good	48	NH ₃	1
35	Bihar Sharif	Moderate	112	PM ₁₀	1
36	Bikaner	Poor	253	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhillwara, Brijrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	89	CO	1
38	Bileipada	Moderate	161	PM ₁₀	1
39	Bulandshahr	Poor	215	PM ₁₀	1
40	Bundi	Moderate	128	O ₃	1
41	Chamarajanagar	Good	38	PM ₁₀	1
42	Chandigarh	Moderate	114	O ₃ , PM ₁₀	3
43	Chandrapur	Moderate	105	PM ₁₀	1
44	Charkhi Dadri	Very Poor	377	PM _{2.5}	1
45	Chennai	Satisfactory	72	NO ₂ , PM ₁₀	8
46	Chhal	Satisfactory	66	PM ₁₀	1
47	Chhapra	Poor	247	PM ₁₀	1
48	Chikkaballapur	Satisfactory	54	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	55	O ₃	1
50	Chittorgarh	Moderate	120	PM _{2.5}	1
51	Cuddalore	Satisfactory	98	NO ₂	2
52	Damoh	Good	26	PM ₁₀	1
53	Dausa	Poor	224	PM ₁₀	1
54	Davanagere	Good	28	PM _{2.5}	1
55	Dehradun	Satisfactory	57	O ₃	1
56	Delhi	Poor	239	PM ₁₀ , PM _{2.5}	38
57	Dhanbad	Moderate	197	PM _{2.5}	1
58	Dharuhera	Poor	267	PM ₁₀	1
59	Dharwad	Satisfactory	66	PM ₁₀	1
60	Dholpur	Moderate	141	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklleshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Moderate	140	PM ₁₀	1
62	Eloor	Satisfactory	82	PM ₁₀	1
63	Faridabad	Poor	287	PM _{2.5}	4
64	Fatehabad	Moderate	193	O ₃	1
65	Firozabad	Poor	217	PM ₁₀	2
66	Gadag	Good	47	SO ₂	1
67	Gandhinagar	Satisfactory	94	PM _{2.5}	3
68	Gangtok	Satisfactory	62	O ₃	1
69	Gaya	Moderate	135	O ₃	3
70	Ghaziabad	Poor	215	PM ₁₀	4
71	Gorakhpur	Moderate	117	PM _{2.5}	1
72	Greater Noida	Poor	240	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gummidipoondi	Satisfactory	91	PM ₁₀	1
74	Gurugram	Very Poor	311	PM _{2.5}	3
75	Guwahati	Moderate	118	PM _{2.5} , PM ₁₀	4
76	Gwalior	Moderate	130	O ₃ , PM ₁₀	3
77	Hajipur	Poor	224	PM ₁₀	1
78	Haldia	Satisfactory	75	PM ₁₀	1
79	Hanumangarh	Moderate	131	PM ₁₀	1
80	Hapur	Moderate	150	O ₃	1
81	Hassan	Satisfactory	64	PM ₁₀	1
82	Haveri	Good	40	PM ₁₀	1
83	Hosur	Satisfactory	52	PM ₁₀	1
84	Howrah	Satisfactory	91	PM _{2.5} , PM ₁₀	3

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Moderate	162	CO	2
86	Hyderabad	Satisfactory	79	PM ₁₀	11
87	Indore	Satisfactory	82	PM ₁₀	2
88	Jabalpur	Moderate	113	PM ₁₀	1
89	Jaipur	Moderate	143	PM ₁₀	6
90	Jaisalmer	Poor	244	PM ₁₀	1
91	Jalandhar	Satisfactory	51	PM ₁₀	1
92	Jhalawar	Satisfactory	94	PM ₁₀	1
93	Jhansi	Satisfactory	99	PM _{2.5}	1
94	Jhunjhunu	Moderate	159	O ₃	1
95	Jind	Moderate	105	PM ₁₀	1
96	Jodhpur	Satisfactory	93	PM _{2.5}	4

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kadapa	Good	32	O ₃	1
98	Kaithal	Satisfactory	91	PM ₁₀	1
99	Kalaburgi	Satisfactory	52	PM ₁₀ , CO	2
100	Kalyan	Satisfactory	57	O ₃	1
101	Kanchipuram	Good	40	PM ₁₀	1
102	Kannur	Satisfactory	77	PM ₁₀	1
103	Kanpur	Moderate	120	PM ₁₀	3
104	Karauli	Moderate	166	O ₃	1
105	Karnal	Satisfactory	94	PM ₁₀	1
106	Katihar	Moderate	180	PM ₁₀	1
107	Katni	Moderate	109	PM ₁₀	1
108	Keonjhar	Moderate	103	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Satisfactory	81	PM ₁₀	1
110	Khurja	Moderate	102	PM _{2.5}	1
111	Kishanganj	Moderate	136	PM ₁₀	1
112	Kochi	Satisfactory	72	CO	1
113	Kohima	Satisfactory	63	PM ₁₀	1
114	Kolhapur	Satisfactory	52	PM ₁₀	2
115	Kolkata	Satisfactory	78	O ₃	7
116	Korba	Satisfactory	58	PM ₁₀	2
117	Kota	Moderate	118	PM ₁₀	3
118	Kunjemura	Satisfactory	97	PM ₁₀	1
119	Kurukshetra	Satisfactory	93	O ₃	1
120	Latur	Satisfactory	84	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Lucknow	Moderate	102	PM ₁₀	6
122	Ludhiana	Satisfactory	62	PM ₁₀	1
123	Madikeri	Good	17	O ₃	1
124	Mandi Gobindgarh	Satisfactory	87	PM ₁₀	1
125	Mandideep	Moderate	108	PM ₁₀	1
126	Mandikhera	Satisfactory	87	PM ₁₀	1
127	Manesar	Poor	266	PM _{2.5}	1
128	Mangalore	Good	35	CO	1
129	Manguraha	Satisfactory	96	O ₃	1
130	Meerut	Moderate	183	O ₃	3
131	Moradabad	Satisfactory	94	PM ₁₀	6
132	Motihari	Moderate	177	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mumbai	Satisfactory	87	PM ₁₀	17
134	Munger	Poor	244	PM ₁₀	1
135	Muzaffarnagar	Moderate	124	PM ₁₀	1
136	Muzaffarpur	Moderate	183	O ₃ , PM _{2.5}	3
137	Mysuru	Satisfactory	68	O ₃	1
138	Nagaon	Moderate	123	PM _{2.5}	1
139	Nagpur	Satisfactory	82	PM ₁₀	1
140	Nalbari	Moderate	180	PM _{2.5}	1
141	Narnaul	Moderate	170	PM _{2.5}	1
142	Nashik	Good	50	PM ₁₀	3
143	Navi Mumbai	Satisfactory	82	PM ₁₀	2
144	Nayagarh	Moderate	183	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Noida	Poor	226	NO ₂	4
146	Ooty	Satisfactory	77	PM ₁₀	1
147	Pali	Satisfactory	97	PM ₁₀	1
148	Palkalaiperur	Satisfactory	62	SO ₂	1
149	Palwal	Moderate	111	PM ₁₀	1
150	Panchkula	Satisfactory	71	PM _{2.5}	1
151	Panipat	Moderate	102	PM ₁₀	1
152	Patiala	Satisfactory	73	O ₃	1
153	Patna	Moderate	196	PM _{2.5}	6
154	Pimpri Chinchwad	Satisfactory	74	PM ₁₀	2
155	Pithampur	Satisfactory	93	PM ₁₀	1
156	Pratapgarh	Satisfactory	92	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Prayagraj	Satisfactory	78	PM ₁₀	3
158	Puducherry	Good	40	PM ₁₀	1
159	Pune	Moderate	102	NO ₂ , PM _{2.5}	5
160	Purnia	Moderate	118	PM ₁₀	1
161	Raichur	Satisfactory	54	SO ₂	1
162	Raipur	Satisfactory	96	PM ₁₀	4
163	Rajamahendravaram	Satisfactory	95	PM ₁₀	1
164	Rajsamand	Satisfactory	83	PM ₁₀	1
165	Ramanagara	Good	50	PM ₁₀	1
166	Rishikesh	Good	37	O ₃	1
167	Rohtak	Moderate	167	PM _{2.5}	1
168	Rourkela	Moderate	124	PM _{2.5}	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rupnagar	Satisfactory	89	PM ₁₀	1
170	Sagar	Moderate	109	O ₃	1
171	Salem	Satisfactory	62	CO	1
172	Samastipur	Moderate	195	PM ₁₀	1
173	Sasaram	Moderate	167	O ₃	1
174	Satna	Moderate	111	PM ₁₀	1
175	Sawai Madhopur	Poor	243	PM ₁₀	1
176	Shillong	Satisfactory	85	PM _{2.5}	1
177	Shivamogga	Satisfactory	75	O ₃	1
178	Sikar	Moderate	106	O ₃	1
179	Siliguri	Satisfactory	64	PM ₁₀	1
180	Singrauli	Moderate	140	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sirsa	Moderate	141	PM ₁₀	1
182	Sivasagar	Good	44	PM ₁₀	1
183	Siwan	Moderate	139	PM ₁₀	1
184	Solapur	Moderate	136	PM ₁₀	2
185	Sonipat	Poor	215	PM ₁₀	1
186	Sri Ganganagar	Moderate	181	PM ₁₀	1
187	Srinagar	Satisfactory	96	PM ₁₀	1
188	Suakati	Moderate	104	PM ₁₀	1
189	Talcher	Satisfactory	74	CO	1
190	Tensa	Satisfactory	89	PM ₁₀	1
191	Thane	Satisfactory	63	PM ₁₀	1
192	Thiruvananthapuram	Good	29	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thoothukudi	Good	40	PM ₁₀	1
194	Thrissur	Satisfactory	52	PM _{2.5}	1
195	Tirupati	Satisfactory	82	PM _{2.5} , PM ₁₀	2
196	Tirupur	Good	25	PM ₁₀	1
197	Tumakuru	Satisfactory	92	PM ₁₀	1
198	Udaipur	Satisfactory	97	PM ₁₀	1
199	Ujjain	Moderate	156	PM _{2.5}	1
200	Vapi	Satisfactory	52	PM ₁₀	1
201	Varanasi	Satisfactory	100	PM _{2.5}	4
202	Vatva	Satisfactory	94	PM ₁₀	1
203	Vijayapura	Good	49	PM ₁₀	1
204	Visakhapatnam	Moderate	156	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vrindavan	Moderate	173	PM ₁₀	1
206	Yadgir	Satisfactory	59	PM ₁₀	1
207	Yamunanagar	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anklshwar, Baran, Barmer, Bettiah, Bhilwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dewas, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kashipur, Kolar, Kollam, Koppal, Kozhikode, Maihar, Milupara, Nagaur, Naharlagun, Nandesari, Rairangpur, Rajgir, Ramanathapuram, Ratlam, Saharsa, Silchar, Sirohi, Surat, Tonk, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.