

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	226	PM _{2.5}	1
2	Agra	Moderate	119	PM ₁₀	6
3	Ahmedabad	Satisfactory	78	PM ₁₀	6
4	Aizawl	Good	30	PM ₁₀	1
5	Ajmer	Satisfactory	99	PM ₁₀	1
6	Alwar	Moderate	124	PM _{2.5}	1
7	Amaravati	Satisfactory	75	PM ₁₀	1
8	Amravati	Moderate	111	PM ₁₀	2
9	Amritsar	Satisfactory	91	PM ₁₀	1
10	Anantapur	Satisfactory	65	PM ₁₀	1
11	Araria	Moderate	140	PM ₁₀	1
12	Ariyalur	Good	39	NO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuhe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	114	PM ₁₀	1
14	Aurangabad (Bihar)	Moderate	140	PM ₁₀	1
15	Aurangabad (Maharashtra)	Moderate	153	O ₃	1
16	Baddi	Poor	248	O ₃	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Baghpat	Moderate	162	СО	1
19	Bahadurgarh	Moderate	115	PM ₁₀	1
20	Ballabgarh	Moderate	124	PM ₁₀	1
21	Banswara	Satisfactory	88	PM ₁₀	1
22	Bareilly	Satisfactory	79	PM ₁₀	2
23	Baripada	Moderate	127	O ₃	1
24	Barmer	Satisfactory	81	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuher

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	121	PM ₁₀	1
26	Begusarai	Very Poor	323	PM ₁₀	1
27	Belgaum	Good	46	со	1
28	Bengaluru	Good	49	PM ₁₀ , CO	12
29	Bhagalpur	Moderate	136	PM ₁₀	2
30	Bharatpur	Moderate	176	PM ₁₀	1
31	Bhilai	Good	49	PM ₁₀ , O ₃	3
32	Bhilwara	Moderate	104	PM ₁₀	1
33	Bhiwadi	Satisfactory	75	PM _{2.5}	1
34	Bhiwani	Satisfactory	90	PM ₁₀	1
35	Bhopal	Satisfactory	93	PM ₁₀	3
36	Bihar Sharif	Moderate	146	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Churu, Ceimbatere, Darbhanga, Dharuhe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Moderate	189	PM ₁₀	1
38	Bilaspur	Satisfactory	72	PM ₁₀	1
39	Bileipada	Moderate	164	PM ₁₀	1
40	Bulandshahr	Moderate	199	03	1
41	Bundi	Moderate	123	PM ₁₀	1
42	Byrnihat	Poor	250	PM _{2.5}	1
43	Chamarajanagar	Good	44	PM ₁₀	1
44	Chandigarh	Moderate	114	O ₃ , PM ₁₀	3
45	Chandrapur	Moderate	108	PM ₁₀	1
46	Charkhi Dadri	Moderate	130	PM _{2.5}	1
47	Chennai	Satisfactory	73	NO ₂ , PM ₁₀	7
48	Chhal	Satisfactory	64	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuhei

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Poor	204	PM ₁₀	1
50	Chikkaballapur	Good	42	PM ₁₀	1
51	Chittoor	Satisfactory	70	03	1
52	Chittorgarh	Moderate	143	PM _{2.5}	1
53	Cuddalore	Satisfactory	92	NO ₂	2
54	Damoh	Good	28	PM ₁₀	1
55	Dausa	Moderate	154	PM ₁₀	1
56	Davanagere	Good	25	03	1
57	Dehradun	Satisfactory	59	PM ₁₀	1
58	Delhi	Moderate	161	PM _{2.5} , PM ₁₀	38
59	Dewas	Satisfactory	99	PM ₁₀	1
60	Dhanbad	Satisfactory	97	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuhei

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Moderate	155	PM ₁₀	1
62	Durgapur	Moderate	106	PM ₁₀	1
63	Faridabad	Moderate	126	PM ₁₀ , PM _{2.5}	3
64	Fatehabad	Moderate	188	03	1
65	Firozabad	Moderate	126	PM ₁₀	2
66	Gandhinagar	Satisfactory	82	PM _{2.5}	2
67	Gangtok	Satisfactory	56	O ₃	1
68	Gaya	Moderate	112	PM ₁₀ , PM _{2.5}	3
69	Ghaziabad	Moderate	144	PM ₁₀	4
70	Gorakhpur	Moderate	128	PM ₁₀	1
71	Greater Noida	Poor	202	O ₃	2
72	Gummidipoondi	Satisfactory	78	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuho

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Moderate	186	PM _{2.5}	4
74	Guwahati	Moderate	122	PM ₁₀ , PM _{2.5}	4
75	Gwalior	Moderate	138	PM ₁₀	3
76	Hajipur	Moderate	171	PM ₁₀	1
77	Haldia	Satisfactory	61	PM ₁₀	1
78	Hanumangarh	Moderate	107	PM ₁₀	1
79	Hapur	Moderate	105	O ₃	1
80	Haveri	Good	37	СО	1
81	Hosur	Good	39	PM ₁₀	1
82	Howrah	Satisfactory	97	PM ₁₀	3
83	Hubballi	Moderate	146	СО	1
84	Hyderabad	Satisfactory	62	PM ₁₀	10

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chikkamagaluru, Churu, Ceimbatere, Darbhanga, Dharuher Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Imphal,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	62	PM ₁₀	2
86	Jabalpur	Moderate	127	PM ₁₀	1
87	Jaipur	Moderate	148	PM _{2.5} , PM ₁₀	5
88	Jaisalmer	Moderate	146	PM ₁₀	1
89	Jalandhar	Satisfactory	77	PM ₁₀	1
90	Jhalawar	Satisfactory	78	O ₃	1
91	Jhansi	Satisfactory	89	PM ₁₀	1
92	Jhunjhunu	Moderate	172	O ₃	1
93	Jind	Satisfactory	79	СО	1
94	Jodhpur	Moderate	119	PM _{2.5}	5
95	Kadapa	Satisfactory	56	PM _{2.5}	1
96	Kaithal	Satisfactory	75	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuher

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalaburgi	Good	42	PM ₁₀	2
98	Kalyan	Satisfactory	66	PM ₁₀	1
99	Kanchipuram	Good	34	PM ₁₀	1
100	Kannur	Satisfactory	76	PM ₁₀	1
101	Kanpur	Moderate	139	PM ₁₀	3
102	Karauli	Moderate	116	03	1
103	Karnal	Satisfactory	88	PM ₁₀	1
104	Katni	Moderate	126	PM ₁₀	1
105	Keonjhar	Satisfactory	99	PM _{2.5}	1
106	Khanna	Satisfactory	68	PM ₁₀	1
107	Khurja	Satisfactory	99	PM _{2.5}	1
108	Kochi	Satisfactory	71	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuher Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Imphal,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kohima	Good	40	SO ₂	1
110	Kolkata	Satisfactory	76	PM _{2.5} , PM ₁₀	7
111	Kollam	Satisfactory	60	PM ₁₀	1
112	Korba	Satisfactory	68	PM ₁₀	2
113	Kota	Moderate	118	PM ₁₀ , PM _{2.5}	3
114	Kurukshetra	Moderate	163	O ₃	1
115	Latur	Satisfactory	91	PM ₁₀	1
116	Lucknow	Moderate	123	PM _{2.5}	6
117	Ludhiana	Satisfactory	78	O ₃	1
118	Mandi Gobindgarh	Good	48	PM ₁₀	1
119	Mandideep	Moderate	107	PM ₁₀	1
120	Mandikhera	Satisfactory	82	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuhei Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Imphal,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Manesar	Moderate	199	PM _{2.5}	1
122	Mangalore	Good	33	со	1
123	Meerut	Moderate	139	O ₃ , PM ₁₀	3
124	Milupara	Satisfactory	63	PM ₁₀	1
125	Moradabad	Moderate	108	PM ₁₀	6
126	Motihari	Satisfactory	75	со	1
127	Mumbai	Satisfactory	89	CO, PM ₁₀	17
128	Munger	Very Poor	305	PM ₁₀	1
129	Muzaffarnagar	Moderate	131	PM ₁₀	1
130	Muzaffarpur	Poor	209	PM _{2.5} , PM ₁₀	3
131	Mysuru	Satisfactory	68	O ₃	1
132	Nagaon	Satisfactory	96	03	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuher

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaur	Moderate	107	PM ₁₀	1
134	Nagpur	Satisfactory	84	PM ₁₀	1
135	Naharlagun	Satisfactory	65	PM ₁₀	1
136	Nalbari	Moderate	167	PM ₁₀	1
137	Narnaul	Moderate	186	PM _{2.5}	1
138	Nashik	Satisfactory	60	PM ₁₀	3
139	Navi Mumbai	Moderate	174	PM _{2.5}	2
140	Nayagarh	Poor	238	PM _{2.5}	1
141	Noida	Moderate	155	PM ₁₀	3
142	Ooty	Good	50	SO ₂	1
143	Pali	Moderate	111	PM ₁₀	1
144	Palkalaiperur	Satisfactory	62	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuher

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palwal	Satisfactory	89	PM ₁₀	1
146	Panchkula	Satisfactory	60	PM _{2.5}	1
147	Panipat	Satisfactory	83	PM ₁₀	1
148	Patiala	Satisfactory	84	03	1
149	Patna	Moderate	184	PM _{2.5} , NO ₂	6
150	Pimpri Chinchwad	Satisfactory	64	PM ₁₀	2
151	Pithampur	Satisfactory	87	PM ₁₀	1
152	Pratapgarh	Satisfactory	92	PM ₁₀	1
153	Prayagraj	Satisfactory	69	PM ₁₀	3
154	Puducherry	Good	47	PM ₁₀	1
155	Pune	Moderate	102	NO ₂	5
156	Purnia	Moderate	129	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuher

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raichur	Satisfactory	53	SO ₂	1
158	Raipur	Satisfactory	88	PM ₁₀	4
159	Rairangpur	Satisfactory	89	PM _{2.5}	1
160	Rajamahendravaram	Satisfactory	87	PM ₁₀	1
161	Rajsamand	Satisfactory	98	PM ₁₀	1
162	Ramanagara	Good	45	03	1
163	Ramanathapuram	Satisfactory	70	со	1
164	Rishikesh	Good	45	PM ₁₀	1
165	Rohtak	Satisfactory	54	PM _{2.5}	1
166	Rourkela	Moderate	155	PM ₁₀	2
167	Rupnagar	Moderate	139	PM ₁₀	1
168	Sagar	Moderate	106	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuhe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Saharsa	Poor	205	03	1
170	Samastipur	Poor	219	PM ₁₀	1
171	Sawai Madhopur	Moderate	106	PM ₁₀	1
172	Shillong	Satisfactory	66	PM _{2.5}	1
173	Shivamogga	Satisfactory	76	O ₃	1
174	Sikar	Moderate	172	PM ₁₀	1
175	Singrauli	Moderate	132	PM ₁₀	1
176	Sirohi	Satisfactory	95	PM ₁₀	1
177	Sirsa	Satisfactory	91	O ₃	1
178	Sivasagar	Good	37	PM ₁₀	1
179	Siwan	Moderate	153	PM ₁₀	1
180	Solapur	Moderate	116	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuher

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sri Ganganagar	Poor	201	PM ₁₀	1
182	Srinagar	Satisfactory	58	PM ₁₀	1
183	Suakati	Moderate	128	O ₃	1
184	Surat	Satisfactory	71	со	1
185	Talcher	Moderate	111	PM _{2.5}	1
186	Tensa	Satisfactory	96	PM ₁₀	1
187	Thane	Satisfactory	76	PM ₁₀	1
188	Thiruvananthapuram	Good	27	PM ₁₀	1
189	Thoothukudi	Good	48	PM ₁₀	1
190	Tirupati	Satisfactory	70	PM _{2.5} , NO ₂	2
191	Tumakuru	Satisfactory	80	PM ₁₀	1
192	Tumidih	Moderate	140	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuhei

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udaipur	Moderate	116	PM ₁₀	1
194	Ujjain	Satisfactory	64	PM _{2.5}	1
195	Vapi	Satisfactory	55	PM _{2.5}	1
196	Varanasi	Satisfactory	100	PM ₁₀	4
197	Vatva	Satisfactory	80	PM ₁₀	1
198	Visakhapatnam	Moderate	162	PM ₁₀	1
199	Vrindavan	Moderate	164	PM ₁₀	1
200	Yadgir	Good	36	PM ₁₀	1
201	Yamunanagar	Satisfactory	77	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dharuhere

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Ankleshwar, Arrah, Baran, Bettiah, Bidar, Brajrajnagar, Buxar,