



**SPEED POST**

F. No. B-751(356)/Tannery/WQM-II/CPCB/2017-18 Dated: 12.02.2018

To

M/s K.C. Tan,  
101/87 B-4, Idgah Road Wajidpur,  
JAJMAU, Kanpur (UP)-208010.

**Directions under Section 5 of the Environment (Protection) Act, 1986 - Revoke reg.**

**WHEREAS**, the Tannery industries are identified as one of the Grossly Polluting industries (GPIs) which have been discharging environmental pollutants directly or indirectly into the ambient air and water, having potential threat to cause adverse effect on the water and air quality; and

**WHEREAS**, the Ministry of Environment & Forests, Government of India, vide Notifications No.S.O.157(E) of 27.02.1996 and S.O.730(E) dated 10.07.2002, has delegated the powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board, to issue directions to any industry or any local body or any other authority for violations of the standards and rules notified under the Environment (Protection) Rules, 1986 and amendment thereof; and

**WHEREAS**, M/s K.C. Tan, 101/87 B-4, Idgah Road Wajidpur, Jajmau, Kanpur(hereafter referred as the Unit), is a tannery engaged in processing of split leather to produce finished leather; and

**WHEREAS**, the unit was inspected on 29.03.2017 by the team of officials deputed by CPCB and the following observations were made:

- (i) The unit has not obtained Hazardous Waste Authorization.
- (ii) The unit has not obtained authorization from GGWA for ground water abstraction from bore wells.
- (iii) The unit has not provided data connectivity to CPCB.

**AND WHEREAS**, CPCB issued closure direction dated 19.06.2017 and directed the unit to comply with the following;

- (i) The unit shall obtain valid consent to operate under Air Act.
- (ii) The unit shall obtain authorization under Hazardous Waste Management from UPPCB.
- (iii) The unit will comply with the stipulated standards for ETP effluent discharge.
- (iv) The unit shall install OCEMS at ETP outlet and provide its connectivity with CPCB server.

**WHEREAS**, the unit replies vide letters dated: 11.09.2017, 19.09.2017, 26.12.2017 and 17.01.2018 and were examined and following observations are made-

- (i) The unit has applied to UPPCB for Hazardous Waste Authorization and provided an application copy of the same to CPCB.
- (ii) The unit has installed OCEMS and provided the connectivity with CPCB server.
- (iii) The unit has installed the dosing chemical mixing system in the reaction tank by using propellers for proper mixing.
- (iv) The unit has valid CTO under Water Act, however, CTO under Air Act is not available.

Contd....

- (v) The unit has replaced old dosing drums with new ones having ball-valves for lime and alum solution dosing tanks.
- (vi) The unit has provided the required details on PETP dimensions of Collection cum Equalization Tank, Reaction Tank, Settling Tank and Sludge Drying Beds.

**WHEREAS**, CPCB constituted a Three Member Committee vide office order dated 19.01.2018 having representative from CPCB, MoEF&CC and NMCG for examination and recommendation for revocation of the closure direction issued by CPCB; and

**WHEREAS**, the Three Member Committee in its meeting held on 19.01.2018 examined the replies dated 11.09.2017, 19.09.2017, 26.12.2017 and 17.01.2018 and recommended for the revoke of closure direction with the following conditions: -

- (i) The unit will obtain valid CTO and Hazardous Waste Authorization.
- (ii) The unit shall submit one month analysis result of the treated effluent from laboratory recognized under Environment (Protection) Act 1986.

**NOW THEREFORE**, in view of the above mentioned observations and in exercise of the powers delegated to the Chairman CPCB, under section 5 of the Environment (Protection) Act, 1986, the closure direction dated 19.06.2017 is hereby revoked and the Unit M/s K.C. Tan, 101/87 B-4, Idgah Road Wajidpur, Jajmau, Kanpur is directed to comply with the following:

- (i) The unit shall inform immediately to CPCB, on resumption of manufacturing operations.
- (ii) The unit will obtain Hazardous Waste Authorization.
- (iii) The Unit shall take necessary action to ensure that primary treated effluent discharged by the Unit will always comply the PETP standards prescribed by UPPCB / inlet to CETP standards and ensure that PETP effluent is treated in the CETP.
- (iv) The unit shall maintain log book for hazardous waste/chromium sludge disposal.
- (v) The unit shall submit analysis result of the treated effluent on daily basis for one month from laboratory recognized under Environment (Protection) Act 1986, within 45 days from the date of resumption of operation.
- (vi) The unit shall always ensure data transmission to CPCB server.

In case of failure of compliance with the above directions CPCB will be constrained to initiate appropriate actions against the unit, without giving any further notice, in accordance with provisions of Environment (Protection) Act, 1986.

  
(S P SINGH PARIHAR)  
CHAIRMAN

Copy to:

- 1 **The Member Secretary**  
Uttar Pradesh Pollution Control Board,  
Building No. TC-12V, Vibhuti Khand, Gomti Nagar,  
**Lucknow – 226 010**
- 2 **The Advisor (CP Division)**  
Ministry of Environment, Forest & Climate Change  
Prithvi Block, Indira Paryavaran Bhawan,  
Jorbagh Road,  
**New Delhi – 110 003**
- 3 **The District Magistrate**  
Collectorate Office,  
**KANPUR, Dist. Kanpur,**  
**Uttar Pradesh**
- 4 **Managing Director,**  
Kanpur Electricity Supply company Limited  
Kesa House, 14/71, Civil Lines  
**Kanpur- 208 001, Uttar Pradesh**
- 5 **In-charge, Regional Directorate (North),**  
**Central Pollution Control Board,**  
PICUP Bhawan, Ground Floor,  
Vibhuti Khand, Gomti Nagar,  
**Lucknow – 226 010.**
- ✓ 6 **In-charge, IT Division, CPCB**
- 7 **In-charge, WQM-II Div., CPCB Delhi**

With a request to ensure compliance of the directions.

For kind information pls.

For information and necessary action pls.

With request to Connect the electricity

For information.

For information.



(A. SUDHAKAR)  
**MEMBERSECRETARY**