



SPEED POST

F. No. B-19003/Tannery/NGRBA/CPCB/2013-14
To

Dated: 20.02.2018

17516

M/s Nafees Leather Finishers
(Fida Hussain ki Tannery),
24-A, 175/158-A, Bhudhia Ghat,
JAJMAU, Kanpur (UP).

Directions under Section 5 of the Environment (Protection) Act, 1986 - Revoke reg.

WHEREAS, the Tannery industries are identified as one of the Grossly Polluting industries (GPIs) which have been discharging environmental pollutants directly or indirectly into the ambient air and water, having potential threat to cause adverse effect on the water and air quality; and

WHEREAS, the Ministry of Environment & Forests, Government of India, vide Notifications No.S.O.157(E) of 27.02.1996 and S.O.730(E) dated 10.07.2002, has delegated the powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board, to issue directions to any industry or any local body or any other authority for violations of the standards and rules notified under the Environment (Protection) Rules, 1986 and amendment thereof; and

WHEREAS, M/s Nafees Leather Finishers (Fida Hussain ki Tannery), 24-A, 175/158-A, Bhudhia Ghat, Jajmau, Kanpur (hereafter referred as the Unit), is a tannery engaged in processing of split to finished leather; and

WHEREAS, the unit was inspected on 30.05.2017 by the team deputed by CPCB and following observations were made:

- (i) The unit was found operational on the day of inspection.
- (ii) The unit has installed electro-magnetic flow meter and continuous monitoring system and has set up connectivity with CPCB server.
- (iii) The unit has provided details of online flow measurement system including registration.
- (iv) The unit is not complying to the standards of PETP discharge. The value of pH and Total Chromium in PETP effluent was found exceeding specified limits (pH 4.82 against permissible value of 6.0-9.0 and Total Chromium 7.76 mg/l against maximum permissible value of 2.0 mg/l).

AND WHEREAS, CPCB issued closure direction dated 31.10.2017 to the unit; and directed to comply with the following:

- (i) The unit shall close all manufacturing operations immediately.
- (ii) The unit shall report to CPCB regarding closure of manufacturing operation and compliance of directions.
- (iii) The unit shall not commence operation without maintenance/upgradation of PETP and compliance of the discharge of PETP effluent.
- (iv) The unit shall not commence operation without valid consents and hazardous waste authorization from SPCB.
- (v) The unit shall maintain proper logbooks for all the relevant activities.
- (vi) The unit shall obtain permission from CPCB before resumption of any manufacturing operations.

Contd....

WHEREAS, the unit replies vide letters dated: 15.11.2017 and 20.12.2017 were examined and following observations are made-

- (i) The unit has done up-gradation/modification of the PETP and submitted details of ETP sizes and photographs.
- (ii) The unit has obtained consents under Water and Air Acts valid up to 31.12.2018.
- (iii) The unit has provided the OCEMS data connectivity and submitted the Self Certificate (in original).
- (iv) The unit has provided Undertaking in prescribed format.
- (v) The unit has obtained Hazardous Waste Authorization up to 11.07.2018; and

WHEREAS, CPCB constituted a Three Member Committee vide office order dated 19.01.2018 having representative from CPCB, MoEF&CC and NMCG for examination and recommendation for revocation of the closure direction issued by CPCB; and

WHEREAS, the Three Member Committee in its meeting held on 19.01.2018 examined the replies dated: 15.11.2017 and 20.12.2017 and recommended for the revoke of closure direction with the following conditions: -

- (i) Treatment of Cr⁺³ for accidental release through batch process.
- (ii) The report on PETP suitability may be sought from government institution.

NOW THEREFORE, in view of the above mentioned observations and in exercise of the powers delegated to the Chairman CPCB, under section 5 of the Environment (Protection) Act, 1986, the closure direction dated 31.10.2017 is hereby revoked and the Unit M/s Nafees Leather Finishers (Fida Hussain ki Tannery), 24-A, 175/158-A, Bhudhia Ghat, Jajmau, Kanpur is directed to comply with the following:

- (i) The unit shall ensure treatment of Cr⁺³ for accidental release through batch process.
- (ii) The unit shall provide report on PETP suitability from government institution within one month from date of resumption of manufacturing operation.
- (iii) The unit shall inform immediately to CPCB, on resumption of manufacturing operations.
- (iv) The unit shall take necessary action to ensure that primary treated effluent discharged by the Unit will always comply the PETP standards prescribed by UPPCB / inlet to CETP standards and ensure that PETP effluent is treated in the CETP.
- (v) The unit shall maintain log book for hazardous waste/chromium sludge disposal.
- (vi) The unit shall submit analysis result of the treated effluent from laboratory recognized under Environment (Protection) Act 1986, within 30 days from the date of resumption of manufacturing operation.
- (vii) The unit shall always ensure data transmission to CPCB server.

In case of failure of compliance with the above directions CPCB will be constrained to initiate appropriate actions against the unit, without giving any further notice, in accordance with provisions of Environment (Protection) Act, 1986.

(S P SINGH PARIHAR)
CHAIRMAN

Copy to:

- 1 **The Member Secretary**
Uttar Pradesh Pollution Control Board,
Building No. TC-12V, VibhutiKhand, Gomti Nagar,
Lucknow – 226 010
With a request to ensure compliance of the directions.
- 2 **The Advisor (CP Division)**
Ministry of Environment, Forest & Climate Change
Prithvi Block, Indira Paryavaran Bhawan,
Jorbagh Road,
New Delhi – 110 003
For kind information pls.
- 3 **The District Magistrate**
Collectorate Office,
KANPUR, Dist. Kanpur,
Uttar Pradesh
For information and necessary action pls.
- 4 **Managing Director,**
Kanpur Electricity Supply company Limited
Kesa House, 14/71, Civil Lines
Kanpur- 208 001, Uttar Pradesh
With request to connect the electricity
- 5 **In-charge, Regional Directorate (North),**
Central Pollution Control Board,
PICUP Bhawan, Ground Floor,
VibhutiKhand, Gomti Nagar,
Lucknow – 226 010.
For information.
- ✓ 6 **In-charge, IT Division, CPCB**
For information.
- 7 **In-charge, WQM-II Div., CPCB Delhi**



(A. SUDHAKAR)
MEMBER SECRETARY