

By Registered Post

B-44/PCI-III/2K07-08

18457

Dated: 14-03-2018

To,

**M/s. Chhattisgarh Distilleries Ltd.,
(Formerly M/s. Kedia Castle Delleon Industries Ltd)
Village- Khapri, Kumhari, Distt - Durg,
Chhattisgarh, Pin - 490 042**

DIRECTIONS UNDER SECTION 5 OF THE ENVIRONMENT (PROTECTION) ACT, 1986

WHEREAS, the Central Government has notified the standards for discharge of environmental pollutants from various categories of industries under the Environment (Protection) Act, 1986 and the rules framed there under; and

WHEREAS, the Ministry of Environment & Forests, Govt. of India, vide notification S.O.157(E) of 27.02.1996 has delegated powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board (CPCB), to issue direction to any industry, Municipal Corporation, Municipal Council, Cantonment Board to any local or other Authority for the violation of emission and effluent standards notified under the Environment (Protection) Rules, 1986; and

WHEREAS, it is obligatory on the part of industries to install effluent treatment plants (ETPs) to comply with the effluent discharge standards as notified under the Environment (Protection) Act, 1986 and the Rules framed there under and also to meet the consent conditions granted by State Pollution Control Board (SPCBs) / Pollution Control Committees (PCCs); and

WHEREAS, M/s Chhattisgarh Distilleries Ltd., (Formerly M/s Kedia Castle Delleon Industries Ltd.,) Village- Khapri, Kumhari, Distt - Durg, Chhattisgarh, Pin - 490 042 (hereinafter referred as 'the Unit' was inspected by the officials of CPCB on 05.05.2006 and based on the observations made, a notice under section 5 of the Environment (Protection) Act, 1986 was issued to the unit on 26.07.2016; and

WHEREAS, the Unit was again inspected by the officials of CPCB on 02.11.2006 and based on the observations made, directions under section 5 of the Environment (Protection) Act, 1986 were issued to the unit on 20.02.2007 including the restriction of the production capacity to 19 KLD as per the adequacy of bio composting facility; and

Contd...2/-

WHEREAS, based on the submissions made by the unit and the compliance reported during further visits carried out by CPCB officials, CPCB had modified the restriction of production capacity initially to 34 KLD vide direction dated 05.06.2007 and later on to 55 KLD vide direction dated 20.03.2008; and

WHEREAS, the unit vide letter dated 16.08.2016 had requested for reinstating the production capacity to the installed capacity of 125 KLD on the basis that the unit has completely turned over to grain based operations and the required facilities for achieving Zero Liquid Discharge has been provided; and

WHEREAS, the unit was inspected jointly by the officials of CPCB and SPCB on 13.12.2016 and the joint inspection team had recommended installation of additional systems such as DDGS dryer before considering the request for reinstating production capacity to 125 KLD; and


WHEREAS, the unit vide letter dated 03.10.2017 had submitted that the recommendations made by the joint inspection team during the previous inspection has been fully complied and the unit had again requested for reinstating the production capacity to the installed capacity of 125 KLD; and

WHEREAS, the unit was again inspected jointly by the officials of CPCB and SPCB on 25.10.2017 and the joint inspection team has verified the compliance made by the unit and has recommended for reinstating production capacity to 125 KLD; and

NOW, THEREFORE, in view of the above and exercising the powers delegated to the Chairman, Central Pollution Control Board (CPCB) under section 5 of the Environment (Protection) Act, 1986, the units is hereby allowed to operate at the installed production capacity of 125 KLD Alcohol production subject to the following conditions;


1. The unit shall only carry out grain based operations and shall not switch over to molasses based operations without prior permission from CPCB.
2. The unit shall strictly ensure Zero Liquid Discharge from the premise and its continuous compliance as per the 'Consent to Operate' condition of Chhattisgarh Environment Conservation Board and shall ensure efficient and continuous operation of all the systems installed for achieving ZLD such as MEE, Dryer etc. The unit shall provide requisite provisions for reuse of treated effluent.
3. It shall be ensured that the installed OCEMS devices, cameras and flow meters are functioning properly & continuously and that data from that device are uninterruptedly transferred to CPCB. Any failure in his regard shall be rectified at the earliest.
4. The unit shall ensure periodic calibration of the analyzers as per Standard Operating Procedure/recommendations of the supplier and submit the calibration results.

In case of default in compliance with the above directions, CPCB will be constrained to initiate action against the Unit, in accordance with the provisions of the Environment (Protection) Act, 1986, without giving any further notice.


(S. P. Singh Parihar)
CHAIRMAN

Copy to:

- 1) The Chairman,
Chhattisgarh Environment Conservation Board
Paryavaran Bhawan, Sector - 19
Naya Raipur, Chattisgarh-492 002 : *For information and necessary actions please.*
- 2) The Regional Director,
CPCB Regional Directorate,
4th Floor, Sahkar Bhawan
North T.T. Nagar
Bhopal - 462 003 : *For information please.*
- 3) The In-charge, (CP Division),
Ministry of Environment, Forests & CC,
Prithvi Block, Indira Paryavaran Bhawan,
Jorbagh Road, New Delhi - 110 003 : *For information please.*
- ✓ 4) The Div. Head, IT Division, CPCB Delhi : *For uploading at CPCB website*
- 5) The Div. Head, IPC-III Division, CPCB Delhi


(A. Sudhakar)
MEMBER SECRETARY