



केन्द्रीय प्रदूषण नियंत्रण बोर्ड  
CENTRAL POLLUTION CONTROL BOARD

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार  
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

SPEED POST

B-29016/04/06/IPC-I/  
To

19027

March 23, 2018

M/s. Parabolic Drugs Ltd.,  
Sundran, Mubarakpur, Derabassi,  
SAS Nagar-140201, Punjab

Sub.: Directions under Section 5 of the Environment (Protection) Act, 1986 regarding installation of on-line effluent and emission monitoring system

WHEREAS, the Pharmaceutical industries are identified as one of the 17 categories of highly polluting industries which have been discharging environmental pollutants directly or indirectly into the ambient air and water, having potential threat to cause adverse effect on the water and air quality; and

WHEREAS, the unit has installed online monitoring system w.r.t CPCB direction letter no. B- 29016/04/06/IPC-I/6737 dated July 27, 2015; and

WHEREAS, total 120 sms alert received for parameters (pH-38, BOD- 45, COD- 3 & TSS-34) in the month of February-March, 2017 for the unit, for not meeting the prescribed limits; and

WHEREAS the Unit was inspected by a team of official(s) from the CPCB Regional Directorate, Lucknow on April 27, 2017 to assess the adequacy of the existing pollution control measures and online effluent monitoring system, observations of team are as follows:

- 1) The solvent recovery plant of the unit was not in operation;
- 2) The filtration system (pressure sand filter and activated carbon filter) were choked and any pressure gauge and back washing arrangement for the filtration system was not installed.
- 3) Flow meters were not installed at MEE inlet and MEE outlet.
- 4) The MLSS in the aeration tank was found very low (1429 mg/l) which indicates the poor operation & maintenance of the ETP.
- 5) The unit was operating without valid consent under water Act, 1974, Air Act, 1981 and also without the Authorization under Hazardous waste and other waste (Management and Trans boundary Movement) Rules, 2016 from PPCB.

WHEREAS, based on the non-compliance observed during above inspection on April 27, 2017, a direction (show cause notice) under section 5 of Environment (Protection) Act 1986 was issued to the Unit vide letter no. B-29016/04/06/IPC-I/4143 dated June 05, 2017; and

WHEREAS, the Unit informed vide letter no. Parabolic/Sundran/ETP/OnlineSystem/ 005 dated June 22, 2017 that the Unit has taken corrective action with all the points of show cause notice dated June 05, 2017; and

WHEREAS the Unit was again inspected by a team of official(s) from the CPCB Head Office Delhi on July 14, 2017 to assess the compliance status of the Unit w.r.t. show cause notice dated June 05, 2017; and

WHEREAS, the Unit was found complying w.r.t. direction (show cause notice) dated June 05, 2017 during the inspection held on July 14, 2017 except that the Unit has not submitted valid consent to operate under the Water Act 1974, the Air Act 1981 and the authorization under Hazardous waste rules; and

WHEREAS, the Unit was directed vide email dated July 24, 2017 to submitted valid consent to operate under the Water Act 1974, the Air Act 1981 and the authorization under Hazardous waste rules; and

M/s. Parabolic Drugs Ltd., Punjab

WHEREAS, the Unit submitted consent(s) to operate under the Water Act 1974 and the Air Act 1981 valid upto March 31, 2018 issued from Punjab Pollution Control Board vide dated August 19, 2017; and

WHEREAS, the Unit was again directed to submitted valid authorization under the Hazardous waste rules issued from Punjab Pollution Control Board vide email dated September 12, 2017; and

WHEREAS, the Unit informed vide email dated September 15, 2017 that the renewal application dated June 29, 2017 for authorization under the Hazardous waste rules is under process at the Punjab Pollution Control Board; and

WHEREAS, the Unit submitted a reply through email dated December 02, 2017 that the unit is closed for maintenance and will inform after restart of plant operation; and

WHEREAS, a request letter dated December 22, 2017 sent to Punjab State Pollution Control Board to provide the status of Hazardous waste authorization of the Unit, no response received from PPCB so far, and

WHEREAS, the Ministry of Environment & Forests, Government of India, vide Notifications No. S. O. 157 (E) of 27.02.1996 and S. O. 730 (E) dated 10.07.2002, has delegated the powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board, to issue directions to any industry or any local body or any other authority for violations of the standards and rules notified under the Environment (Protection) Rules, 1986 and amendment thereof; and

NOW, THEREFORE, in exercise of powers vested under Section 5 of the Environment (Protection) Act, 1986, you are directed not to restart the plant operation till the compliance is achieved against CPCB show cause notice issued vide letter dated June 05, 2017 and shall not resume till permission is obtained from the CPCB for the same. Failure to comply with the above directions will attract action in accordance with the provision of the Environment (Protection) Act, 1986.

  
22/11/17  
(S. P. Singh Parihar)  
Chairman



Copy to:

1. The Chairman  
Punjab Pollution Control Board,  
Vatavaran Bhavan,  
Nabha Road, Patiala,  
147001, Punjab, India

2. The Chairman  
Punjab State Electricity Board  
(Head Office)  
The Mall 1st Floor, Patiala Ho,  
Patiala - 147001,  
Opposite Kali Mata Mandir Shakti Sadan

: With request to disconnect industrial  
electricity supply of unit  
allowing supply only for  
domestic & security purposes.

3. The Advisor (CP Division)  
Ministry of Environment, Forests and Climate Change  
Prithvi Wing, 2nd Floor, Room No. 216  
Indira Paryavaran Bhawan  
Aliganj, Jor Bagh Road, New Delhi - 110003

4. The Zonal Officer  
Central Pollution Control Board  
Ground & First Floor, PICUP Bhawan  
Vibhuti Khand, Gomti Nagar  
Lucknow - 226 020

5. The Incharge, IT, CPCB

6. The Incharge, IPC-VI, CPCB



(A. Sudhakar)  
Member Secretary