

Speed Post

B-190198/WQM-II(RG)/CPCB/Sugar/85/2016-17

April 24th, 2018
27

To,

M/s DSCL Sugar
Hariyawan, Hardoi,
U.P.-241405

**DIRECTION UNDER SECTION 5 OF THE ENVIRONMENT (PROTECTION) ACT, 1986-
NOTICE THEREOF**

WHEREAS, the Central Government has notified the standards for discharge of environmental pollutants from various categories of industries under the Environment (Protection) Act, 1986 and the rules framed there under; and

WHEREAS, the Ministry of Environment & Forests, Govt. of India, vide notification S.O.157(E) of 27.02.1996 has delegated powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board (CPCB), to issue direction to any industry, Municipal Corporation, Municipal Council, Cantonment Board to any local or other Authority for the violation of emission and effluent standards notified under the Environment (Protection) Rules, 1986; and

WHEREAS, it is obligatory on the part of industries to install effluent treatment plants (ETPs) to comply with the effluent discharge standards as notified under the Environment (Protection) Act, 1986 and the Rules framed thereunder and also to meet the consent conditions granted by State Pollution Control Board (SPCBs) / Pollution Control Committees (PCCs); and

WHEREAS, M/s DSCL Sugar, Hariyawan, Hardoi, U.P. (hereinafter referred as 'the Unit') is involved in the process of sugar manufacturing from crushing of cane; and

WHEREAS, CPCB issued direction dated 16.08.2017 to the Unit under section 5 of Environment Protection Act, 1986 to remain closed till compliance with the following directions:

1. i. The Unit shall submit the following reports to CPCB duly validated by reputed institutions like National Sugar Institute, Kanpur/Vasandada Sugar Institute, Pune /IITs within 60 days;
 - a) ETP adequacy assessment reports;
 - b) time bound action plan for ETP augmentation & upgradation upto tertiary treatment level; to comply with the standards notified G.S.R. 35 (E), MoEF&CC, January 14, 2016 for effluent disposal, & waste water conservation.

(Contd..2/-)

- c) water audit and mass balance report to establish waste water generation rate;
 - d) action Plans to achieve the notified effluent discharge quality and generation standards.
 - e) irrigation management plan as per the new notified standards on January 14, 2016; and
- ii. The Unit shall restrict the storage capacity of lined lagoon upto 15 days of effluent generation.
 - iii. The Unit shall meet the BOD-30mg/l standards for discharging any effluent on land /surface water body whereas effluent stored in lined lagoons/tanks of capacity not more than 15 days shall comply with BOD-100 mg/l standards.
2. The Unit shall stabilize the ETP by September 2017 before commencing of the new crushing season. The unit will not be allowed to resume manufacturing operations till stabilization of ETP system.
 3. The Unit shall upgrade of process technology, ETP system & adapt the best practice in a time bound manner and submit a report to CPCB before starting the next crushing season.
 4. The Unit shall seek permission from CPCB, after compliance with the above mentioned directions before resumption of manufacturing operations.

AND WHEREAS, CPCB received adequacy assessment report vide letter dated 28.08.2017 from the Unit prepared by NSI, Kanpur; and

WHEREAS, CPCB issued direction dated 02.11.2017 under section 5 of Environment (Protection) Act, 1986 to the Unit to comply with the following directions;

1. The Unit shall start its operation only after obtaining valid consent from the concerned State Pollution Control Board.
2. The Unit shall submit action plan within 15 days to implement the recommendations (including general observation) of adequacy report within 45 days.
3. The Unit shall install & Commission ETP system upto tertiary treatment level including adequate treatment system for spray pond overflow effluent in case of double sulphitation process (Brine recovery system to be installed in case of sugar refinery having Ion Exchange Process for sugar melt de-colorization).
4. The Unit having high pressure boiler (>45 Kg/cm²) shall install & Commission Condensate Polishing Unit (CPU) within 45 days for treatment of condensate water to ensure its reuse & recycle within the process.
5. The Unit shall restrict the effluent storage capacity to 15 days.
6. The Unit shall utilise treated effluent meeting the prescribed norms for irrigation as per the irrigation management plan validated by expert institutions namely, NSI, Kanpur/ VSI, Pune/ Agricultural Institutions.
7. The Unit shall implement the observation and recommendation of the adequacy report within 45 days.

(Contd..3/-)

8. The Unit shall get the verification of implement status of the recommendation of adequacy report including ETP performance assessment & effluent generation assessment done by the same institute which carried out adequacy assessment and submit the report to CPCB within 45 days from date of resumption of manufacturing operations.
9. The analysis result of the treated effluent shall also be submitted within 45 days through EPA recognised laboratories.
10. If the Unit fails to provide the verification report duly validated by the expert institutions, the Unit shall automatically stop all its manufacturing operations after 45 days from date of resumption of manufacturing operations.

AND WHEREAS, the Unit has submitted implementation status of recommendations of adequacy report vide letter dated 20.12.2017 to CPCB; and

WHEREAS, the Unit (M/s DSCL Sugar, Hariyawan, Hardoi, U.P.) was inspected on 15.01.2018 by officials from CPCB, and following observations are made:

1. The Unit and the ETP were operational.
2. The Unit has applied for valid consent under Water (Prevention and Control of Pollution) Act, 1974 & Air (Prevention and Control of Pollution) Act, 1981 upto 30.09.2018.
3. The Unit has installed Effluent Treatment Plant (ETP) which is comprised of Equalization Tank, Primary Clarifier, Aeration Tank, Secondary Clarifier, Multi Grade Filter & Activated Carbon Filter and Sludge Drying Beds.
4. The analysis of treated effluent sample shows pH-7.57 as against norms of 5.5-9.0, **BOD-65.7 mg/l** against norms of 30 mg/l, COD-240 mg/l against norms of 250 mg/l and TSS-26.9 mg/l against norms of 30 mg/l which indicates non-compliance w.r.t. BOD with the effluent surface discharge norms prescribed under Environment (Protection) Rules, 1986.
5. The analysis of underground water sample showed **total Hardness-253 mg/l** as against limit of 200 mg/l and **Alkalinity-249 mg/l** against limit of 200 mg/l which is higher than the permissible limit of Bureau of Indian Standards (BIS).
6. Effluent generated is collected in open conveyance channel and then it is carried to ETP. The open conveyance channel is passed along the public road placed in between the process area and ETP area.
7. Blackish effluent in primary clarifier indicates about high content of Sulphur in the influent interfering in the treatment efficiency of system.
8. Overflow from primary & secondary clarifiers was not smooth leaving behind several dead packets in the clarifier which disturbs the settling.
9. High variation in flow was observed between ETP inlet (14 m³/hr.) and ETP outlet (20 m³/hr.)
10. OCEMS is installed and connected to CPCB server but there is variation in OCEMS data and CPCB analysis data which indicates that OCEMS system installed is not properly calibrated.
11. The Unit has not submitted revalidated ETP adequacy assessment report within 45 days from the date of resumption of operation to CPCB.

(Contd..4/-)

It is evident that untreated/ partially treated effluent is being discharged by the Unit, posing potential threat to surface water/ground water quality.

AND NOW, THEREFORE, in view of above observation and in exercise of the powers delegated to the Chairman, CPCB under section 5 of the Environment (Protection) Act, 1986, notice is served herewith to **show cause why the Unit (M/s DSCL Sugar, Hariyawan, Hardoi, U.P.) should not be closed down** until all the necessary pollution control measures are planned and implemented so as to comply with the directions dated 02-11-2017 and also to comply with the prescribed effluent discharge standards notified under Environment (protection) Act, 1986, to the satisfaction of CPCB and also **why appropriate environmental compensation not be imposed.**

You are hereby given an opportunity to file your objections (if any) to the above proposed direction within 15 days from the receipt of this notice, failing which appropriate action shall be taken against the Unit without giving any further notice, in accordance with provisions of the Environment (Protection) Act, 1986.

(S. P. SINGH PARIHAR)
CHAIRMAN

Copy to:


1. **Member Secretary**
Uttar Pradesh Pollution Control Board,
Building No. TC-12V, Vibhuthi Khand,
Gomti Nagar, Lucknow – 226 010
2. **Joint Secretary (CP Division)**
Ministry of Environment, Forest & C.C
Prithvi Block, Indira Paryavaran Bhawan,
Jorbagh Road, New Delhi – 110 003
3. **District Magistrate**
Hardoi, U.P.
4. **Regional Directorate**
Regional Director
Central Pollution Control Board, PICUP Bhawan,
Ground Floor, Vibhuthi Khand, Gomti Nagar,
Lucknow – 226 010
5. ~~The In-charge, IT Division, CPCB~~
6. Master file/Guard file WQM II, CPCB Delhi

:With request to ensure compliance of the directions.

:For kind information, please.

:For kind information, please.

:For follow up and ensuring compliance



(A SUDHAKAR)
MEMBER SECRETARY