



B-29016/04/06/IPC-1/

2149

SPEED POST

May 24, 2018

To

M/s. Vani Pharma Labs Ltd., (Unit- II)
(Formerly M/s. Vani Chemicals and Intermediate),
Plot No.12, Ph-I, IDA, Jeedimetla, Hyderabad-500055
Telangana

Sub.: Directions under Section 5 of the Environment (Protection) Act, 1986 regarding installation of on-line effluent and emission monitoring system.

WHEREAS, the Pharmaceutical industries are identified as one of the 17 categories of highly polluting industries which have been discharging environmental pollutants directly or indirectly into the ambient air and water, having potential threat to cause adverse effect on the water and air quality; and

WHEREAS, M/s. Vani Pharma Labs Ltd., (Unit- II), Telangana (herein after referred to as the Unit) which comes under pharmaceutical category, has installed online flow meter and web camera as the Online continuous effluent Monitoring system (OCEMS) as it is sending effluent to common effluent treatment plant (CETP); and

WHEREAS, it was observed by the IT division of the CPCB that the Online continuous effluent Monitoring system (OCEMS) of the Unit was in offline mode during the month of 15 September-15 October 2017; and

WHEREAS, the Unit was inspected by a team of official(s) from the CPCB Regional Directorate, Bengaluru on November 30, 2017 to assess the adequacy of the existing pollution control measures and online effluent monitoring system, in view of observations of the inspecting team a show cause notice was issued to the Unit vide letter dated December 22, 2017; and

WHEREAS, the Unit submitted the compliance information through email dated January 15, 2018 to the CPCB and requested to revoke the Show Cause Notice; and

WHEREAS, a letter dated January 15, 2018 was sent to the Regional Directorate, Bengaluru to re-inspect the Unit and verify the compliance status of the of the Unit; and

WHEREAS, the Unit was inspected by a team of official(s) from the CPCB Regional Directorate, Bengaluru on January 30, 2018 to verify the compliance status of the of the Unit w.r.t. Show Cause Notice dated December 22, 2017 issued to the Unit; and

WHEREAS, based on observations of the inspecting team a confirmed direction vide letter dated March 16, 2018 has been issued to the unit with the time limit of 30 days and no reply received from the Unit yet; and

WHEREAS, a closure direction was issued to the Unit vide letter dated May 09, 2018 under Section 5 of the Environment (Protection) Act, 1986, as the following:

1. The Unit shall immediately close down the plant operation.
2. The Unit shall not to restart the plant operation till the permission to restart operation is obtained from the CPCB.
3. The Unit shall provide dedicated storage area for Hazardous waste and the waste shall be stored only in the dedicated storage area in a separate shed.
4. The Unit shall dispose all the Hazardous waste & organic waste stored in the Unit premises to TSDF.

WHEREAS, the Unit vide letter dated March 29, 2018 (received to CPCB on May 124, 2018) submitted the undertaking duly notarized, Effluent monitoring laboratory analysis report, copy of consent valid upto March 31, 2020 and requested to revoke the closure direction; and


WHEREAS, the Unit has submitted the self-certificate that the Unit has closed down its plant operation w.e.f. May 13, 2018 in response to the CPCB closure direction dated May 09, 2018; and

WHEREAS, CPCB constituted a Three-member committee vide office order dated 03.10.2017 having representative(s) from CPCB and MoEF&CC for examination and recommendation for revocation of the closure direction issued by CPCB; and

WHEREAS, the Three member committee in its meeting held on May 18, 2018 examined the compliance report submitted by the Unit and recommended that the Unit may be allowed to resume operation with condition that the Unit shall submit one month daily effluent quality analysis report from the MoEF&CC recognised lab to the CPCB from its resumption of operation; and


WHEREAS, the Ministry of Environment & Forests, Government of India, vide Notifications No. S. O. 157 (E) of 27.02.1996 and S. O. 730 (E) dated 10.07.2002, has delegated the powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board, to issue directions to any industry or any local body or any other authority for violations of the standards and rules notified under the Environment (Protection) Rules, 1986 and amendment thereof.

NOW, THEREFORE, in exercise of powers vested to Chairman CPCB under Section 5 of the Environment (Protection) Act, 1986, and in view of undertaking of compliance submitted by the Unit with relevant direction under reference, the direction issued under the Section 5 of the Environment (Protection) Act, 1986 to the Unit M/s. Vani Pharma Labs Ltd., (Unit- II), Telangana vide letter dated May 09, 2018 is hereby revoked with condition that the Unit shall submit one month daily effluent quality analysis report from the MoEF&CC recognised lab to the CPCB from its resumption of operation. The Unit will ensure compliance with the norms. In case of non-compliance by the Unit action as deemed fit under the provisions of Environment (P) Act, 1986 shall be taken.

↓
28/05/18
(S. P. Singh Parihar)
Chairman


Copy to:

1. The Chairman
Telangana State Pollution Control Board
Paryavaran Bhawan, A-3, Industrial
Estate, Sanathnagar, Hyderabad-500018
1. The Chairman
Southern Power Distribution
Company of Telangana Limited
Corporate Office: # 6-1-50,
Mint Compound, Hyderabad-500063
:With request to restore electricity
supply of the Unit.
2. The Advisor (CP Division)
Ministry of Environment, Forests and Climate Change
Prithvi Wing, 2nd Floor, Room No. 216, Indira
Paryavaran Bhawan Aliganj, Jor Bagh Road, New Delhi - 110003
3. The Regional Directorate
Central Pollution Control Board
1st & 2nd Floors, Nisarga Bhavan, A-Block,
Thimmaiah Main Road, 7th D Cross, Shivanagar, Opp.
Pushpanjali Theatre, Bangalore -560 010
5. The Incharge, IT, CPCB
5. The Incharge, IPC-VI, CPCB


(A. Sudhakar)
Member Secretary