



केन्द्रीय प्रदूषण नियंत्रण बोर्ड  
CENTRAL POLLUTION CONTROL BOARD  
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार  
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE - GOVT. OF INDIA

July 02, 2018

B-Tannery/IPC-IV/2018-19/

To

M/s Adharsh Thermopack Industries Ltd.,  
E- 106, Gautam Buddha Nagar,  
Uttar Pradesh

Sub.: Directions under Section 5 of the Environment (Protection) Act, 1986 regarding non-compliance of notified norms : Closure thereof.

WHEREAS, the tanneries are identified as one of the 17 categories of highly polluting industries which have been discharging environmental pollutants directly or indirectly into the ambient air and water, having potential threat to cause adverse effect on the water and air quality; and

WHEREAS, the Central Government has notified the standards for discharge of environmental pollutants from various categories of industries under the Environment (Protection) Act, 1986 and the rules framed there under; and

WHEREAS, there is need to inculcate habit of self-monitoring within the industries for complying with the prescribed standards and this can be achieved by the methods like installing online effluent and emission monitoring devices; and

WHEREAS, for strengthening the monitoring and compliance through self-regulatory mechanism, online source emission and effluent monitoring systems need to be installed and operated by the industries on 'polluter pays principle'; and

WHEREAS, a direction under section 18 (1) (b) of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 was issued on February 05, 2014 to all the State Pollution Control Boards (SPCBs)/ Pollution Control Committees (PCCs) for installation of online effluent monitoring system w.r.t. pH, BOD, COD, TSS, and Flow parameters in Tanneries; and

WHEREAS, considering the requests/ representations received from industries/ industrial associations/ SPCBs / PCCs, an extension of time up to June 30, 2015 for installation of online monitoring systems was granted vide direction dated March 02, 2015 under section 18 (1) (b) of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981; and

WHEREAS, a letter vide dated May 29, 2015 was issued by the Chairman CPCB to all the SPCBs/ PCCs informing that no further extension of time will be given after June 30, 2015 and withdrawal of consent to operate along with forfeiture of bank guarantee of non-complying units; and

'परिवेश भवन' पूर्वी अर्जुन नगर, दिल्ली-110032

Parivesh Bhawan, East Arjun Nagar, Delhi-110032

दूरभाष/Tel : 43102030, 22305792, वेबसाइट/Website : www.cpcb.nic.in

WHEREAS, concerned SPCB/ PCC issued directions under section 33A of the Water (Prevention & Control of Pollution) Act, 1974 and section 31A of the Air (Prevention & Control of Pollution) Act, 1981 to install the online monitoring system by June 30, 2015 and to submit bank guarantee of 100% of the cost of online emission & effluent monitoring system; and

WHEREAS, the Ministry of Environment & Forests, Government of India, vide Notifications No. S. O. 157 (E) of 27.02.1996 and S. O. 730 (E) dated 10.07.2002, has delegated the powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board, to issue directions to any industry or any local body or any other authority for violations of the standards and rules notified under the Environment (Protection) Rules, 1986 and amendment thereof; and

WHEREAS, the industry namely M/s Adharsh Thermopack Industries Ltd., E- 106, Gautam Buddha Nagar, Uttar Pradesh was inspected by a team of Scientists from Regional Directorate - North, CPCB, Lucknow on 20.1.2018 based on exceedance of OCEMS SMS alerts and made following observations requiring attention of Regulating Authority :

1. The Unit is engaged in processing of raw to wet blue of goat & sheep skin (semi-finished leather) with consented capacity of 2000 Pcs/day. During inspection, Unit was in operation with reported production of 500 Pcs/day.
2. Source of water is tube well and industry has not provided water meter to quantify fresh water extraction.
3. The unit is having ETP based on biological treatment system clubbed with Sand filter and Carbon filter. However, it was observed by the inspection team that entire generated effluent is not received by ETP.
4. During inspection, ETP was not in proper operation. Samples collected at the outlet of ETP were analysed and observed that it is not meeting with the prescribed standards in respect of pH - 5.37 (standard - 6.5-9.0).
5. MLSS and MLVSS in the aeration tanks 1 & 2 are found as 33 mg/l & 31.1 mg/l AND 21.4 mg/l & 19.6 mg/l respectively which are much on the lower-side and indicate poor state of operation of ETP.
6. Treated effluent from ETP is discharged into Lohiyakhar nallah which meets river Hindon and ultimately to river Yamuna.
7. Although OCEMS was found in the working condition but large variation was observed between OCEMS data and laboratory analytical data which indicates that proper calibration of the OCEMS as per protocol is not being undertaken.

Sample	pH	TSS, mg/l	BOD, mg/l	COD, mg/l
Lab analysis of Outlet of ETP	5.37	21.8	7.0	29.1
OCEMS data	8.67	50.0	17.0	111.8
% variance wrt laboratory data	61.5%	129.4%	142.9%	284.2%

8. The Unit has installed Chrome Recovery Plant (CRP) for treatment of chrome bearing effluent, however, Unit has not made proper segregation system and CRP was observed as non-operational.
9. The Unit has not installed separate energy meters for operation of ETP & CRP.
10. Height of the DG set stack installed by the unit is not as per norms.

*Original*

WHEREAS , in exercise of powers vested delegated to the Chairman, CPCB under Section 5 of the Environment (Protection) Act, 1986, M/s Adharsh Thermopack Industries Ltd., E- 106, Gautam Buddha Nagar, Uttar Pradesh was directed to close down its manufacturing activities with immediate effect. The unit was further directed for the following :

- i. The unit shall submit a time-targeted action plan within 15 days for rectification of the short comings as described above.
- ii. The unit shall not re-start its manufacturing activities without written permission from CPCB.

WHEREAS, the Unit vide letters dated 23/05/2018 and 28/05/2018 has informed about the steps taken to improve pollution control practices and requested for revocation of the Closure Directions dtd. 06.04.2018. The industry has submitted following additional documents as evidences in support of measures taken :

- a. An undertaking on stamp paper duly notarised to the effect that compliance of the CPCB directions has been done.
- b. Copies of Water Consent ( validity till 31.12.2018) , Air Consent ( validity till 31.12.2018) and Authorization ( validity till 09.08.2019) issued by Uttar Pradesh Pollution Control Board.
- c. A report on ETP Adequacy prepared by M/s Newcon Consultants India Pvt. Ltd. , Ghaziabad.


WHEREAS, the case of revocation of the closure directions issued to the unit was examined by the 'Committee' constituted by CPCB during its meeting convened on June 26, 2018 and the Committee has recommended for revocation of Closure Directions issued to the Unit on 29.12.2017 subject to certain conditions;

NOW THEREFORE, in view of the above and in exercise of the powers delegated to the Chairman, Central Pollution Control Board under Section 5 of the Environment (Protection) Act, 1986, the closure directions dtd. 06.04.2018 issued to the Unit namely : M/s Adharsh Thermopack Industries Ltd., E- 106, Gautam Buddha Nagar, Uttar Pradesh are hereby revoked for a period of 3 months only from the date of issue of these Revocation Directions and the unit is permitted to restart the manufacturing operations , subject to following conditions :

1. The Unit shall engage some government agency viz. CLRI Chennai/IIT Delhi / IIT Roorkee /NPC/ Govt. Engg. College / University for judging the adequacy of ETP and performance evaluation and report be submitted to CPCB within 45 days from the date of issue of these Revocation Directions.
2. CPCB shall re-inspect the unit within 2 months from the date of issue of these Revocation Directions to verify the claims of the Unit.


3. The Unit shall ensure all time compliance with the prescribed discharge norms and proper functioning of OCEMS.
4. The unit shall run only with valid Consent from Uttar Pradesh Pollution Control Board under the Water (Prevention & Control of Pollution) Act, 1974 , Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the Hazardous & Other Wastes ( Management & Transboundary Movement ) Rules, 2016.

Based on 1 to 4 above, decision shall be taken by CPCB for 'Full & Final Revocation of Closure Directions'. In case of failure of the Unit to comply with directions, action as deemed fit under the provisions of Environment (Protection) Act, 1986 shall be taken against the Unit.

  
[S. P. S. Parihar]  
Chairman

Copy for kind information & Compliance to :

1.	The Chairman, Uttar Pradesh Pollution Control Board, Building No. TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow - 226010.	With a request to ensure compliance of the directions please.
2.	The Managing Director U.P. Power Corporation Limited Shakti Bhawan 14 Ashok Marg, Lucknow [U.P.]	The electricity supply to the industry be restored till further orders.
3.	The District Magistrate - Noida Collectorate , Near LG Office, Surajpur, Greater Noida, Uttar Pradesh 201306	For information , please.
4.	The Joint Secretary (CP Division), Ministry of Environment, Forest & C.C., IPB, Jorbagh Road, New Delhi - 110003.	
5.	The Regional Director, Regional Directorate- North, Central Pollution Control Board, PICUP Bhawan, Gound Floor, Vibhuti Khand, Gomti Nagar, Lucknow - 226010.	
6.	The Divisional Head , IT Division, CPCB- HO., Delhi	
7.	The Divisional Head , IPC-VI Division, CPCB-HO., Delhi	

  
02/7/18.  
[N.K. Gupta]  
Divisional Head - IPC-IV