

SPEED POST

F. No. B-751(307)/Tannery/WQM-II/CPCB/2017-18

30th November, 2017

To,

**M/s Tasmiyah Leather Pvt. Ltd.,
29-A, 150 feet Road,
Jajmau, Kanpur.**

14844

Directions under Section 5 of the Environment (Protection) Act, 1986

WHEREAS, the Ministry of Environment & Forests, Government of India, vide Notifications No.S.O.157(E) of 27.02.1996 and S.O.730(E) dated 10.07.2002, has delegated the powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board, to issue directions to any industry or any local body or any other authority for violations of the standards and rules notified under the Environment (Protection) Rules, 1986 and amendment thereof; and

WHEREAS, the tannery and leather industries are also identified as one of the 17 categories of highly polluting industries which have been discharging environmental pollutants directly or indirectly in to ambient Air and Water, having potential to threat to cause adverse effects on the water and air quality; and

WHEREAS, M/s Tasmiyah Leather Pvt. Ltd., 29-A, 150 feet Road, Jajmau, Kanpur, Uttar Pradesh (hereafter referred to as the 'Unit') is a Tannery industry and was inspected by a team of officials authorized by CPCB on 28th March, 2017 to verify the compliance status; and

WHEREAS, CPCB issued Closure directions dated June 23rd, 2017 under Section 5 of Environment (Protection) Act, 1986 to the unit for non-compliance of stipulated norms w.r.t. TSS and Chromium and for compliance of the following directions:

- 1) The unit shall close down all the processing operations with immediate effect and shall report to CPCB regarding closure of process operations in compliance of the direction immediately on receipt of this direction.
- 2) The unit shall upgrade PETP facility for treatment of generated wastewater so as to meet the prescribed effluent discharge norms.

AND WHEREAS, the unit replies vide letters dated 08/07/2017, 19/09/2017, 28/09/2017 and 10/10/2017 were examined and following observations are made:

- 1) The unit shall provided fixed isolated pipe line to collect and convey chrome effluent from drums to CCRP holding tank.
- 2) The unit has installed fine screen bars at different locations, installed a new chamber at PETP inlet channel, installed one more chemical dosing drums and installed new automatic dosing pumps to reduce the TSS concentration.
- 3) The unit has also applied for hazardous waste authorization.

Cont.....

4) The unit has also installed OCEMS and connected to CPCB server.

WHEREAS, CPCB constituted a Three-Member Committee vide office order dated 27/09/2017 having representative from CPCB, MoEF& CC & NMCG for examination and recommendation for revocation of the closure direction issued by CPCB; and

WHEREAS, The Three Member Committee in its meeting held on 21/11/2017 examined the replies dated 08/07/2017, 19/09/2017, 28/09/2017 and 10/10/2017 and recommended for the revoke of the closure direction.

AND NOW, THEREFORE, in view of the above observations and in exercise of the powers, delegated to the Chairman, CPCB under Section 5 of the Environment (Protection) Act, 1986, the closure directions dated June 23rd, 2017 are hereby revoked and the unit, **M/s Tasmiyah Leather Pvt. Ltd., 29-A, 150 feet Road, Jajmau, Kanpur, Uttar Pradesh** is directed to comply with the following directions:

1. Mechanical desalting is encouraged.
2. Proper collection, storage and periodical disposal of dusted salt should be ensured.
3. Proper fixing of manual screen with cleaning arrangement should be provided.
4. The designed hourly flow should be maintained.
5. Proper mixing need to be ensured for homogenization of wastewater and also to prevent settling of sludge in collection tank.
6. Lime slurry of 5% and alum solution of 10% should be prepared and used for dosing.
7. In chemical preparation tanks, especially in lime preparation tank, continuous mixing to be ensured to avoid settling and uniform dosing of lime.
8. Proper mixing of chemicals and wastewater is to be ensured for effective performance of ST.
9. Proper approach should be provided to the top of settling tank for O&M.
10. Influent to ST should be feed at the centre of the tank through feed well to prevent short circuiting.
11. Sludge should be removed from settling tank at regular intervals.
12. Sludge thickness should not exceed 30 cm for effective dewatering of sludge in SDBs.
13. After dewatering, sludge should be removed and stored in temporary sludge storage area.
14. Housekeeping of tannery and PETP needs to be improved.
15. The unit shall maintain logbook for chromium sludge disposal.
16. UPPCB shall monitor disposal of chromium sludge to authorize TSDf site.
17. The unit shall submit treated effluent report of E(P) Act, 1986 recognized laboratory within 30 days.

Cont.....

In case of non-compliance of the above directions, CPCB will be constrained to initiate appropriate action against the unit, **M/s Tasmiah Leather Pvt. Ltd., 29-A, 150 feet Road, Jajmau, Kanpur, Uttar Pradesh**, without giving any further notice in accordance with the provision of Environment (Protection) Act, 1986.

(S P SINGH PARIHAR)
CHAIRMAN

Copy to:

- | | |
|---|---|
| 1. The Member Secretary,
Uttar Pradesh Pollution Control Board,
Building No. TC-12V, Vibhuti Khand,
Gomati Nagar, Lucknow | For kind information |
| 2. Managing Director
Kanpur Electricity Supply Company
Limited (KESCO)
Headquarter, Kesa House,
14/71 Civil Lines, Kanpur (UP) | For resuming the electricity
supply please |
| 3. The Regional Directorate, Central
Pollution Control Board, Lucknow,
PICUP Bhawan, Ground Floor, Vibhuti
Khand, Gomati Nagar, Lucknow-226010 | For kind information |
| 4. The Advisor (CP Division) Ministry of
Environment, Forests & Climate Change,
Indra Paryavaran Bhavan,
Jor Bagh Road, New Delhi - 110 003 | |
| ✓ 5. The Incharge, IT Division, CPCB | For uploading on CPCB's website |
| 6. Master File WQM-II, CPCB | |


(A SUDHAKAR)
MEMBER SECRETARY