



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

SPEED POST

F.No.B-751(577)/Textile/WQM-II/2016-17/ 14969

Nov 30, 2017

To

M/s Kartik Fabrics Pvt.Ltd.,
Khasra No.184-185-186,
Pawanpuri, Murad Nagar,
GHAZIABAD (UP)-201206

Sub: Directions under Section 5 of the Environment (Protection) Act, 1986-reg.

WHEREAS, the Textile, Dyeing & Bleaching industries are identified as one of the Grossly Polluting industries (GPIs) which have been discharging environmental pollutants directly or indirectly into the ambient air and water, having potential threat to cause adverse effect on the water and air quality; and

WHEREAS, the Ministry of Environment & Forests, Government of India, vide Notifications No. S.O. 157 (E) of 27.02.1996 and S.O. 730 (E) dated 10.07.2002, has delegated the powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board, to issue directions to any industry or any local body or any other authority for violations of the standards and rules notified under the Environment (Protection) Rules, 1986 and amendment thereof; and

WHEREAS, M/s Kartik Fabrics Pvt.Ltd., (hereafter referred as the Unit), is a textile industry located at Khasra No.184-185-186, Pawanpuri, Murad Nagar, Ghaziabad (UP)-201206; and

WHEREAS, the unit was inspected by CPCB officials and following observation were made:

1. The unit has not installed Online Continuous Effluent Monitoring System (OCEMS).
2. The unit does not meet the prescribed norms for treated effluent for textile industries like COD is 576 mg/l against limit of 250 mg/l.

WHEREAS, CBCB issued closure direction dated 15.05.2017 under Section 5 of the Environment (Protection) Act, 1986; to the Unit to close down till installation of online continuous effluent monitoring system (OCEMS) and connectivity with CPCB/SPCB; and

WHEREAS, CPCB issued closure direction dated 23.06.2016 under section 5 of the Environment (Protection) Act, 1986, to the unit; and

(contd.)

'परिवेश भवन' पूर्वी अर्जुन नगर, दिल्ली-110032

Parivesh Bhawan, East Arjun Nagar, Delhi-110032

दूरभाष/Tel : 43102030, 22305792, वेबसाइट/Website : www.cpcb.nic.in

WHEREAS, the unit reply vide letters dated 27.07.2017, 21.08.2017 and 06.09.2017 were examined and the following observation were made-

- i) the unit has installed OCEMS and provided connectivity with CPCB server.
- ii) the unit has submitted self certificate mentioning that it has stopped the operations with effect from 04.07.2017.
- iii) the unit has submitted notarized Affidavit dated 06.09.2017.
- iv) the unit has consent (valid up to 31.12.2018) for trade effluent discharge of 180KL/day, under the Water Act 1974, issued by the Uttar Pradesh Pollution Control Board.
- v) the unit has ETP system consisting of Equalization tank, chemical dosing tank, settling tank, sand filter, activated carbon filter and sludge drying bed.

WHEREAS, CPCB constituted a Three-Member Committee vide office order dated 27/09/2017 having representative from CPCB, MoEF&CC and NMCG for examination and recommendation for revocation of the closure direction issued by CPCB; and

WHEREAS, The Three Member Committee in its meeting held on 21/11/17 examined the replies dated 27.07.2017, 21.08.2017 & 06.09.2017 and recommended for revoke of closure directions.

NOW THEREFORE, in view of the above and in exercise of the powers delegated to the Chairman, Central Pollution Control Board under section 5 of the Environment (Protection) Act 1986, the closure directions dated 15-05-2017 and 23.06.2017 are revoked and the unit M/s Kartik Fabrics Pvt.Ltd., Khasra No.184-185-186, Pawanpuri, Murad Nagar, Ghaziabad (UP)-201206, is hereby directed to comply with the following-

1. The unit shall modify treatment process to achieve treated effluent parameters as within norms; and
2. The Unit shall immediately inform to CPCB, on resumption of the manufacturing operations; and
3. The unit shall submit analysis report of treated effluent from EPA recognised laboratory, within 30days from the date of resumption of manufacturing operations.
4. The Unit shall ensure all time compliance of the standards of treated effluent as per Gazette notification dated 10.10.2016 under Environment(Protection) Rules, 1986.

In case of failure of the unit to comply with the directions, action will be taken in accordance with the provisions under Environment (Protection) Act, 1986.

(S P SINGH PARIHAR)
CHAIRMAN

Copy to:

- 1 **The Member Secretary**
Uttar Pradesh Pollution Control Board,
Building No. TC-12V, Vibhuti Khand, Gomti Nagar,
Lucknow – 226 010 With a request to
ensure compliance of
the directions.
- 2 **The Advisor (CP Division)**
Ministry of Environment, Forest & Climate Change
Prithvi Block, Indira Paryavaran Bhawan,
Jorbagh Road,
New Delhi – 110 003 For kind
information pls.
- 3 **The District Magistrate**
Collectorate Office, Dist. **Hapur**,
Uttar Pradesh For information
pls.
- 4 **The Managing Director**
Purvanchal Vidyut Vitaran Nigam Ltd. Urja
Bhawan Victoria Park,
Meerut. With the direction to
Connect power supply
- 5 **The Incharge, Regional Office (North),
Central Pollution Control Board,**
PICUP Bhawan, Ground Floor,
Vibhuti Khand, Gomti Nagar,
Lucknow – 226 010. For information.
- 6 Master File-WQM-II Div.,, CPCB Delhi
- ✓ 7 In-charge, IT Division, CPCB Delhi For information.
- 8 In-charge, WQM-II Div., CPCB Delhi



(A SUDHAKAR)
MEMBER SECRETARY