



SPEED POST

December 10, 2018

B-29016/04/06/IPC-I/ 13696

To

M/s. Harisons Automobiles,
GT Road, Gohana Road
Panipat-132103,
Haryana

Sub: Directions under Section 5 of the Environment (Protection) Act, 1986 -reg.

WHEREAS, the Central Government has notified the standards for discharge of environmental pollutants from various categories of industries under the Environment (Protection) Act, 1986 and the rules framed thereunder; and

WHEREAS, it is obligatory on the part of industries to install and operate Effluent Treatment plant (ETP) to comply with the effluent discharge standards as notified under the Environment (Protection) Act, 1986 and the Rules framed thereunder and also to meet the consent conditions granted by State Pollution Control Board (SPCB)/ Pollution Control Committees (PCCs); and

WHEREAS, Hon'ble Supreme Court of India in the matter of Paryavaran Suraksha Samiti Vs Union of India & Others dated 22/02/2017 directed that no industry which requires "consent to operate" from the concerned Pollution Control Board, is permitted to function, unless it has a functional effluent treatment plant, which is capable to meet the prescribed norms for removing the pollutants from the effluent, before it is discharged; and

WHEREAS, M/s. Harisons Automobiles, GT Road, Gohana Road, Panipat (herein after referred as the Unit) is involved in sales and running workshop of M/s Maruti Suzuki; and

WHEREAS, the Unit was inspected by a joint team of officials from Central Pollution Control Board (CPCB) & Haryana State Pollution Control Board (HSPCB) on May 30, 2018 to assess the adequacy of the existing pollution control measures; and

WHEREAS, based on the non-compliance observed by the inspecting team, following direction were issued by CPCB to the Unit vide letter no. B-Automobile/PCI-I/CPCB/2018-19/681 dated August 01, 2018:

1. The Unit shall close all wet operations with immediate effect and inform CPCB.
2. The Unit shall install adequate Effluent Treatment Plant and operate it properly so as to achieve prescribed standards for effluent discharge.
3. The Unit shall obtain consent to operate under Water & Air Acts from Haryana State Pollution Control Board.
4. The Unit shall obtain authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
5. After completion of the above said measures, the Unit shall report to CPCB and seek permission from CPCB before resumption of their operations.

WHEREAS, the Unit submitted a reply vide letter dated September 18, 2018 that the Unit has complied with all the directions dated August 01, 2018 issued by CPCB, it has closed down the plant operations w.e.f. August 10, 2018 and requested to revoke the closure direction; and

WHEREAS, the Unit also submitted an undertaking for compliance duly notarized, Effluent analysis report of ETP from laboratory M/s. Industrial Testing Laboratory & Consulting House, copy of renewal application dated September 14, 2018 for consent to operate, an ETP system adequacy report dated September 18, 2018 from Deenbandhu Chhotu Ram University of Science & Technology, Sonapat, Haryana; and

WHEREAS, CPCB constituted a Three-member committee vide office order dated 03.10.2017 having representative(s) from CPCB and MoEF&CC for examination and recommendation for revocation of the closure direction issued by CPCB; and

WHEREAS, the three-member committee in its meeting held on 15.11.2018 examined the compliance report submitted by the Unit, recommended that the Unit may be allowed to resume operation with conditions that:


1. The Unit shall start operations only after obtaining the valid consent to operate from the Haryana SPCB.
2. The Unit shall submit performance assessment of the treatment system by analysis of treated effluent by a reputed Government Institution such as CSIR laboratories, IITs & NITs within 45 days of start of operation.


WHEREAS, the Ministry of Environment & Forests, Government of India, vide Notifications No. S. O. 157 (E) of 27.02.1996 and S. O. 730 (E) dated 10.07.2002, has delegated the powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board, to issue directions to any industry or any local body or any other authority for violations of the standards and rules notified under the Environment (Protection) Rules, 1986 and amendment thereof.

NOW, THEREFORE, in exercise of powers vested to Chairman CPCB under Section 5 of the Environment (Protection) Act, 1986, and in view of compliance with relevant direction under reference, the direction issued under the Section 5 of the Environment (Protection) Act, 1986 to the Unit (M/s. Harisons Automobiles, GT Road, Gohana Road, Panipat) vide letter dated August 01, 2018 is hereby revoked with condition that:

1. The Unit shall start operations only after obtaining the valid consent to operate from the Haryana SPCB.
2. The Unit shall submit performance assessment of the treatment system by analysis of treated effluent by a reputed Government Institution such as CSIR laboratories, IITs & NITs within 45 days of start of operation.
3. The Unit shall comply with the effluent & emission norms prescribed in the consent to operate issued by Haryana State Pollution Control Board under the Water Act, 1974 and the Air Act, 1981.

In case of non-compliance by the Unit action as deemed fit under the provisions of Environment (P) Act, 1986 shall be taken.


(S.P. Singh Parihar)

Chairman 11/11/18


Copy to:

1. The Chairman
Haryana State Pollution Control Board
C-11, Sector - 6
Panchkula- 134109, Haryana

: With request to verify
the compliance within
three months.

2. The Advisor (CP Division)
Ministry of Environment, Forests and Climate Change
Prithvi Wing, 2nd Floor, Room No. 216
Indira Paryavaran Bhawan
Aliganj, Jor Bagh Road
New Delhi - 110003


3. The Managing Director,
Uttar Haryana Bijli Vitran Nigam Ltd.
(UHBVNL) Vidyut Sadan,
Plot No: C16, Sector-6,
Panchkula-134109, Haryana

: With request to restore the
electricity supply of the Unit.

4. The Incharge, Regional Directorate
Central Pollution Control Board
Ground & First Floor, PICUP Bhawan
Vibhuti Khand, Gomti Nagar
Lucknow - 226 020

5. Divisional Head, IPC-I, CPCB

6. Divisional Head, IT, CPCB


(Prashant Gargava)
Member Secretary