



SPEED POST

F. No. B-751(356)/Tannery/WQM-II/CPCB/2018-19

Dated: 28.12.2018

To,

M/s K.C Tan,

101/87, B-4, Idgah Road, Wajidpur,
Jajmau, KANPUR-208010 (UP)

14581

02.01.2019

DIRECTION UNDER SECTION 5 OF THE ENVIRONMENT (PROTECTION) ACT, 1986

WHEREAS, Tannery processing units are identified as one of the grossly polluting industries which have been discharging environmental pollutants directly or indirectly into ambient air and water, having potential threat to cause adverse effect on water and air quality; and

WHEREAS, the Central Government has notified the general discharge standards of environmental pollutants from various categories of industries under the Environment (Protection) Act, 1986 and the rules framed there under; and

WHEREAS, the Ministry of Environment, Forest & Climate Change, Govt. of India, vide notification S.O. 157 (E) of 27.02. 1996 has delegated powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board (CPCB), to issue direction to any industry, Municipal Corporation, Municipal Council, Cantonment Board to any local or other Authority for the violation of emission and effluent standards notified under the Environment (Protection) Rules, 1986 and amendment thereof; and

WHEREAS, M/s K.C Tan, 101/87, B-4, Idgah Road, Wajidpur, Jajmau, KANPUR-208010 (UP) (hereafter referred as 'the Unit'), is a tannery engaged in processing of split leather to produce finished leather; and

WHEREAS, the unit was inspected by team deputed by CPCB on 29.03.2017 and the unit was found non-operational and no discharge of effluent was discharged.

WHEREAS, the unit was issued Closure direction dated 19.06.2017 under Section 5 of the Environment (Protection) Act, 1986 to the unit to close down all its manufacturing operations for the violation of norms laid down for control of pollution and not having data connectivity to CPCB server, Consent to operate under Air Act, 1981, Authorization for Hazardous Waste disposal and NOC from CGWA for ground water extraction; and

WHEREAS, unit reply vide letter dated 11.09.2017, 19.09.2017, 26.12.2017, 17.01.2018 were examined and following observations were made:

1. The unit has applied to UPPCB for Authorization for Hazardous Waste disposal and provided an application copy of the same.
2. Unit has installed OCEMS and provided connectivity with CPCB server.
3. Unit has installed dosing chemical mixing system in the reaction tank by using propellers for proper mixing.

Contd...

4. Unit has replaced old dosing drums with new ones having ball-valves for lime and alum solution dosing tanks.
5. The unit has provided the required details on PETP dimensions of collection cum Equalization tank, Reaction Tank, Settling Tank and sludge drying beds.

AND WHEREAS, Three Member Committee in its meeting held on 19.01.2018 examined and recommended that the unit may be allowed to resume operation; and

WHEREAS, CPCB issued direction dated 12.02.2018 to the unit to comply with the following directions:

1. The unit shall inform immediately to CPCB, on resumption of manufacturing operations.
2. The unit will obtain Hazardous Waste Authorization.
3. The unit shall take necessary action to ensure that primary treated effluent discharged by the unit will always comply the PETP standards prescribed by UPPCB/ inlet to CETP standards and ensure that PETP effluent is treated in the CETP.
4. The unit shall maintain log book for hazardous waste/ chromium sludge disposal.
5. The unit shall submit analysis result of the treated effluent on daily basis for one month from laboratory recognized under Environment (Protection) Act, 1986, within 45 days from the date of resumption of operation.
6. The unit shall always ensure data transmission to CPCB server.

AND WHEREAS, the unit did not communicate to CPCB about resumption of operations and did not comply with the directions dated 12.02.2018; and


WHEREAS, CPCB issued Show-cause dated 14.11.2018 to the unit for non-compliance with respect to the directions dated 12.02.2018;

WHEREAS, the unit did not reply/ respond to CPCB regarding the directions dated 12.02.2018 and Show-cause dated 14.11.2018; and


NOW, THEREFORE, in view of the above observations and in exercise of the powers delegated to the Chairman, Central Pollution Control Board under Section 5 of the Environment (Protection) Act, 1986, the Unit M/s **K.C Tan, 101/87, B-4, Idgah Road, Wajidpur, Jajmau, KANPUR-208010 (UP)** is hereby directed to close down its operation immediately and to comply with the following directions-

1. The unit will obtain Hazardous Waste Authorization.
2. The unit shall obtain valid consent to operate from UPPCB and submit a copy of the same to CPCB.
3. The unit shall seek permission from CPCB before resumption of operations after compliance of above directions.

In case of default in compliance with the above directions by the Unit, CPCB will be constrained to initiate appropriate actions against the Unit, without giving any further notice, in accordance with the provisions of the Environment (Protection) Act, 1986.


21/01/19

(S.P. SINGH PARIHAR)
CHAIRMAN



-3-

Copy to:

- 1 **Member Secretary**
Uttar Pradesh Pollution Control Board,
Building No. TC-12V, Vibhuti Khand, Gomti Nagar,
LUCKNOW – 226 010
With a request to ensure compliance of the directions.
- 2 **Joint Secretary (CP Division)**
Ministry of Environment, Forest & Climate Change
Prithvi Block, Indira Paryavaran Bhawan,
Jorbagh Road,
NEW DELHI – 110 003
For kind information pls.
- 3 **District Magistrate**
Collectorate Office,
Dist. Kanpur, **KANPUR, (U.P)**
To ensure closure of the unit as per direction
- 4 **Managing Director,**
Kanpur Electricity Supply company Limited
Kesa House, 14/71, Civil Lines
KANPUR- 208 001, UP
With the direction to disconnect power supply except residential, street light and security system.
- 5 **Incharge, Regional Office (North),**
Central Pollution Control Board,
PICUP Bhawan, Ground Floor,
Vibhuti Khand, Gomti Nagar,
LUCKNOW – 226 010.
For information pls.
- 6 ✓ In-charge, IT Division, CPCB
For information pls.
- 7 In-charge, WQM-II Division, CPCB Delhi


(PRASHANT GARGAVA)
MEMBER SECRETARY