



BY SPEED POST

B-29016/04/06/IPC-I/ 11270

September 26, 2018

To

M/s. Laborate Pharmaceuticals India Pvt. Ltd.,  
T-11, Industriail Area, Panipat  
Haryana

Sub: Directions under Section 5 of the Environment (Protection) Act, 1986 -reg.

WHEREAS, the Pharmaceutical industries are identified as 17 category of Highly Polluting Industries which have been discharging effluents directly or indirectly on land and into water, having potential threat to cause adverse effect on land and the ambient water quality; and

WHEREAS, the Central Government has notified the standards for discharge of environmental pollutants from various categories of industries under the Environment (Protection) Act, 1986 and the rules framed thereunder; and

WHEREAS, it is obligatory on the part of industries to install and operate Effluent Treatment plant (ETP) to comply with the effluent discharge standards as notified under the Environment (Protection) Act, 1986 and the Rules framed thereunder and also to meet the consent conditions granted by State Pollution Control Board (SPCB)/ Pollution Control Committees (PCCs); and

WHEREAS, Hon'ble Supreme Court of India in the matter of Paryavarana Suraksha Samiti Vs Union of India & Others dated 22/02/2017 directed that no industry which requires "consent to operate" from the concerned Pollution Control Board, is permitted to function, unless it has a functional effluent treatment plant, which is capable to meet the prescribed norms for removing the pollutants from the effluent, before it is discharged; and

WHEREAS, a team of officers from the Central Pollution Control Board (CPCB), Delhi inspected M/s. Laborate Pharmaceuticals India Pvt. Ltd., Haryana (herein after referred as the Unit) on May 22, 2018 to assess the adequacy of the existing pollution control measures; and

WHEREAS, the inspecting team found the Unit operational and observed the following:

1. During visit, it has been observed that ETP was not operated properly.
2. The Industry is manufacturing Tablets, Capsules and Ointments.
3. The industry is using tube well for meeting water requirement for domestic as well as industry purpose.
4. It has been observed from the analysis result that the parameter BOD (1183 > 30 mg/l), Oil & Grease (13 > 10 mg/l) and TSS (208 > 100 mg/l) are exceeding the limits.
5. The Unit has not obtained the valid consent to operate under Air and Water Act from HSPCB.

WHEREAS, in view of the above and in exercise of powers vested under Section 5 of the Environment (Protection) Act, 1986, a closure direction was issued vide letter no. B-29016/04/06/IPC-I/882 dated August 01, 2018; and

WHEREAS, Unit replied vide letters received to CPCB on dated August 20, 2018 that the unit has complied with all the direction dated August 01, 2018 issued by CPCB, the plant operations has already been closed down w.e.f. August 14, 2018 as per CPCB direction and requested to revoke the closure direction; and

WHEREAS, unit has submitted the undertaking for compliance on stamp paper, valid CTO up to March 31, 2026; and

WHEREAS, the Unit submitted an adequacy report of ETP from Department of Environment Sciences, Central University of Haryana, Mahendergarh, Haryana; and

WHEREAS, CPCB constituted a Three-member committee vide office order dated 03.10.2017 having representative(s) from CPCB and MoEF&CC for examination and recommendation for revocation of the closure direction issued by CPCB; and

WHEREAS, the three-member committee in its meeting held on 29.08.2018 examined the adequacy report submitted by the Unit and recommended that the Unit shall submit performance report of ETP from any expert Government Institution; and

WHEREAS, the Three-member committee in its meeting held on 14.09.2018 examined the performance report submitted by the Unit and recommended for revocation of closure direction with following conditions that:



1. The Unit shall submit performance audit report of ETP from expert Government Institution within 60 days of start of operation.
2. The Unit shall submit monthly log book data of ETP for one month to CPCB.
3. The Unit shall get compliance verification from Haryana State Pollution Control Board and submit the report to CPCB within three months.

WHEREAS, the Ministry of Environment & Forests, Government of India, vide Notifications No. S. O. 157 (E) of 27.02.1996 and S. O. 730 (E) dated 10.07.2002, has delegated the powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board, to issue directions to any industry or any local body or any other authority for violations of the standards and rules notified under the Environment (Protection) Rules, 1986 and amendment thereof.

NOW, THEREFORE, in exercise of powers vested to the Chairman, Central Pollution Control Board under Section 5 of the Environment (Protection) Act, 1986, and in view of the compliance of above directions and the affidavit produced by the unit, the directions issued under Section 5 of the Environment (Protection) Act, 1986 to M/s. Laborate Pharmaceuticals India Pvt. Ltd., Panipat, Haryana vide letter dated August 01, 2018 is hereby revoked with following conditions:


1. The Unit shall submit performance audit report from expert Government Institution within 60 days of start of operation.
2. The Unit shall submit monthly log book data of ETP for one month to CPCB.
3. The Unit shall get compliance verification from Haryana State Pollution Control Board and submit the report to CPCB within three months.

In case of non-compliance by the Unit action as deemed fit under the provisions of Environment (P) Act, 1986 shall be taken.

  
(Arun Kumar Mehta)  
Chairman  


Copy to:

1. The Chairman : With request to compliance  
Haryana State Pollution Control Board verification of the unit within  
C-11, Sector - 6 three month.  
Panchkula-134109  
Haryana
2. The Advisor (CP Division)  
Ministry of Environment, Forests and Climate Change  
Prithvi Wing, 2nd Floor, Room No. 216  
Indira Paryavaran Bhawan  
Aliganj, Jor Bagh Road  
New Delhi - 110003
3. The Managing Director, : With request to restore  
Uttar Haryana Bijli Vitran Nigam Ltd. industrial Electricity supply of  
(UHBVNL) Vidyut Sadan, the Unit.  
Plot No: C16, Sector-6  
Panchkula 134109, Haryana
4. The Incharge, Regional Directorate  
Central Pollution Control Board  
Ground & First Floor, PICUP Bhawan  
Vibhuti Khand, Gomti Nagar  
Lucknow - 226 020
5. ✓ I/c, IT, CPCB
6. ✓ I/c, IPC - I

  
(Prashant Gargava)  
Member Secretary