

**Speed Post**

F.No. B-466(S)/IPC-III/2020-21/ 14882

December \_\_\_\_, 2020

To,

**M/s. Rena Sahakari Sakhar Karkhana Ltd.,  
DilipnagarNiwada,  
Ta- Renapur, Dist- Latur,  
Maharashtra**

**DIRECION UNDER SECTION 5 OF THE ENVIRONMENT (PROTECTION) ACT, 1986**

**WHEREAS**, the Central Government has notified the standards for discharge of environmental pollutants from various categories of industries under the Environment (Protection) Act,1986 and the rules framed there under; and

**WHEREAS**, the Ministry of Environment & Forests, Govt. of India, vide notification S.O.157(E) of 27.02.1996 has delegated powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board (CPCB), to issue direction to any industry, Municipal Corporation, Municipal Council, Cantonment Board to any local or other Authority for the violation of emission and effluent standards notified under the Environment (Protection) Rules,1986; and

**WHEREAS**, it is obligatory on the part of industries to install effluent treatment plants (ETPs) to comply with the effluent discharge standards as notified under the Environment (Protection) Act, 1986 and the Rules framed there under and also to meet the consent conditions granted by State Pollution Control Board (SPCBs) / Pollution Control Committees (PCCs); and

**WHEREAS**, the inspection of the M/s Rena Sahakari Sakhar Karkhana Ltd. (hereafter referred as 'unit'), Dilipnagar Niwada, Tq. Renapur, Distt. Latur, Maharashtra (hereafter referred as 'unit') was carried out on 13.03.2019 by the team from CPCB, Regional Directorate, Vadodara; and

**WHEREAS**, the unit was found non-complying w.r.t unaccounted discharge of effluent to earthen ponds/lagoons/ditches and collection of untreated effluent in earthen ponds/lagoons and

**WHEREAS**, based on non-compliances found during inspection by the team of CPCB, a closure direction dated 28.11.2019 under section 5 of the Environment (Protection) Act, 1986, was issued to M/s Rena Sahakari Sakhar Karkhana Ltd.(unit), Dilipnagar Niwada,Tq. Renapur, Distt. Latur, Maharashtra and directed to close down all its manufacturing operations and not to restart manufacturing till it complies with the following directions and obtain permission from CPCB:

1. The unit should immediately discontinue discharge of unaccounted effluent to earthen ponds/ lagoons/ ditches.
2. Effluent collected in earthen ponds/ lagoons/ ditches shall be immediately treated in ETP and the unit shall discontinue the practice of storing untreated effluent into pits and dismantle/ level the pits. Also, dismantle the arrangement available for diversion of raw effluent to earthen lagoon.
3. The unit shall install flow meter at all water abstraction points for measuring water consumption & maintain log book for the same.
4. The unit shall maintain the record of operation & maintenance of ETP w.r.t. effluent treated, energy & chemical consumption.
5. The unit should carry out adequacy assessment report of ETP through reputed Government institutes such as IIT/NEERI/VSI/NSI & accordingly augment the ETP provided so as to achieve the prescribed discharge standards.
6. The unit shall prepare and submit a comprehensive treated effluent management plan regarding utilisation/reuse of treated effluent from ETP.
7. The unit shall reposition the web camera installed in compost yard to capture the excess effluent discharged from yard, if any?
8. The unit shall ensure periodic calibration of the analyzers as per Standard Operating Procedure/recommendations of the supplier and submit the calibration results.
9. Improve housekeeping within the plant and dispose stored fly ash for reutilization.

**WHEREAS**, the Unit submitted compliance status vide its reply letter dated 30.06.2020 and 18.10.2020 including adequacy assessment report of VSI, Pune, Completion report on required up gradation of ETP as suggested by VSI in adequacy report and requested for resumption of manufacturing operations; and

**WHEREAS**, CPCB constituted a three member Committee vide office order dated 03.10.2017 having representative(s) from CPCB and MOEF&CC for examination and recommendation of the revocation of closure directions issued by CPCB; and

**WHEREAS**, the Committee in its meeting held on 23.11.2020 reviewed the compliance made by the unit & verified the supporting documents in line with the agreed criteria and recommended for revocation of closure direction with certain conditions; and

**NOW, THEREFORE**, in view of the above and in exercise of the powers delegated to the Chairman, CPCB under section 5 of the Environment (Protection) Act, 1986, the aforesaid closure direction issued to **M/s Rena Sahakari Sakhar Karkhana Ltd.(unit), Dilipnagar Niwada, Tq.Renapur, Distt. Latur, Maharashtra** is hereby **revoked** subject to the following conditions:

1. Before commencement of operations, the unit shall obtain valid Consents under the Water Act, 1974 and Air Act, 1981 and Authorization under Hazardous & other Wastes Rules, 2016 from MPCB and industry shall not operate under any circumstances without valid consent orders.
2. The unit should submit performance assessment of the effluent treatment system including analysis of the treated effluent by the same Govt. institute within 60 days from the date of resumption of manufacturing operations.
3. The unit should ensure periodic calibration of the OCEMS analyzers as per standard operating procedure/ recommendations of supplier and submit the calibration results to CPCB.
4. The unit should replace available flexible pipes with permanent PVC/steel pipes for diversion of spray pond overflow to ETP, before commencement of manufacturing operations.
5. Before commencement of operations, the unit shall dismantle/ level all earthen pits.
6. Submitted Irrigation Management Plan (IMP) by the unit should be further examined by MPCB and agreed IMP shall also be integrated with the consent order to operate.

In case of default in compliance with the above conditions, CPCB will be constrained to initiate appropriate actions against the unit without giving any further notice, in accordance with provisions of the Environment (Protection) Act, 1986.

  
**(Shiv Das Meena)**  
**CHAIRMAN**

Copy to:

- 1) **The Member Secretary,**  
Maharashtra Pollution Control Board  
2nd, 3rd & 4th Floor,  
Opp. Cine Planet, Near Sion Circle,  
Sion (E), Mumbai- 400022 : For ensuring compliance of directions please.
- 2) **The Regional Director,**  
Regional Directorate  
Central Pollution Control Board,  
ROW House No. 1, Sanjivani Nisarg  
Balewadi Pune - 411045 : For follow up and ensuring compliance of the direction.

- 3) **The District Magistrate,** : For information and n/a please  
Collectorate office, Dist- Latur,  
Maharashtra
- 4) **The Superintendent Engineer,** : With a direction to restore the power  
Maharashtra State Electricity Distribution, supply to the industrial unit please.  
Dist- Latur, Maharashtra
- 5) **The In-charge, (CP Division),** : For information, pl.  
Ministry of Environment, Forests& CC,  
Prithvi Block, Indira Paryavaran Bhawan,  
Jorbagh Road, New Delhi - 110 003
- 6) The Div. Head, IT Division, CPCB Delhi : To upload direction at CPCB Website, pl.
- 7) The Div. Head, IPC-VI, Division, CPCB Delhi : For information, pl.
- 8) The Div. Head, IPC-III Division, CPCB Delhi : For records purpose.

  
(Prashant Gargava)  
MEMBER SECRETARY