



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

By Registered Post

F. No. B-31011/BMW (46.53)/2021/WMD-I 16971

March 09, 2021

To,

M/s Indo Water Management & Pollution Control Corporation,
C-32 II Floor, Parijat Complex, above Priyadarshini Super Market,
E-5 Bittan Market, Arera Colony,
Bhopal -462016.

DIRECTION UNDER SECTION 5 OF THE ENVIRONMENT (PROTECTION) ACT, 1986

WHEREAS the Central Government has notified the Bio-Medical Waste Management Rules, 2016 and amendments thereof (herein after referred as BMW Rules) in suppression of the Bio-Medical Waste (Management & Handling) Rules, 1998, and amendments thereof, under the Environment (Protection) Act, 1986, to improve the collection, segregation, processing, treatment and disposal of the Bio-Medical wastes in an environmentally sound management thereby, reducing the biomedical waste generation and its impact on the environment;

WHEREAS as per Rule 7 (1) of BMW Rules, "bio-medical waste shall be treated and disposed of in accordance with Schedule I and in compliance with the standards prescribed in Schedule II of the BMW Rules, 2016"; and

WHEREAS as per Schedule III of BMW Rules, CPCB has mandate to conduct random inspection of CBWTFs to verify compliance to Rules; and

WHEREAS the Common Bio-Medical Waste Treatment Facility namely M/s Indo Water Management & Pollution Control Corporation (the Unit) was inspected by Central Pollution Control Board (CPCB) during 09th -10th, January 2020, wherein following shortcomings were observed; (i) Facility has not upgraded incinerator w.r.to 2 Seconds Residence Time; (ii) leakages were observed in APCDs attached with incinerator; (iii) OCEMS data is not transmitted to CPCB server; (iv) Primary chamber temperature was observed 710°C, which is less than the prescribed limit of temperature 800°C ± 50°C; (v) stack emission monitoring result, PM concentration (i.e. 52 mg/Nm³) is exceeding the prescribed standards (i.e. 50 mg/Nm³); and (vi) All vehicles were not provided with GPS system; and

WHEREAS the Central Government vide notification S.O. 730 (E) dated July 10, 2002, has delegated the powers under Section 5 of the Environment (Protection) Act, 1986 to the Chairman, Central Pollution Control Board (CPCB), to issue directions to any industry or any local, or any other authority for any violation of the standards and rules relating to BMW notified under the Environment (Protection) Act, 1986; and

NOW, therefore in exercise of the powers vested under Section 5 of the Environment (Protection) Act, 1986, the Unit is hereby directed to take the following corrective measures within 30 days from issue of this direction, to comply with provisions of BMW Rules, 2016;

- (i) Upgrade the incinerator w.r.to 2 Seconds Residence Time.
- (ii) Augment the APCDs to avoid leakage (Provide proof of compliance).
- (iii) Arrange to transmit OCEMS data to CPCB server.
- (iv) Operate the incinerator at temperature range as prescribed under BMW Rules, 2016 (provide proof of compliance).
- (v) Ensure proper operation of APCD to comply with stack emission standards (Provide copy of test report from E (P) A recognized laboratory).
- (vi) Provide GPS system in all vehicle operated by facility (Provide proof of compliance).

Contd...2/-

'परिवेश भवन' पूर्वी अर्जुन नगर, दिल्ली-110032

Parivesh Bhawan, East Arjun Nagar, Delhi-110032

दूरभाष/Tel : 43102030, 22305792 वेबसाइट/Website : www.cpcb.nic.in

::2::

Further, the Unit shall take this as notice that in case of failure to comply with above action points in given time, the Unit shall be liable to pay Environmental Compensation Charges for the subsequent period of non-compliance.

In case unit fails to comply with above directions, CPCB will be constrained to take action against M/s Indo Water Management & Pollution Control Corporation, Satna, Madhya Pradesh as deemed fit under the Environment (Protection) Act, 1986.


(Shiv Das Meena)
Chairman

Copy for information to:

1. Joint Secretary, HSM Division
Ministry of Environment, Forest & Climate Change
Indira Paryavaran Bhawan,
Jorbagh Road, New Delhi - 110 003
2. The Member Secretary : For kind information
Madhya Pradesh Pollution Control Board
Paryavaran Parisar, Sector E-5,
Aera Colony, Bhopal - 462 016
3. The Regional Director : For kind information
Central Pollution Control Board
4th Floor, Sahkar Bhawan
North TT Nagar
Bhopal - 462 003
4. I/c IT Division : For information and necessary
action
5. I/c Accounts Division : For information & for further
necessary action


(Prashant Gargava)
Member Secretary