



File No. PJ-14011(11)/21/2022-WQM-II-HO-CPCB-HO

12 November, 2024

To,

M/s Khalid Leather Finishers,  
3 Gajjupurwa, Jajmau, Distt.  
Kanpur – 208010 (U.P)

**DIRECTION UNDER SECTION 5 OF THE ENVIRONMENT (PROTECTION) ACT,  
1986**

**WHEREAS**, the Central Government has notified the standards for discharge of environmental pollutants from various categories of industries under the Environment (Protection) Act, 1986 and the rules framed there under; and

**WHEREAS**, the Ministry of Environment, Forests & Climate Change, Govt. of India, vide notification S.O.157(E) of 27.02.1996 has delegated powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board (CPCB), to issue direction to any industry, Municipal Corporation, Municipal Council, Cantonment Board to any local or other Authority for the violation of emission and effluent standards notified under the Environment (Protection) Rules, 1986; and

**WHEREAS**, it is obligatory on the part of industries to install effluent treatment plants (ETPs) to comply with the effluent discharge standards as notified under the Environment (Protection) Act, 1986 and the Rules framed there under and also to meet the consent conditions granted by State Pollution Control Board (SPCBs) / Pollution Control Committees (PCCs); and

**WHEREAS**, the inspection of M/s Khalid Leather Finishers, 3 Gajjupurwa, Jajmau, Distt. Kanpur – 208010 (U.P) (hereinafter referred as 'the unit') was carried out on 13.04.2017 by the officials of CPCB authorized third party technical institute, Indian Institute of Technology (BHU), Varanasi. At the time of inspection, the unit found operational without having consent to operate;

**WHEREAS**, On the basis of inspection dated 13.04.2017, CPCB issued closure direction u/s 5 of E(P)A, 1986 dated 17.05.2017 to the unit and directed the unit to obtain valid consent to operate under Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 from UPPCB and install OCEMS with its connectivity to CPCB and UPPCB servers; and

**WHEREAS**, the unit vide letter dated 11.09.2024 submitted that the unit has installed OCEMS and flow meters and requested to revoke the closure directions dated 17.05.2017; and

**‘परिवेश भवन’ पूर्वी अर्जुन नगर, दिल्ली – 110032.**  
**Parivesh Bhawan, East Arjun Nagar, Delhi - 110 032.**

**WHEREAS**, CPCB has verified the OCEMS connectivity and as per the report dated 25.09.2024 it is evident that the OCEMS is connected to CPCB server and the last data was received on 25.09.2024; and

**WHEREAS**, CPCB issued a letter to the unit on 30.09.2024 to submit the notarized undertaking and self-certificate. In compliance to CPCB letter dated 30.09.2024, unit submitted the requisite documents vide letter dated 03.10.2024; and

**WHEREAS**, the four-member revocation committee meeting was held on 16.10.2024 to examine the revocation request of closure direction dated 17.05.2017 issued by CPCB under section 5 of the Environment (Protection) Act, 1986; and

**NOW, THEREFORE**, in view of the above observations, decision taken during four-member revocation committee meeting and exercising powers delegated to the Chairman, Central Pollution Control Board, the closure directions dated 17.05.2017 under section 5 of the Environment (Protection) Act, 1986, issued to the unit "**M/s Khalid Leather Finishers, 3 Gajjapurwa, Jajmau, Distt. Kanpur – 208010 (U.P)**" is hereby revoked with following conditions:

1. The unit shall be permitted to operate for 90 days (three months) from the date of resumption of manufacturing operations and the unit shall immediately inform to CPCB, Head Office, CPCB, RD Lucknow and UPPCB about the date of resumption of operations.
2. The unit shall resume manufacturing operations only after obtaining the following documents:
  - a. Valid consent to operate under the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981
  - b. Authorization under Hazardous & Other Waste Rules, 2016
  - c. CETP and TSDF membership
3. The unit shall ensure uninterrupted data connectivity of OCEMS with CPCB/UPPCB server after commencement of operation of the plant.
4. The unit shall comply with PETP discharge standards prior to discharging its effluent into CETP Jajmau for further treatment.
5. The unit shall submit compliance report w.r.t. above mentioned directions within 20 days from the date of issuance of this direction.

In case of failure to comply with the directions, appropriate action as deemed fit under the provisions of the Environment (Protection) Act, 1986 will be taken without any further notice.


  
(TANMAY KUMAR)  
CHAIRMAN





**Copy to:**

1. **Member Secretary** : for kind information please  
Uttar Pradesh Pollution Control Board,  
Building No. TC-12V, Vibhuti Khand,  
Gomti Nagar, Lucknow – 226 010.
2. **Additional Secretary (CP Division)** : for kind information please  
Ministry of Environment, Forest & CC,  
Prithvi Block, Indira Paryavaran Bhawan,  
Jorbagh Road, New Delhi – 110 003
3. **Director General** : for kind information please  
National Mission for Clean Ganga,  
Ministry of Jal Shakti,  
(Department of Water Resources,  
River Development & Ganga Rejuvenation),  
Government of India, 1st Floor, Major Dhyan  
Chand National Stadium India Gate, New  
Delhi – 110002
4. **Regional Director** : for verification of the compliance  
Central Pollution Control Board, status within 90 days of their  
PICUP Bhawan, Ground Floor, operations by CPCB, RD, Lucknow  
Vibhuti Khand, Gomti Nagar, officials  
Lucknow – 226 010,
- ✓ 5. The In-charge IT Division, CPCB Delhi : with request to upload on CPCB  
server
6. Master/Guard file, WQM-II, CPCB Delhi

  
(BHARAT KUMAR SHARMA)  
MEMBER SECRETARY

