



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

SPEED POST

B-33014/7/IPC-II/2017-18/10173

September 06, 2017

To,

M/s Keshav Cements & Infra Ltd.
Plant-2, Naganapur Village,
PO-Lokapur, Tq-Mudhol,
Dist.-Bagalkot
Karnataka-585292

Direction under Section 5 of the Environment (Protection) Act, 1986

WHEREAS, the cement industries are identified as one of the 17 categories of highly polluting industries which have been discharging environmental pollutants directly or indirectly into the ambient air and water, having potential threat to cause adverse effect on the water and air quality; and

WHEREAS, Ministry of Environment, Forests & Climate Change has notified emission norms for Particulate matter, SO₂ & NO_x vide GSR 612 (E) dated 25.08.2014; and amended it vide GSR 496 (E) dated 09.05.2016, for all cement industries and vide GSR 497 (E) dated 10.05.2016 for cement industries, carrying out co-processing of wastes in their cement kilns; and

WHEREAS, on request of cement industries, timeline was extended up-to March 31, 2017 to comply with the aforesaid notified emission standards; and

WHEREAS, the matter regarding reconsideration of notified standards was taken up by the Cement Manufacturers Association with the Ministry of Environment, Forest and Climate Change (MoEFCC). In this context, it has been decided by MoEFCC that general extension shall not be granted and any extension regarding compliance shall be based on due assessment and submission of clear/specific road map for compliance with notified standards in a time bound manner. Accordingly, Directions under Section 3 of Environment (Protection) Act, 1986 have been issued by MoEFCC to CPCB on 28.03.2017 to ensure implementation of notified environmental standards for cement industries; and

WHEREAS, you were reminded vide this office letter of even no. dated 30.03.2017 that new notified standards for cement industry have become effective from April 01, 2017 and you were directed to submit clear / specific time-bound action plan for compliance with new notified standards, before April 30, 2017; and

M/s Keshav Cements & Infra Ltd. Plant-2, Naganapur, Village, PO-Lokapur, Tq-Mudhol, Dist.-Bagalkot Karnataka

WHEREAS, series of meetings were convened by Regional Directorates of CPCB with Cement industries and State Pollution Control Boards to expedite the submission of action plans and ensure compliance. Based on the inputs received, a standard format was developed to facilitate cement industries in submission of action plans in a precise & scientific manner and the same was circulated among cement manufacturers. Accordingly, all the cement industries were directed to submit the specific action plan as per the standard format before 30.04.2017; and

WHEREAS, copies of all such communications/directions were uploaded on the website of CPCB also from time to time and are available; and

WHEREAS, the Ministry of Environment, Forest & Climate Change Government of India, vide Notifications No. S. O. 157 (E) of 27.02.1996 and S. O. 730 (E) dated 10.07.2002, has delegated the powers vested under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) to the Chairman, Central Pollution Control Board, to issue directions to any industry or any local body or any other authority for violations of the standards and rules notified under the Environment (Protection) Rules, 1986 and amendment thereof; and

WHEREAS, meetings with DeNOx suppliers were convened on 15.02.2017 and 07.04.2017. Regarding availability, it was made clear by DeNOx suppliers that supply of DeNOx systems to all the cement plants will not be a problem and for supply to all cement plants, it will require 1 year time; and

WHEREAS, in a meeting with NH₃ suppliers, held on 15.02.2017 and 07.04.2017, it was informed that generation of aqueous ammonia is 4,50,000 MTPA and its sale or utilization is only 2,00,000 MTPA, so there is no problem in meeting the demands of cement plants; and

WHEREAS, regarding compliance of PM emissions in clinker cooler sections, in a meeting held on 07.04.2017, Bag Filter suppliers informed that there is no problem to achieve standards as technology is available, only shut down of the kiln is an issue. If space is not available, heat exchanger and Bag filters can be provided at some distance from the cooler and may be connected through the ducts. As a possible way of designing, the maximum time required will be six months; and

WHEREAS, M/s Keshav Cements & Infra Ltd. Plant-2, Naganapur Village, PO-Lokapur, Tq-Mudhol, Dist.-Bagalkot, Karnataka, has sought a timeline of 24 months in cooler for compliance of PM emission norms, which is abruptly on higher side and not acceptable.

NOW, THEREFORE, exercising the powers delegated to the Chairman, Central Pollution Control Board under section 5 of the Environment (Protection) Act, 1986, M/s Keshav Cements & Infra Ltd. Plant-2, Naganapur, Village, PO-Lokapur, Tq-Mudhol, Dist.-Bagalkot, Karnataka is hereby directed for the following:

1. All necessary steps shall be initiated so as to comply with the notified emission standards by or before 31.08.2018.
2. Accordingly, the action plan shall be revised and 'Revised Action Plan' for compliance of notified emission norms shall be submitted within 15 days from the date of issue of these directions. Failing which, it will be presumed that the unit has nothing to say in the matter and legal action including prosecution as per the National Green Tribunal Act, 2010 shall be launched.


(S.P. Singh Parihar)
Chairman



Copy to:

1. The Chairman,
Karnataka State Pollution Control Board
'Parisara Bhawan' 4th & 5th Floor
49, Church Street,
Bangalore-560 001
2. The Jt. Secretary (CP Division)
Ministry of Environment, Forests and
Climate Change
Prithvi Wing, 2nd Floor, Room No. 216
Indira Paryavaran Bhawan
Aliganj, JorBagh Road, New Delhi - 110003
3. The Regional Director(South)
Central Pollution Control Board
1st & 2nd Floors, Nisarga Bhawan
A- Block, Thimmaiah Main Road
7th D Cross, Shivanagar
Opposite Pushpanjali Theatre
Bangalore 560 010
4. ✓ The Divisional Head, IT, CPCB

: For information please.

(Handwritten Signature)

(A.Sudhakar)
Member Secretary

(Handwritten Signature)