



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5815523  
Dated/दिनांक : 14-01-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	04-02-2025 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	04-02-2025 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Environment Forest And Climate Change
Department Name/विभाग का नाम	Na
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Central Pollution Control Board Regional Directora
क्रैता ईमेल/Buyer Email	rafique.cpcb@nic.in
Total Quantity/कुल मात्रा	213
Item Category/मद केटेगरी	Acetone , Trisodium Citrate , Ammonia Solution , Ammonium Acetate , Ammonium Chloride , Ammonium Ferrous Sulphate , Acetonitrile , Barium Chloride , Barium perchlorate Trihydrate , Calcium Chloride Fused , Calcium Cholride , Chloramaine T solution , Charcoal activated , Dichloromethane , Ferroin Indicator , Formaldehyde , Dplus Glucose anhydrous Dextrose , Holmium Tri oxide , Hydrochloric Acid , Hydrogen Peroxide , Isopropanol , Mercury di Chloride , Methylene Blue indicator , Manganese Di Sulfate , N Hexane , Nitric Acid , Ortho phosphoric Acid , Phenol Disulphonic Acid , Potassium bromide , Silver Sulfate , Silca gel sixty to one twenty mesh , Sodium acetate trihydrate , Sodium Borohydride , Sodium Hypochlorite , Sodium Sulphate Anhydrous , Sulfamic Acid , Sulfanilamide , Sulphuric Acid , Toulene , Zirconium Oxy Chloride
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	Acetone, Trisodium Citrate, Ammonia Solution, Ammonium Acetate, Ammonium Chloride, Ammonium Ferrous Sulphate, Acetonitrile, Barium Chloride, Barium perchlorate Trihydrate, Calcium Chloride Fused, Calcium Cholride, Chloramaine T solution, Charcoal activated, Dichloromethane, Ferroin Indicator, Formaldehyde, Dplus Glucose anhydrous Dextrose, Holmium Tri oxide, Hydrochloric Acid, Hydrogen Peroxide, Isopropanol, Mercury di Chloride, Methylene Blue indicator, Manganese Di Sulfate, N Hexane, Nitric Acid, Ortho phosphoric Acid, Phenol Disulphonic Acid, Potassium bromide, Silver Sulfate, Silca gel sixty to one twenty mesh, Sodium acetate trihydrate, Sodium Borohydride, Sodium Hypochlorite, Sodium Sulphate Anhydrous, Sulfamic Acid, Sulfanilamide, Sulphuric Acid, Toulene, Zirconium Oxy Chloride

Bid Details	विवरण Searched String: Acetone
	<p>ACETYLE ACETONE, Acetone as per IS 170, Spray Paint Orange, Drip - Leg Drain</p> <p><b>Searched String:</b> Trisodium Citrate</p> <p>Tri-Sodium citrate dihydrate, Blood Sample Collection Tubes, TRISODIUM PHOSPHATE (ANHYDROUS) - ONGC, Potassium Citrate, Blood Specimen Collection Tubes, Disodium Citrate Sesquihydrate, Trisodium Phosphate as per IS 573, Deoxycholate Citrate Agar, Blood Collection Tube, Simmons citrate agar</p> <p><b>Searched String:</b> Ammonia Solution</p> <p>Ammonia Buffer Solution, Toner Cartridges / Ink Cartridges / Consumables for Printers, Ammonia solution 25%, Ammonia Anhydrous Liquid, Ultra low temperature laboratory deep freezer, Ammonia Printing Machine, Wheel Chairs (V2), Anhydrous Ammonia as per IS : 662, Patient Bed (Fowler and Semi Fowler), Antifoam Solution</p> <p><b>Searched String:</b> Ammonium Acetate</p> <p>Ammonium acetate, Yoga Mats, Ammonium acetate AR Grade, SODIUM ACETATE, GLACIAL ACETIC ACID, Barium Acetate, Zinc Acetate, Ammonia solution 25%, Butyl Acetate, Ethyl Acetate</p> <p><b>Searched String:</b> Ammonium Chloride</p> <p>Ammonium Chloride (ONGC), Suction Catheters (V2), Ammonium Chloride Reagent Grade, High Level Medical Device Disinfectant, Ammonium Chloride + Bromhexine + Dextromethorphan + Menthol, Yoga Mats, Diphenhydramine Hydrochloride + Ammonium Chloride + Sodium Citrate + Menthol, Ammonium Chloride + Bromhexine + Dextromethorphan + Menthol Syrup (V2), Floor Drain Traps, Ammonium Chloride, Technical and Pure as per IS: 1113</p> <p><b>Searched String:</b> Ammonium Ferrous Sulphate</p> <p>Ammonium Ferrous Sulphate, Tower Bolts (Ferrous Metals) as per IS 204, Ammonium Ferrous Sulphate hexahydrate, Ferrous Sulphate, Cutting Wheel, Ammonium Sulphate, Ammonia solution 25%, Ferric Ammonium Sulphate, Non - Ferrous Metal Butt Hinges as per IS 205, Aluminium Ammonium Sulphate Dodecahydrate</p> <p><b>Searched String:</b> Acetonitrile</p> <p>Acetonitrile</p> <p><b>Searched String:</b> Barium Chloride</p> <p>Barium Chloride liquid, Suction Catheters (V2), Barium Chloride as per IS: 5288, Barium Acetate, Yoga Mats, Barium Nitrate, Floor Drain Traps, Barium Hydroxide, Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, Barium Perchlorate</p> <p><b>Searched String:</b> Barium perchlorate Trihydrate</p> <p>Barium Perchlorate, Barium Chloride as per IS: 5288, Sodium perchlorate monohydrate, Lead(II) Acetate, Barium Acetate, Perchloric acid, Barium Nitrate, Potassium</p>

**Bid Details/As per IS**

Perchlorate as per IS: 13524, Barium Hydroxide, Potassium ferrocyanide trihydrate

**Searched String:** Calcium Chloride Fused

Calcium Chloride (ONGC), HRC Fuse as per IS 13703, Calcium Chloride- IS:1314, Regulators for Breathing Apparatus ( Diving Instruments or Accessories), Calcium Silicate, Suction Catheters (V2), Calcium hypophosphite, Calcium carbide, Switch Fuse Unit, Calcium Stearate

**Searched String:** Calcium Cholride

Calcium Silicate, Flame Photometer, Calcium hypophosphite, Biochemistry Reagent Kits, Calcium carbide, Calcium Stearate, Laboratory Reagent Kits, Calcium Hydroxide, Biochemistry Reagent Kit (Open System), Calcium Standard

**Searched String:** Chloramaine T solution

T Bulb, Toner Cartridges / Ink Cartridges / Consumables for Printers, Antifoam Solution, Modular Work Stations (V2), Acetaldehyde solution, Ultra low temperature laboratory deep freezer, Ninhydrin Solution, Benedict'S Solution, T - Shirt (V2), Drabkin Solution

**Searched String:** Charcoal activated

Activated Charcoal Tablets, Revolving Chair (V4), Activated Charcoal Powder, Regulators for Breathing Apparatus ( Diving Instruments or Accessories), Charcoal, Blood Sample Collection Tubes, Activated Carbon (Pellet), Activated Clotting Time (ACT) Test Cartridge, Activated Carbons Granular as per IS 2752, Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV)

**Searched String:** Dichloromethane

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Ferroin Indicator

Ferroin indicator solution, Bluetooth Speakers, Phenolphthalein indicator, Universal Indicator, Indicator lights or Lamps, Phase Indicator, Heat Seal Sterilization Roll With Chemical Indicator, WEIGHT INDICATOR, Silica Gel as per IS 3401, Bromocresol Green Indicator

**Searched String:** Formaldehyde

Formaldehyde Solution as per IS 3321, Formaldehyde Solution (V2) as per IS 3321, MDF Boards for General Purpose (V2) as per IS 12406, Chemical Indicator for Low Temperature Steam and Formaldehyde Sterilization Process, Biological Indicators for Low Temperature Steam and Formaldehyde Sterilization Processes, Medium Density Fiber Boards (MDF Boards) for General Purpose

**Searched String:** Dplus Glucose anhydrous Dextrose

Glucose, D and C Set, Regulators for Breathing Apparatus ( Diving Instruments or Accessories)

**Searched String:** Holmium Tri oxide

Holmium Laser, Zinc Oxide Elastic Self - Adhesive Bandage

Bid Details/बिड विवरण	(V2), Tri Sodium Phosphate Dodecahydrate, Tri-Sodium citrate dihydrate, Portable Convection kerosene heater, Mercuric Oxide, Grinding Wheel With Shelf Life, Aluminium Oxide, elastic zinc oxide adhesive bandage, Calcium Oxide
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> Hydrochloric Acid</p> <p>HYDROCHLORIC ACID PICKLING INHIBITOR, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Hydrochloric Acid as per IS 265, Hydrochloric Acid for Well Stimulation for (ONGC), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Hydrochloric Acid in Tankers (V2) as per IS 265, D and C Set, Veratric Acid (3,4-Dimethoxybenzoic Acid), Lead Acid starter Batteries, Humic Acid and Fulvic Acid</p> <p><b>Searched String:</b> Hydrogen Peroxide</p> <p>Silver Hydrogen peroxide disinfectant, ECO - Friendly Disinfectant (Hydrogen Peroxide + Silver Nitrate), Low temperature Hydrogen Peroxide Gas Steriliser, Stabilized Hydrogen Peroxide (V2) as per IS 2080, Low Temperature Hydrogen Peroxide Gas Plasma Sterilizer, Hydrogen Generator, Refillable Seamless Steel Gas Cylinders, Chemical Indicator for Vaporized Hydrogen Peroxide (Plasma) Sterilization Process, Benzoyl peroxide, Benzoyl Peroxide Gel</p> <p><b>Searched String:</b> Isopropanol</p> <p>ISO Propyl Alcohol as per IS 2631, Isopropyl Alcohol (2 - Propanol), D and C Set, Regulators for Breathing Apparatus ( Diving Instruments or Accessories)</p> <p><b>Searched String:</b> Mercury di Chloride</p> <p>Mercury Iodide, Suction Catheters (V2), Mercuric Sulphate, mercury medical thermometers, Yoga Mats, Cadmium chloride, blood pressure recording units, Mercuric Nitrate, Floor Drain Traps, Mercury (II) Iodide Red</p> <p><b>Searched String:</b> Methylene Blue indicator</p> <p>Eosin Methylene Blue Agar, Bio - Medical Waste Collection Bags (Biohazard Bags), Methylthioninium Chloride (Methylene Blue) Injection, Leishman's Eosine Methylene Blue for Microscopy, Roller Ball Pen (V2), New Methylene Blue Stain (Reticulocyte Stain), Bromothymol Blue Sodium Salt (W.S.) Acs (Ph Indicator), Bluetooth Speakers, Bromophenol Blue, Bromothymol Blue</p> <p><b>Searched String:</b> Manganese Di Sulfate</p> <p>Manganese Sulphate, Monohydrate - IS 10535, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814, Silver sulfate, Lithium sulfate monohydrate, Manganese Dioxide For Dry Batteries - IS 11153, Silico Manganese as per IS 1470, Hydrazine Sulfate, Sodium Dodecyl Sulfate (SDS), Ammonium ceric sulfate, Ferro Manganese, High Carbon (V2) as per IS 1171</p> <p><b>Searched String:</b> N Hexane</p> <p>N-Hexane, Mobile Containers For Solid Waste (Industrial) - IS 12402, N - Hexane AR Grade, Hexane, Sodium Hexane Sulphonate / Hexane Sulphonic Acid Sodium, Credenzas, N Heptane, Classroom Tables, n - Butanol, Cylindrical Roller</p>

Bid Details/विषय	Bearing as per IS 6455
	<p><b>Searched String:</b> N Hexane</p> <p>N-Hexane, Mobile Containers For Solid Waste (Industrial) - IS 12402, N - Hexane AR Grade, Hexane, Sodium Hexane Sulphonate / Hexane Sulphonic Acid Sodium, Credenizas, N Heptane, Classroom Tables, n - Butanol, Cylindrical Roller Bearing as per IS 6455</p> <p><b>Searched String:</b> Nitric Acid</p> <p>Nitric Acid (V2) as per IS 264, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Nitric Acid for Bulk Supply as per IS 264, Veratric Acid (3,4-Dimethoxybenzoic Acid), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Humic Acid and Fulvic Acid, Lead Acid starter Batteries, Acid Orange, Lead Acid Traction Battery as per IS 5154, Adipic Acid</p> <p><b>Searched String:</b> Ortho phosphoric Acid</p> <p>Ortho - Phosphoric Acid as per IS 798, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Phosphoric acid, food grade as per IS:10508, Etchant gel, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Portable Ortho Heating Pad -Electrical, Lead Acid starter Batteries, Urea Phosphate, Lead Acid Traction Battery as per IS 5154, Veratric Acid (3,4-Dimethoxybenzoic Acid)</p> <p><b>Searched String:</b> Phenol Disulphonic Acid</p> <p>Phenol (Carbolic Acid) as per IS 538, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Pera nitro Phenol, Lacto Phenol Cotton Blue Solution, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Veratric Acid (3,4-Dimethoxybenzoic Acid), Lead Acid starter Batteries, Humic Acid and Fulvic Acid, Lead Acid Traction Battery as per IS 5154, Acid Orange</p> <p><b>Searched String:</b> Potassium bromide</p> <p>Potassium Bromide as per IS: 2797, Flame Photometer, Potassium Persulfate (Potassium Peroxodisulfate), Ethidium Bromide, Blood Sample Collection Tubes, Ammonium Bromide, Potassium Iodide as per IS 7163, Ipratropium Bromide, Potassium Dichromate, Potassium Permanganate as per IS 333</p> <p><b>Searched String:</b> Silver Sulfate</p> <p>Silver sulfate, Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest), Hydrazine Sulfate, Silver chloride, Workstation, Silver Coins, ECO - Friendly Disinfectant (Hydrogen Peroxide + Silver Nitrate), Ammonium ceric sulfate, Disposable Food Packaging Container, Lithium sulfate monohydrate</p> <p><b>Searched String:</b> Silca gel sixty to one twenty mesh</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Sodium acetate trihydrate</p> <p>Sodium diethyldithiocarbamate trihydrate, Blood Sample Collection Tubes, SODIUM ACETATE, D and C Set, SODIUM</p>

**Bid Details/As per**

ACETATE (ANHYDROUS) - ONGC, Flame Photometer, Potassium ferrocyanide trihydrate, Ammonium acetate, Yoga Mats, Barium Acetate

**Searched String:** Sodium Borohydride

SODIUM ACETATE, Blood Sample Collection Tubes, Sodium Hydrosulfite, Glassy Sodium Metaphosphate or Sodium HexaMetaphosphate, SODIUM COBALTINITRITE, Flame Photometer, Sodium Arsenite, Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), Sodium Periodate, Blood Specimen Collection Tubes

**Searched String:** Sodium Hypochlorite

Sodium Hypochlorite (Industrial Grade) - ONGC, Blood Sample Collection Tubes, Sodium Hypochlorite Solution for Water Maker - ONGC, Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), Flame Photometer, Sodium Hypochlorite Solution for Bulk Supply (V2) as per IS 11673 (Part 1), Calcium Hypochlorite Granules (65 - 70 %) (V2), Blood Specimen Collection Tubes, SODIUM ACETATE, High Pressure Sodium Vapour Lamps (HPSV Lamps) as per IS 9974 (Part 1 and 2 )

**Searched String:** Sodium Sulphate Anhydrous

Sodium Bromide Anhydrous, Blood Sample Collection Tubes, SODIUM ACETATE (ANHYDROUS) - ONGC, D and C Set, Sodium Phosphate, Dibasic, Anhydrous, Flame Photometer, Sodium Lauryl Sulphate-IS 3986, Regulators for Breathing Apparatus ( Diving Instruments or Accessories), 1-Heptanesulphonic acid sodium salt anhydrous, Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1)

**Searched String:** Sulfamic Acid

Sulfamic acid, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Veratric Acid (3,4-Dimethoxybenzoic Acid), Humic Acid and Fulvic Acid, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Acid Orange, Adipic Acid, Lead Acid starter Batteries, Perchloric acid, Acid Slurry or Alkyl Benzene Sulphonic Acid as per IS 8401

**Searched String:** Sulfanilamide

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Sulphuric Acid

Centrifugal Pump for Sulphuric Acid (IOCL), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sulphuric acid for Bulk supply - FACTL, Sulphuric Acid in Tanker as per IS 266, Sulphuric Acid as per IS 266, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sulphuric Acid (V2) Conforming to IS 266, Sulfuric acid (Research grade), Lead Acid starter Batteries, Lead Acid Traction Battery as per IS 5154

**Searched String:** Toulene

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Zirconium Oxy Chloride

<b>Bid Details/बिड विवरण</b>	Zirconium Oxychloride Octahydrate, Suction Catheters (V2), Oxy Gasoline Metal Cutting Torch System, Mercuric Chloride, Yoga Mats, Cadmium chloride, Liquid Nitrogen in tankers, Benzyl Chloride, Floor Drain Traps, Stannous Chloride
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>Sulfuric acid (Research grade)</li> </ul>
<b>BOQ Title/बीओक्यू शीर्षक</b>	Procurement of Chemicals
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	4 Lakh (s)
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	2 Year (s)
<b>MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>	No
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	20 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Single Packet Bid
<b>Primary product category</b>	Sulphuric Acid
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	3 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	21000

#### ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

Scientist B

Central Pollution Control Board Regional Directora, NA, N/A, Ministry of Environment Forest and Climate Change (Md. Abdur Rafique)

#### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.



4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Acetone

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	5	30

**Trisodium Citrate**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

**Ammonia Solution**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	10	30

**Ammonium Acetate**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

### Ammonium Chloride

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	3	30

### Ammonium Ferrous Sulphate

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	18	30

**Acetonitrile**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	5	30

**Barium Chloride**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	2	30

**Barium Perchlorate Trihydrate**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

### Calcium Chloride Fused

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	9	30

### Calcium Cholride

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

**Chloramine T Solution**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

**Charcoal Activated**



**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

**Dichloromethane**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	4	30

### Ferroun Indicator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	4	30

### Formaldehyde

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	3	30

**Dplus Glucose Anhydrous Dextrose**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

**Holmium Tri Oxide**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

**Hydrochloric Acid**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	3	30

## Hydrogen Peroxide

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	8	30

## Isopropanol

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	5	30

**Mercury Di Chloride**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	2	30

**Methylene Blue Indicator**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

**Manganese Di Sulfate**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	10	30

## N Hexane

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	20	30

## N Hexane

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>



Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	10	30

**Nitric Acid**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	3	30

**Ortho Phosphoric Acid**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	3	30

**Phenol Disulphonic Acid**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

### Potassium Bromide

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

### Silver Sulfate

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	25	30

**Silca Gel Sixty To One Twenty Mesh**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	4	30

**Sodium Acetate Trihydrate**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	4	30

**Sodium Borohydride**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	2	30

### Sodium Hypochlorite

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	2	30

### Sodium Sulphate Anhydrous

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	2	30

**Sulfamic Acid**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

**Sulfanilamide**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Md. Abdur Rafique	700107,Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	3	30

**Sulphuric Acid**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	30	30

## Toulene

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

## Zirconium Oxy Chloride

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Md. Abdur Rafique	700107, Central Pollution Control Board 5th Floor, Southend Conclave 1582 Rajdanga Main Road Kolkata	1	30

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

**3. Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Central Pollution Control Board  
payable at  
Kolkata

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

**4. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**5. Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### 6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

#### 7. Generic

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**