

To,

Sub: Invitation of sealed quotations for supply of Audio System in Parivesh Bhawan, Central Pollution Control Board, Delhi

Sir,

Sealed quotations are invited on behalf of the Central Pollution Control Board for the following Audio System:-

S.N.	Description	QTY.	RATE (UNIT)	Unit	AMOUNT FOR SUPPLY OF ITEMS (RS.)	AMOUNT FOR Installation & commissioning (Rs.)
1	Supply & installation of Chairman Unit including under table wiring and junctions - 16" long gooseneck microphone, having priority switch, built in loudspeaker, equipped with ring LED indicator for easy visual identification, headphone output with volume control, Auto microphone off feature	1		nos		
2	Supply & installation of Chairman Unit including under table wiring and junctions - 16" long gooseneck microphone, built in loudspeaker, equipped with ring LED indicator for easy visual identification, headphone output with volume control, Auto microphone off feature	16		nos		
3	Supply & installation of Central Amplifier including underground wiring and junctions. AC mains & 24 V DC operation, Minimum 50W PA Amplifier for adequate sound reinforcement, Minimum three Mic inputs and one Aux. input for various user applications, Unique send/Return facility through a stereo jack.	1		nos		
4	Supply & installation of Ceiling Mounting speaker (6", 8 Watt RMS/100v) - power coated aluminium mesh grille and moulded plastic frame, tap selection of 100V,	6		nos		
5	Supply & Installation of Mixing PA Amplifier + Digital Player (through USB, SD/MMC Card reader) - 100 Watt Max. power output, 4 Mic & 1 Aux inputs	1		nos		
6	Supply & installation of 4/5 Channel Mixing preamplifier with 200mV output	1		nos		
7	Supply & installation of Dual Channel Ultra High Frequency wireless microphone (handheld + handheld) system comprising of receiver, transmitter, power jack and other accessories having frequency range 460-970 MHz	1		set		
8	Supply & installation of Ultra High Frequency wireless microphone system (Lapel) comprising of receiver, transmitter, power jack and other accessories having frequency range 460-970 MHz (Handheld type use)	1		set		
9	Supply & installation of Plastic Grommet	17		nos		
10	Supply & fixing of 8 core conference cable compatible with connectors etc. - per running metre	60		metre		
11	Supply & fixing of two core ATC speaker Cable (24x0.20) in 25mm PVC Conduits per metre	60		metre		
12	Supply & fixing of 25mm PVC Conduits alongwith fixing accessories	60		metre		
13	Buy back of the old system (Including table mic, amplifier and speaker)	L.S.				
	Total					

	Taxes if any					
	Grand Total					

Terms & Conditions:

1. Sealed quotation should be reached in the office of I/c, Building, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi-110032 on or before 27.03.2014 by 3.00 pm.

2. The quotation can also be downloaded from CPCB Website www.cpcb.nic.in

The rates quoted should be as per our specification including of all taxes. **The system quoted should be of Ahuja/ Bosch / Sennheiser make only.**

3. The payment will be made after satisfactory installation and testing of the complete system.

4. You have to provide the guarantee for 01 year on the complete system. The defect if any, found within one year of the guarantee period should be rectified by the quotee at his own cost.

5. A security amount of 10% will be deducted from your bill for defect liability period of one year.

6. You have to submit an undertaking that the spare parts of the quoted system will be available for atleast 05 years from the date of purchase of the system.

7. In the event of any dispute, the decision of the Chairman, Central Board shall be final and binding on both the parties.

8. Income Tax shall be deducted at source.

9. It may be noted that mere quoting the lowest rates will not entitle any firm to get the order.

10. The Chairman, Central Pollution Control Board reserves the right to cancel any or all the quotations without assigning any reasons thereof.

11. The quotation shall be valid for three months from the date of opening.

12. The terms & conditions and taxes etc. should be clearly mentioned in the quotation.

13. The over writing and corrections, if any should be attested.

14. Typographical & clerical errors are subject to correction.

Yours faithfully,

(Paritosh Kumar)
I/c, Building

Copy: I/c, F&A, CPCB, Delhi