



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
(पर्यावरण एवं वन मंत्रालय, भारत सरकार)
(MINISTRY OF ENVIRONMENT & FORESTS, GOVT. OF INDIA)

C-14011/10/2k13/-Tech.

Dated: 29.10.2013

Dr. P. K. Behera

Scientist 'C' &

I/c. Water Lab

Ph & Fax #011-22301844 & 43102393

Sub: Query / invoice for repairing of instruments (Three numbers of BOD Incubator, One Number of Refrigerator and one number Analytical Balance) – regarding.

Sir,

Three numbers of BOD Incubator, One Number of Refrigerator and one number Analytical Balance is out of order in the Water Laboratory of Head Office, Delhi. Submit your quotation / invoice for repairing of instruments, details as follows on or before 8th Nov.2013.

S. No.	Item
1.	Analytical Balance (Make – Citizen)
2.	Repairing of Incubater (make – Sisco)
	Replacement of compressor ,Relay, Capacitor, O.L. Relay, Gas Refilling and service charges(one in number)
3.	Repairing of BOD Incubator (make – Ferrotech)
	Gas refilling, capillary, D M Dryer and servicing Charges (one in number)
4.	Repairing of Referigerator (make – Samsung)
	Gas refilling
5.	Repairing of BOD Incubator (Make – Sisco)
	Replacement of controller

The terms and conditions for carrying out the work are as follows:

1. The instruments, if need to be repair at the workshop of the firm then the transportation cost has to be borne by the firm. The entire responsibility during transit will be of the firm.

Contd.

2. The work should be to carried out with all the required spares provided by the firm without any extra cost.
- 3) After repairing of the instruments, the instruments should be covered under warranty for at least 12 months satisfactory running. During this period any fault in the instruments for which repair has been undertaken is to be rectified by the firm without any additional cost.
- 4) No other charges except mentioned in the quotation / invoice will be payable to you.
- 5) Typographical and clerical errors are subject to correction.
- 6) In event of any dispute the decision of the Chairman of the Central Pollution Control Board will be final and binding upon both the parties.

Yours faithfully,



(P. K. Behera)

24/10/13