



केन्द्रीय प्रदूषण नियंत्रण बोर्ड  
CENTRAL POLLUTION CONTROL BOARD  
(पर्यावरण एवं वन मंत्रालय, भारत सरकार)  
(MINISTRY OF ENVIRONMENT & FORESTS, GOVT. OF INDIA)

C-48020/01/2014-15/Mat.

Dated: 19/11/2014

To,

**Sub:- Invitation of sealed Limited quotations for the supply of the Safety items -reg.**

Sirs,

Sealed quotations superscribing above mentioned file number are invited for the supply of Equipments as per Technical Specification are as follows.

Sl. No.	Name of item	Specification	Quantity
01	Gloves insulated	Silica Fiber cloth Gloves for Muffle Furnace operations	12 Pairs
02	Hard toe shoes	Should be ankle high, having six eyelets. Toe should be reinforced with steel toe cap. Tongue should be padded. Bottom be made of vegetable-tanned sole leather or moulded rubber sole and heel. Eyelets be made of aluminum or brass coated steel of size 10 mm. (BIS IS : 1989 (part - 1 & 2-1986)	5 Pairs
03	Gum boots	PVC full gum boots with stockinet lining inside & confirming to IS : 12254 - 1988 with height in different size of 10", 12", & 14". Sole design with serrations in opposite directions.	7 Pairs
04	Hand truck for transporting cylinders	Flip down plate form size 355mm×241mm. Height 1 meter, Big smooth rolling 165mm diameter tires make it easy to move with aluminium or iron body.	3 Nos.
05	Sample trollies	Double platform with dimension 90 cms×60cms×90cms, Stainless Steel body, Four wheels	4 Nos.

CONTD.....2

06	Safely belts	As per BIS specification (IS: 3521-1989) Shall be made of nylon/polyester webbing & shall not be break under a minimum tensile load of 2000Kg. The width & thickness should be 44+ <sub>-1</sub> mm & 3+ <sub>-0.05</sub> mm respectively. The rivets & washers used for joining the various sections shall be made from copper.	8 Nos.
07	Plastic rope	Plastic rope with minimum 20mm diameter	100 Meters
08	Industrial helmets	As per BIS specification (IS: 2925-1984) Non metallic, circumference inside headband, medium size, with shell, peak, ventilation holes, chin strips, anti-concussion tapes, harness consisting of headband. Max. Weight 400gms.	4 Nos.
09	Safety harness	Nylon/polyester or synthetic fiber shall be used for lifeline/safety line. Shall not be break under a minimum tensile load of 2000kg. The maximum diameter of lifeline should be 10mm. The metal components shall be solid or forged. All fittings should be corrosion - resistant & chrome coated. (IS : 3521 : 1989)	6 Nos.

02. The quotation should reach this office by 22.12.2014.

03. The quotation should be sent by registered post. However, quotation may be put in the tender box kept in the first floor, Material Section, Parivesh Bhawan to avoid any delay

04. The rate should be written both in words & figures and there should not be any variations in the same. In case of any variation in the price quoted, the price mentioned in words will be considered as final.

05. **Payment Terms: 100% payment will be released on satisfactory supply of the items in good condition. No advance payment will be made as such no preference will be given for such advance payment proposals.**

06. The items should be supplied within four weeks from the date of issue of confirmed supply order. Failure to supply within the specified time, the order is liable to be cancelled.

07. The terms and conditions such as taxes, duties, warranty/Guarantee etc should be clearly be mentioned in the quotation.

08. It may be noted that mere quoting of lowest rates will not entitle any firm to be eligible to get the order

*Handwritten signature*  
19.11.2014


Contd.....3

09. The Chairman, Central Pollution Control Board reserves the right to cancel any or all tenders without assigning any reasons thereof. Your quotations should be valid at least for six months from the date of its opening.

10. Typographical and clerical errors are subject to corrections.

11. In the event of any dispute, the decision of the chairman, Central Board shall be final and binding upon both the parties.

Yours faithfully,

  
(M. Varghese)  
Admn. Officer